

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 28 Nov 2016

Yarding Change  $\frac{1076}{217}$

comparison date 21/11/2016

There were approximately 580 export and 500 young cattle penned this week, representing an increase of 220 head on the previous sale. The regular group of buyers were present and operated more selectively in an easier market. Quality improved, with a better selection of prime cattle throughout and most categories weighing heavier on average. Heavy weight vealers sold from mostly 10c up to 20c/kg cheaper, with many in the draft in excess of 400kg. Yearling trade cattle eased 5c to 12c/kg for most and more on some isolated sales. Grown steers sold firm for most, while the bullocks eased 5c/kg. Heavy weight bullocks in excess of 750kg held firm.

Heavy weight vealers suited to butcher orders sold from 330c to 370c/kg for most. Yearling trade steers made between 322c and 354c/kg. Yearling heifers to the trade sold between 280c and 330c/kg.

Grown steers made from 300c to 324c/kg. Bullocks sold from 300c to 316c/kg. Heavy weight bullocks made between 290c and 306c/kg. Heavy weight grown heifers sold between 268c to 304c/kg. Heavy weight crossbred manufacturing steers made from 276c to 306c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Vealer Steer</b>															
280-330	FD	B	2	1	364.6	- 364.6	364.6	N/Q	-			1203	- 1203	1203	
	FD	C	3	6	336.0	- 351.6	347.4	N/Q	-			1035	- 1160	1115	
		C	3	2	305.6	- 342.0	323.8	N/Q	556	- 622	589	917	- 1026	971	
330+		B	2	3	347.6	- 347.6	347.6	-9	621	- 621	621	1234	- 1234	1234	
		B	3	29	343.6	- 370.0	359.9	-8	603	- 640	624	1236	- 1595	1354	
		RS	B	3	1	351.6	- 351.6	351.6	N/Q	-		1283	- 1283	1283	
		FD	B	3	8	348.6	- 368.6	363.1	N/Q	-		1220	- 1371	1291	
		FD	C	2	2	332.0	- 345.0	338.5	N/Q	-		1162	- 1173	1168	
		C	3	39	338.6	- 365.0	353.3	-11	616	- 664	642	1151	- 1530	1294	
					<b>91</b>		<b>305.6</b>		<b>370.0</b>			<b>556</b>	<b>664</b>	<b>917</b>	<b>1595</b>
<b>Vealer Heifer</b>															
200-280		C	2	2	322.0	- 325.0	323.5	N/Q	586	- 602	594	805	- 910	858	
280-330		B	3	1	353.6	- 353.6	353.6	N/Q	620	- 620	620	1167	- 1167	1167	
		C	2	4	316.0	- 325.0	320.3	-12	585	- 593	590	948	- 1024	993	
	FD	C	2	3	347.6	- 347.6	347.6	9	-		1043	- 1043	1043		
	FD	C	3	6	332.0	- 332.0	332.0	N/Q	-		1096	- 1096	1096		
		C	3	8	332.0	- 343.6	336.7	-27	604	- 625	612	1031	- 1109	1069	
330+		A	2	2	362.6	- 362.6	362.6	N/Q	567	- 567	567	1450	- 1450	1450	
		FD	B	1	1	332.0	- 332.0	332.0	N/Q	-		1129	- 1129	1129	
			B	3	8	340.0	- 360.0	352.4	-13	597	- 632	618	1207	- 1430	1315
			C	2	2	318.0	- 329.6	323.8	N/Q	589	- 610	600	1081	- 1187	1134
			C	3	24	330.0	- 358.0	342.5	-19	600	- 651	623	1163	- 1343	1193
		C	4	5	296.6	- 331.6	324.0	N/Q	539	- 592	581	1068	- 1326	1233	
		D	3	3	326.0	- 326.0	326.0	9	604	- 604	604	1174	- 1174	1174	
					<b>69</b>		<b>296.6</b>		<b>362.6</b>			<b>539</b>	<b>651</b>	<b>805</b>	<b>1450</b>
<b>Yearling Steer</b>															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280		C	2	1	311.6	- 311.6	311.6	N/Q	577	- 577	577	779	- 779	779
280-330	RS	C	2	1	348.6	- 348.6	348.6	N/Q	-			1116	- 1116	1116
	FD	C	2	6	322.6	- 336.6	327.6	N/Q	-			1065	- 1077	1070
330-400	FD	B	2	4	353.6	- 353.6	353.6	N/Q	-			1344	- 1344	1344
	RS	C	2	12	315.0	- 352.6	336.9	-20	-			1260	- 1305	1286
	FD	C	2	13	285.0	- 339.6	321.5	10	-			1069	- 1223	1167
		C	3	7	330.0	- 353.6	347.1	3	600	- 643	631	1172	- 1414	1357
		D	3	3	295.0	- 335.0	308.3	-14	546	- 620	571	1077	- 1273	1142
400+		B	2	2	315.0	- 343.6	329.3	N/Q	563	- 614	588	1323	- 1718	1521
		B	3	5	330.0	- 346.0	338.6	-12	569	- 614	592	1592	- 1787	1693
	FD	C	2	1	312.0	- 312.0	312.0	N/Q	-			1404	- 1404	1404
	RS	C	2	19	310.0	- 328.2	324.7	N/Q	-			1395	- 1529	1464
		C	2	9	319.6	- 328.2	323.7	N/Q	588	- 608	591	1358	- 1444	1419
	RS	C	3	16	328.6	- 328.6	328.6	N/Q	-			1479	- 1479	1479
		C	3	15	321.6	- 350.6	337.1	-5	585	- 638	613	1351	- 1680	1550
		D	3	2	312.6	- 312.6	312.6	N/Q	579	- 579	579	1313	- 1313	1313
				<b>116</b>	<b>285.0</b>	<b>353.6</b>			<b>546</b>	<b>643</b>		<b>779</b>	<b>1787</b>	
<b>Yearling Heifer</b>														
0-200		D	2	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	560	- 560	560
200-280		C	2	1	310.0	- 310.0	310.0	N/Q	574	- 574	574	868	- 868	868
		D	2	3	280.0	- 300.0	286.7	N/Q	539	- 566	548	780	- 784	783
	RS	D	2	2	250.6	- 250.6	250.6	N/Q	-			664	- 664	664
280-330		D	2	3	297.6	- 297.6	297.6	23	572	- 572	572	893	- 893	893
		D	3	7	297.0	- 322.0	301.3	N/Q	556	- 596	565	893	- 1030	939
	FD	D	3	1	302.6	- 302.6	302.6	N/Q	-			968	- 968	968
330-400		C	3	2	322.0	- 325.0	323.5	N/Q	586	- 591	588	1203	- 1224	1213
	FD	D	2	11	317.6	- 317.6	317.6	N/Q	-			1159	- 1159	1159
		D	2	6	270.0	- 301.6	275.3	11	509	- 580	521	945	- 1041	961
		D	3	27	280.0	- 320.0	303.5	-7	528	- 593	568	980	- 1178	1113
	FD	D	3	1	310.0	- 310.0	310.0	N/Q	-			1240	- 1240	1240
		D	4	3	290.0	- 295.0	293.3	-5	537	- 546	543	1062	- 1160	1095
400+		B	3	2	330.0	- 330.0	330.0	N/Q	589	- 589	589	1568	- 1568	1568
		C	2	7	297.2	- 316.0	302.6	7	550	- 585	560	1343	- 1412	1392
		C	3	9	297.6	- 313.2	309.7	-42	541	- 580	571	1339	- 1347	1345
	FD	D	3	2	312.0	- 312.0	312.0	N/Q	-			1435	- 1435	1435
		D	3	98	282.6	- 310.6	302.7	-11	523	- 575	561	1335	- 1615	1429
		D	4	7	268.6	- 295.0	288.0	-13	497	- 546	533	1209	- 1470	1387
				<b>193</b>	<b>250.6</b>	<b>330.0</b>			<b>497</b>	<b>596</b>		<b>560</b>	<b>1615</b>	
<b>Grown Steer</b>														
400-500		C	2	1	277.6	- 277.6	277.6	N/Q	514	- 514	514	1388	- 1388	1388
		C	3	1	320.6	- 320.6	320.6	N/Q	573	- 573	573	1603	- 1603	1603
	RS	D	3	4	305.0	- 305.0	305.0	N/Q	-			1449	- 1449	1449
500-600		B	3	2	315.0	- 315.0	315.0	N/Q	553	- 553	553	1654	- 1654	1654
	FD	C	2	4	316.6	- 316.6	316.6	N/Q	-			1773	- 1773	1773
		C	2	3	300.0	- 300.0	300.0	-10	556	- 556	556	1650	- 1650	1650

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
600-750		C	3	81	307.6	- 324.2	316.9	-1	549	- 579	571	1643	- 1884	1794	
	FD	D	3	6	307.6	- 310.0	309.2	N/Q	-			1628	- 1769	1675	
		D	3	13	305.6	- 307.6	306.5	-6	558	- 566	560	1757	- 1784	1774	
		B	3	11	311.6	- 311.6	311.6	N/Q	547	- 547	547	2103	- 2103	2103	
		C	3	14	306.2	- 308.0	307.0	-7	540	- 547	544	1971	- 2143	2070	
750+		C	4	77	302.0	- 315.6	309.2	-7	530	- 564	553	1963	- 2265	2099	
		D	3	98	300.0	- 310.6	306.2	-2	546	- 570	561	1906	- 2262	2047	
		C	3	4	302.6	- 302.6	302.6	N/Q	540	- 540	540	2345	- 2345	2345	
		C	4	21	290.0	- 306.0	303.1	1	518	- 546	541	2320	- 2386	2361	
				<b>340</b>	<b>277.6</b>	<b>324.2</b>		<b>514</b>	<b>579</b>		<b>1388</b>	<b>2386</b>			
<b>Grown Heifer</b>															
0-540	DA	D	2	3	246.6	- 246.6	246.6	-7	514	- 514	514	1048	- 1048	1048	
		D	3	29	268.6	- 295.6	282.6	-4	517	- 547	534	972	- 1577	1376	
		D	4	3	274.0	- 284.0	277.3	N/Q	527	- 546	533	1096	- 1306	1166	
540+		C	3	1	275.0	- 275.0	275.0	N/Q	500	- 500	500	1719	- 1719	1719	
		D	3	25	267.6	- 304.0	294.0	-6	509	- 563	545	1538	- 1748	1674	
		D	4	3	253.2	- 277.2	266.8	-1	487	- 519	507	1646	- 1836	1715	
				<b>64</b>	<b>246.6</b>	<b>304.0</b>		<b>487</b>	<b>563</b>		<b>972</b>	<b>1836</b>			
<b>Manufacturing Steer</b>															
0-540		D	2	1	255.0	- 255.0	255.0	N/Q	481	- 481	481	956	- 956	956	
	FD	D	2	2	302.0	- 302.0	302.0	N/Q	-			846	- 846	846	
	RS	D	3	5	295.0	- 295.0	295.0	10	-			1475	- 1475	1475	
		D	3	12	292.6	- 300.0	299.0	3	536	- 556	553	1463	- 1593	1580	
	540+		B	3	2	285.0	- 288.6	286.8	N/Q	483	- 498	490	2251	- 2565	2408
			C	3	25	302.0	- 306.0	303.6	8	539	- 546	542	1661	- 1775	1707
			C	4	16	282.8	- 283.6	283.0	N/Q	496	- 498	496	2545	- 3120	2653
		DA	D	2	4	260.0	- 262.0	261.0	-3	491	- 504	497	1520	- 1664	1592
		DA	D	3	1	272.0	- 272.0	272.0	N/Q	513	- 513	513	1496	- 1496	1496
		D	3	24	275.6	- 300.0	292.8	-4	520	- 556	543	1557	- 2025	1872	
				<b>92</b>	<b>255.0</b>	<b>306.0</b>		<b>481</b>	<b>556</b>		<b>846</b>	<b>3120</b>			
<b>Cows</b>															
400-520		D	1	1	215.0	- 215.0	215.0	N/Q	478	- 478	478	946	- 946	946	
		D	3	1	263.6	- 263.6	263.6	N/Q	527	- 527	527	1318	- 1318	1318	
520+		D	1	4	218.0	- 218.0	218.0	N/Q	474	- 474	474	1308	- 1308	1308	
		D	2	6	234.6	- 237.6	236.6	N/Q	489	- 495	493	1485	- 1595	1522	
		D	3	4	239.6	- 239.6	239.6	-2	489	- 489	489	1294	- 1294	1294	
		D	4	8	246.6	- 259.6	256.4	N/Q	499	- 503	500	1356	- 1467	1439	
				<b>24</b>	<b>215.0</b>	<b>263.6</b>		<b>474</b>	<b>527</b>		<b>946</b>	<b>1595</b>			
<b>Bulls</b>															
0-450	RS	C	2	5	275.0	- 295.6	291.5	-10	-			880	- 946	933	
		C	2	1	272.0	- 272.0	272.0	N/Q	486	- 486	486	1224	- 1224	1224	
		C	3	1	282.6	- 282.6	282.6	N/Q	514	- 514	514	1130	- 1130	1130	
450-600	RS	C	3	1	265.0	- 265.0	265.0	N/Q	-			1537	- 1537	1537	
				<b>8</b>	<b>265.0</b>	<b>295.6</b>		<b>486</b>	<b>514</b>		<b>880</b>	<b>1537</b>			

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
 FD: Feeder DP: Dorper

**Disclaimer:**

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.