

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX Carcoar

report date 11 Apr 2017

Yarding Change <sup>1808</sup>/<sub>238</sub>

comparison date 04/04/2017

Numbers lifted and the quality was mixed. Yearlings made up the bulk of the offering but there was an increase in the number of vealers and weaners penned. Prime grown cattle were limited with a large number lacking weight and finish. Around 500 cows were penned. Not all the usual buyers were operating in a varying market.

Light restocking weaners were 6c dearer with the steers selling from 355c to 436c and the heifers reaching 370c/kg. Trade vealers were slightly cheaper receiving 340c to 366c/kg. Feeder steers averaged firm to 4c cheaper but on breed and quality the market was stronger. Steers sold from 336c to 382c/kg. Heifers to feed were firm ranging from 305c to 350c/kg. The heavy trade cattle were similar on most ranging between 325c and 349c/kg.

Prime grown steers and bullocks were 15c to 20c cheaper selling from 290c to 305c with heavy feeders to 343c/kg. Grown heifers slipped 15c reaching 329c/kg. Cows eased 10c to 12c with less competition with the 2 score medium weights 210c to 238c and the heavy 3 and 4 scores 220c to 246c averaging 240c/kg lwt.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Vealer Steer</b>															
0-200	RS	C	2	1	432.3	- 432.3	432.3	N/Q	-	-	-	648	- 648	648	
200-280	RS	C	2	78	320.0	- 436.2	404.9	-5	-	-	-	672	- 1097	1007	
		C	3	3	360.0	- 360.0	360.0	N/Q	667	- 667	667	1008	- 1008	1008	
		RS	D	2	16	374.2	- 374.2	374.2	N/Q	-	-	-	973	- 973	973
280-330	FD	C	2	27	374.2	- 374.2	374.2	13	-	-	-	1197	- 1197	1197	
	RS	C	2	16	365.2	- 420.0	402.9	23	-	-	-	1077	- 1260	1203	
		C	3	2	360.0	- 366.2	363.1	N/Q	655	- 666	660	1152	- 1172	1162	
330+	RS	C	3	6	353.6	- 360.0	355.7	N/Q	-	-	-	1080	- 1096	1091	
		C	2	6	371.2	- 371.2	371.2	6	-	-	-	1392	- 1392	1392	
		C	3	5	335.0	- 368.2	346.3	-24	620	- 670	636	1252	- 1407	1367	
				<b>160</b>	<b>320.0</b>	<b>436.2</b>			<b>620</b>	<b>670</b>		<b>648</b>	<b>1407</b>		
<b>Vealer Heifer</b>															
0-200	RS	C	1	1	332.6	- 332.6	332.6	N/Q	-	-	-	482	- 482	482	
		RS	C	2	6	319.6	- 363.0	355.8	N/Q	-	-	-	575	- 635	625
200-280	RS	C	2	52	323.6	- 370.0	345.2	N/Q	-	-	-	744	- 861	784	
		C	2	3	319.2	- 319.2	319.2	N/Q	614	- 614	614	734	- 734	734	
		FD	C	2	13	320.0	- 338.6	337.2	-13	-	-	-	813	- 864	817
280-330	RS	C	2	10	300.0	- 333.4	330.1	-33	-	-	-	900	- 950	945	
		C	3	11	339.2	- 360.2	350.1	-4	627	- 667	644	982	- 1153	1029	
330+		C	2	1	340.0	- 340.0	340.0	N/Q	630	- 630	630	1309	- 1309	1309	
				<b>97</b>	<b>300.0</b>	<b>370.0</b>			<b>614</b>	<b>667</b>		<b>482</b>	<b>1309</b>		
<b>Yearling Steer</b>															
280-330	FD	C	2	28	348.0	- 382.2	366.6	9	-	-	-	1027	- 1185	1126	
		RS	C	2	38	305.0	- 378.0	355.5	-18	-	-	-	869	- 1194	1095
		RS	D	2	4	314.2	- 314.2	314.2	N/Q	-	-	-	895	- 895	895
330-400	RS	C	2	6	368.0	- 368.0	368.0	28	-	-	-	1362	- 1362	1362	
		FD	C	2	115	336.8	- 382.6	357.1	-5	-	-	-	1170	- 1398	1301

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	2	340.0	- 340.0	340.0	N/Q	630	- 630	630	1292	- 1292	1292
		C	4	1	325.6	- 325.6	325.6	N/Q	603	- 603	603	1237	- 1237	1237
400+	FD	C	2	68	300.0	- 362.0	355.0	-4	-	-	-	1408	- 1520	1494
	FD	C	3	16	339.6	- 353.2	352.4	-2	-	-	-	1519	- 1630	1526
		C	3	15	325.0	- 349.6	328.1	-23	591	- 647	597	1573	- 1723	1705
				<b>293</b>	<b>300.0</b>	<b>382.6</b>			<b>591</b>	<b>647</b>		<b>869</b>	<b>1723</b>	
<b>Yearling Heifer</b>														
280-330	FD	C	2	12	350.2	- 350.2	350.2	7	-	-	-	1121	- 1121	1121
	RS	C	2	20	329.2	- 359.0	343.6	-8	-	-	-	1053	- 1113	1085
	RS	D	2	10	330.0	- 330.0	330.0	-28	-	-	-	1056	- 1056	1056
	FD	D	2	2	328.2	- 328.2	328.2	N/Q	-	-	-	1050	- 1050	1050
330-400	RS	C	2	49	354.0	- 354.0	354.0	N/C	-	-	-	1239	- 1239	1239
	FD	C	2	130	310.0	- 346.2	336.3	-1	-	-	-	1147	- 1323	1229
	FD	C	3	2	326.6	- 326.6	326.6	N/Q	-	-	-	1274	- 1274	1274
		C	3	2	320.0	- 343.2	331.6	N/Q	593	- 636	614	1280	- 1321	1301
	FD	D	2	13	330.2	- 330.2	330.2	7	-	-	-	1106	- 1106	1106
	RS	D	2	2	320.0	- 320.0	320.0	N/Q	-	-	-	1168	- 1168	1168
		D	4	1	309.6	- 309.6	309.6	N/Q	573	- 573	573	1161	- 1161	1161
400+	FD	C	3	8	304.2	- 329.8	320.2	-14	-	-	-	1352	- 1475	1398
		C	3	22	330.0	- 342.6	335.1	-3	611	- 634	621	1374	- 1576	1493
		C	4	1	285.0	- 285.0	285.0	N/Q	528	- 528	528	1226	- 1226	1226
	FD	D	2	1	310.0	- 310.0	310.0	N/Q	-	-	-	1271	- 1271	1271
		D	3	1	324.0	- 324.0	324.0	N/Q	600	- 600	600	1312	- 1312	1312
				<b>276</b>	<b>285.0</b>	<b>359.0</b>			<b>528</b>	<b>636</b>		<b>1050</b>	<b>1576</b>	
<b>Grown Steer</b>														
0-400	FD	C	2	7	295.2	- 313.2	300.3	N/Q	-	-	-	1122	- 1190	1141
	RS	D	2	3	220.0	- 220.0	220.0	N/Q	-	-	-	748	- 748	748
400-500	FD	C	2	36	304.6	- 338.2	330.0	14	-	-	-	1279	- 1471	1413
	RS	C	3	2	295.6	- 295.6	295.6	N/Q	-	-	-	1419	- 1419	1419
	FD	C	3	12	343.2	- 343.2	343.2	N/Q	-	-	-	1647	- 1647	1647
500-600	FD	C	3	40	309.2	- 318.8	314.5	N/Q	-	-	-	1608	- 1690	1635
		C	4	2	305.6	- 306.3	306.0	N/Q	566	- 567	567	1589	- 1715	1652
600-750		C	4	27	290.0	- 295.0	292.9	N/Q	531	- 546	537	1856	- 1888	1874
				<b>129</b>	<b>220.0</b>	<b>343.2</b>			<b>531</b>	<b>567</b>		<b>748</b>	<b>1888</b>	
<b>Grown Heifer</b>														
0-540	RS	C	2	16	262.2	- 262.2	262.2	-62	-	-	-	1114	- 1114	1114
	FD	C	2	7	315.0	- 315.0	315.0	19	-	-	-	1323	- 1323	1323
		C	2	2	290.0	- 306.6	298.3	N/Q	558	- 590	574	1180	- 1204	1192
		C	3	9	278.0	- 329.6	293.0	-14	515	- 622	546	1417	- 1574	1491
		C	4	2	270.0	- 270.0	270.0	N/Q	500	- 500	500	1404	- 1404	1404
	FD	D	2	8	251.2	- 260.0	254.5	-26	-	-	-	988	- 1030	1014
	RS	D	2	4	210.0	- 210.0	210.0	-46	-	-	-	725	- 725	725
		D	3	6	255.0	- 292.0	271.7	-9	481	- 551	516	1126	- 1480	1242
540+		C	4	11	278.0	- 285.2	283.2	N/Q	515	- 528	525	1585	- 1597	1594

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				<b>65</b>	<b>210.0</b>	<b>329.6</b>			<b>481</b>	<b>622</b>		<b>725</b>	<b>1597</b>	
<b>Manufacturing Steer</b>														
540+		D	3	1	260.0	- 260.0	260.0	N/Q	491	- 491	491	1495	- 1495	1495
				<b>1</b>	<b>260.0</b>	<b>260.0</b>			<b>491</b>	<b>491</b>		<b>1495</b>	<b>1495</b>	
<b>Cows</b>														
0-400		D	1	2	200.0	- 205.0	202.5	N/Q	435	- 446	440	760	- 810	785
		D	2	4	205.0	- 205.0	205.0	N/Q	436	- 436	436	779	- 779	779
		E	1	1	60.0	- 60.0	60.0	N/Q	136	- 136	136	228	- 228	228
400-520		D	1	27	170.0	- 214.0	205.6	-15	370	- 465	446	723	- 1002	896
	RS	D	1	12	202.0	- 212.0	210.3	N/Q		-		848	- 890	883
	RS	D	2	32	221.0	- 230.2	225.4	-10		-		1029	- 1197	1115
		D	2	92	210.0	- 238.0	223.3	-12	438	- 496	470	935	- 1125	1060
		D	3	35	225.0	- 238.0	232.7	-11	450	- 492	467	1109	- 1227	1163
		E	1	4	162.0	- 162.0	162.0	N/Q	360	- 360	360	680	- 680	680
		E	2	6	210.0	- 225.2	222.7	N/Q	438	- 479	472	987	- 1013	1009
520+		D	2	6	233.2	- 233.2	233.2	-5	486	- 486	486	1236	- 1236	1236
	RS	D	3	10	230.0	- 230.0	230.0	N/Q		-		1265	- 1265	1265
		D	3	83	220.0	- 243.0	238.1	-10	440	- 482	474	1219	- 1652	1378
		D	4	166	235.0	- 246.8	240.3	-12	461	- 478	470	1350	- 1919	1576
				<b>480</b>	<b>60.0</b>	<b>246.8</b>			<b>136</b>	<b>496</b>		<b>228</b>	<b>1919</b>	
<b>Bulls</b>														
0-450	RS	C	2	11	304.2	- 308.2	306.7	N/Q		-		973	- 1110	1060
		C	2	7	205.0	- 342.2	294.1	64	380	- 590	515	707	- 1420	1152
450-600		C	2	4	260.2	- 337.2	302.5	N/Q	449	- 581	530	1509	- 1619	1589
600+		B	2	5	255.0	- 280.0	265.7	-8	430	- 467	441	2244	- 2869	2497
		C	2	5	245.0	- 260.0	251.0	1	431	- 448	440	1593	- 2860	1955
				<b>32</b>	<b>205.0</b>	<b>342.2</b>			<b>380</b>	<b>590</b>		<b>707</b>	<b>2869</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.