

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 02 May 2017

Yarding Change 3560
1630

comparison date 18/04/2017

The first sale for a fortnight produced a much larger yarding. It was a fair quality yarding with good numbers of young cattle to suit the feeders along with a good selection of cows to suit both the processors and restockers. Grown steers were in limited supply.

Young cattle to the processors finished 4c dearer with vealers selling to 370c/kg. Prime steer yearlings sold from 315c to 370c while the prime heifer yearlings sold to 339c/kg. Young feeder steers were 7c cheaper while the feeder heifers finished firm to 4c/kg dearer. Feeder steers sold from 291c to 370c, while the feeder heifers sold from 310c to 353c/kg. Young restocker steers were dearer, selling to 417c/kg.

Grown steers were 5c dearer with the prime medium and heavy weights selling from 290c to 319c/kg. Grown heifers were also dearer selling to 313c/kg. Cows were 4c to 7c cheaper with the 2 scores to the processors selling from 150c to 221c/kg. Cows to the restockers sold from 153c to 230c/kg. The better 3 and 4 score cows sold from 205c to 257c with the prime heavy weights averaging 239c/kg. Bulls sold to 274c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Vealer Steer | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 75 | 370.0 | - 417.0 | 395.7 | 14 | - | | | 828 | - 1043 | 904 |
| 280-330 | RS | C | 2 | 21 | 386.0 | - 386.0 | 386.0 | -10 | - | | | 1100 | - 1100 | 1100 |
| | FD | C | 2 | 8 | 365.0 | - 369.0 | 366.5 | -5 | - | | | 1150 | - 1162 | 1154 |
| | | C | 3 | 6 | 365.0 | - 370.0 | 367.5 | 10 | 685 | - 702 | 694 | 1186 | - 1203 | 1194 |
| 330+ | | C | 2 | 4 | 316.0 | - 316.0 | 316.0 | N/Q | 608 | - 608 | 608 | 1059 | - 1059 | 1059 |
| | FD | C | 2 | 14 | 368.0 | - 368.0 | 368.0 | N/Q | - | | | 1417 | - 1417 | 1417 |
| | RS | C | 2 | 19 | 372.0 | - 390.0 | 374.8 | N/Q | - | | | 1235 | - 1307 | 1246 |
| | RS | C | 3 | 24 | 370.0 | - 370.0 | 370.0 | N/Q | - | | | 1240 | - 1240 | 1240 |
| | | | | 171 | 316.0 | 417.0 | | | 608 | 702 | | 828 | 1417 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 43 | 339.0 | - 345.0 | 343.6 | N/Q | - | | | 864 | - 949 | 910 |
| | RS | C | 2 | 4 | 329.0 | - 329.0 | 329.0 | 3 | - | | | 707 | - 707 | 707 |
| | | C | 3 | 6 | 340.0 | - 340.0 | 340.0 | 6 | 642 | - 642 | 642 | 765 | - 765 | 765 |
| 280-330 | RS | C | 2 | 39 | 339.0 | - 339.0 | 339.0 | N/Q | - | | | 1051 | - 1068 | 1057 |
| | FD | C | 2 | 6 | 328.0 | - 328.0 | 328.0 | -1 | - | | | 1066 | - 1066 | 1066 |
| | | C | 2 | 13 | 344.0 | - 347.0 | 346.8 | N/Q | 662 | - 667 | 667 | 980 | - 1128 | 1116 |
| | FD | C | 3 | 7 | 340.0 | - 340.0 | 340.0 | N/Q | - | | | 1088 | - 1088 | 1088 |
| | | C | 3 | 6 | 348.0 | - 364.0 | 358.2 | -11 | 657 | - 700 | 672 | 992 | - 1183 | 1045 |
| 330+ | FD | C | 2 | 8 | 343.0 | - 343.0 | 343.0 | N/Q | - | | | 1149 | - 1149 | 1149 |
| | | C | 3 | 4 | 335.0 | - 350.0 | 342.5 | 1 | 620 | - 660 | 640 | 1208 | - 1323 | 1265 |
| | | | | 136 | 328.0 | 364.0 | | | 620 | 700 | | 707 | 1323 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 15 | 394.0 | - 394.0 | 394.0 | N/Q | - | | | 1024 | - 1024 | 1024 |
| 280-330 | RS | C | 2 | 15 | 378.0 | - 378.0 | 378.0 | 24 | - | | | 1229 | - 1229 | 1229 |
| | FD | C | 2 | 5 | 361.0 | - 361.0 | 361.0 | N/Q | - | | | 1173 | - 1173 | 1173 |
| | RS | D | 3 | 3 | 230.0 | - 230.0 | 230.0 | N/Q | - | | | 748 | - 748 | 748 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 330-400 | FD | C | 2 | 85 | 340.0 | - 370.0 | 358.5 | -8 | - | | | 1149 | - 1454 | 1359 |
| | RS | C | 2 | 14 | 382.0 | - 382.0 | 382.0 | N/Q | - | | | 1356 | - 1356 | 1356 |
| | | C | 3 | 4 | 339.0 | - 366.0 | 354.0 | N/Q | 651 | - 691 | 671 | 1190 | - 1409 | 1320 |
| | FD | C | 3 | 13 | 339.0 | - 355.0 | 345.2 | N/Q | - | | | 1225 | - 1271 | 1253 |
| 400+ | FD | C | 2 | 237 | 291.0 | - 368.0 | 347.7 | -7 | - | | | 1266 | - 1658 | 1542 |
| | FD | C | 3 | 112 | 323.0 | - 364.0 | 351.1 | -7 | - | | | 1403 | - 1803 | 1656 |
| | | C | 3 | 31 | 315.0 | - 370.0 | 345.4 | 14 | 604 | - 698 | 640 | 1488 | - 1683 | 1635 |
| | FD | C | 4 | 3 | 295.0 | - 295.0 | 295.0 | N/Q | - | | | 1549 | - 1549 | 1549 |
| | | | | 537 | 230.0 | 394.0 | | | 604 | 698 | | 748 | 1803 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 280-330 | FD | C | 2 | 27 | 235.0 | - 347.0 | 284.8 | -53 | - | | | 764 | - 1128 | 926 |
| 330-400 | FD | C | 2 | 41 | 300.0 | - 330.0 | 324.7 | -1 | - | | | 1128 | - 1267 | 1203 |
| | | C | 3 | 21 | 300.0 | - 338.0 | 325.1 | -24 | 566 | - 644 | 616 | 1155 | - 1301 | 1223 |
| | FD | C | 3 | 24 | 334.0 | - 343.0 | 338.2 | -1 | - | | | 1218 | - 1301 | 1264 |
| 400+ | FD | C | 2 | 64 | 319.0 | - 353.0 | 335.3 | N/Q | - | | | 1386 | - 1606 | 1476 |
| | | C | 3 | 22 | 314.0 | - 339.0 | 325.9 | -27 | 593 | - 640 | 613 | 1366 | - 1567 | 1519 |
| | FD | C | 3 | 75 | 312.0 | - 348.0 | 336.2 | 6 | - | | | 1420 | - 1618 | 1546 |
| | | | | 274 | 235.0 | 353.0 | | | 566 | 644 | | 764 | 1618 | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | FD | C | 2 | 122 | 318.0 | - 362.0 | 344.2 | -12 | - | | | 1304 | - 1702 | 1572 |
| | RS | C | 2 | 1 | 251.0 | - 251.0 | 251.0 | N/Q | - | | | 1117 | - 1117 | 1117 |
| | | C | 3 | 2 | 280.0 | - 280.0 | 280.0 | N/Q | 539 | - 539 | 539 | 1274 | - 1274 | 1274 |
| | FD | C | 3 | 14 | 240.0 | - 320.0 | 286.8 | -53 | - | | | 1116 | - 1520 | 1361 |
| | | C | 4 | 1 | 310.0 | - 310.0 | 310.0 | N/Q | 585 | - 585 | 585 | 1504 | - 1504 | 1504 |
| | FD | C | 4 | 15 | 329.0 | - 329.0 | 329.0 | -8 | - | | | 1563 | - 1563 | 1563 |
| 500-600 | FD | C | 3 | 47 | 283.0 | - 329.0 | 307.7 | 8 | - | | | 1443 | - 1694 | 1573 |
| | | C | 4 | 23 | 290.0 | - 315.0 | 306.1 | 4 | 547 | - 585 | 565 | 1639 | - 1717 | 1697 |
| | FD | C | 4 | 5 | 310.0 | - 319.0 | 313.6 | -27 | - | | | 1659 | - 1675 | 1665 |
| 600-750 | | C | 4 | 17 | 319.0 | - 319.0 | 319.0 | 6 | 602 | - 602 | 602 | 1946 | - 1946 | 1946 |
| 750+ | | C | 4 | 1 | 282.0 | - 282.0 | 282.0 | N/Q | 513 | - 513 | 513 | 2157 | - 2157 | 2157 |
| | | | | 248 | 240.0 | 362.0 | | | 513 | 602 | | 1116 | 2157 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | RS | C | 2 | 8 | 292.0 | - 292.0 | 292.0 | N/Q | - | | | 978 | - 978 | 978 |
| | | C | 2 | 2 | 229.0 | - 229.0 | 229.0 | N/Q | 449 | - 449 | 449 | 1042 | - 1042 | 1042 |
| | FD | C | 2 | 85 | 284.0 | - 300.0 | 291.8 | -15 | - | | | 1155 | - 1401 | 1312 |
| | FD | C | 3 | 1 | 285.0 | - 285.0 | 285.0 | N/Q | - | | | 1354 | - 1354 | 1354 |
| | | C | 3 | 18 | 210.0 | - 275.0 | 266.8 | -15 | 404 | - 529 | 513 | 893 | - 1355 | 1301 |
| | | C | 4 | 35 | 276.0 | - 310.0 | 299.1 | -12 | 521 | - 585 | 566 | 1008 | - 1607 | 1267 |
| | FD | D | 3 | 2 | 254.0 | - 254.0 | 254.0 | N/Q | - | | | 1105 | - 1105 | 1105 |
| | RS | D | 3 | 20 | 222.0 | - 265.0 | 262.9 | N/Q | - | | | 1143 | - 1232 | 1228 |
| | | D | 3 | 1 | 240.0 | - 240.0 | 240.0 | N/Q | 490 | - 490 | 490 | 1236 | - 1236 | 1236 |
| 540+ | | C | 3 | 1 | 270.0 | - 270.0 | 270.0 | N/Q | 509 | - 509 | 509 | 1526 | - 1526 | 1526 |
| | | C | 4 | 16 | 295.0 | - 313.0 | 309.8 | 28 | 536 | - 585 | 567 | 1667 | - 1938 | 1739 |
| | | | | 189 | 210.0 | 313.0 | | | 404 | 585 | | 893 | 1938 | |
| Manufacturing Steer | | | | | | | | | | | | | | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|------------|--------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 0-540 | | D | 3 | 4 | 209.0 | - 209.0 | 209.0 | -17 | 435 | - 435 | 435 | 1014 | - 1014 | 1014 |
| | | | 4 | 4 | 209.0 | 209.0 | | | 435 | 435 | | 1014 | 1014 | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | RS | D | 2 | 39 | 180.0 | - 218.0 | 204.7 | N/Q | - | | | 675 | - 839 | 778 |
| | | D | 2 | 25 | 150.0 | - 210.0 | 197.6 | N/C | 341 | - 477 | 449 | 563 | - 809 | 760 |
| | | E | 3 | 3 | 200.0 | - 200.0 | 200.0 | N/Q | 455 | - 455 | 455 | 770 | - 770 | 770 |
| 400-520 | | D | 2 | 107 | 180.0 | - 221.0 | 213.6 | -4 | 409 | - 500 | 482 | 738 | - 1072 | 960 |
| | RS | D | 2 | 44 | 153.0 | - 225.0 | 214.0 | N/Q | - | | | 650 | - 1023 | 954 |
| | RS | D | 3 | 46 | 222.0 | - 230.0 | 226.2 | N/Q | - | | | 961 | - 1093 | 1036 |
| | | D | 3 | 220 | 205.0 | - 239.0 | 223.5 | -7 | 436 | - 509 | 477 | 897 | - 1210 | 1068 |
| | | D | 4 | 5 | 233.0 | - 233.0 | 233.0 | -3 | 476 | - 476 | 476 | 1200 | - 1200 | 1200 |
| 520+ | | D | 2 | 4 | 212.0 | - 212.0 | 212.0 | N/Q | 471 | - 471 | 471 | 1113 | - 1113 | 1113 |
| | RS | D | 3 | 15 | 224.0 | - 228.0 | 225.6 | N/Q | - | | | 1176 | - 1243 | 1200 |
| | | D | 3 | 97 | 222.0 | - 237.0 | 229.0 | -2 | 472 | - 504 | 487 | 1166 | - 1413 | 1231 |
| | | D | 4 | 353 | 230.0 | - 257.0 | 238.9 | -4 | 446 | - 500 | 466 | 1213 | - 1821 | 1408 |
| | | D | 5 | 2 | 228.0 | - 229.0 | 228.5 | N/Q | 447 | - 449 | 448 | 1425 | - 1660 | 1543 |
| | | | 960 | 150.0 | 257.0 | | | | 341 | 509 | | 563 | 1821 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | | C | 2 | 7 | 245.0 | - 312.0 | 259.6 | 27 | 471 | - 600 | 497 | 1041 | - 1170 | 1081 |
| | RS | C | 2 | 20 | 318.0 | - 334.0 | 322.8 | N/C | - | | | 919 | - 1097 | 1044 |
| 450-600 | | B | 2 | 2 | 245.0 | - 245.0 | 245.0 | N/Q | 446 | - 446 | 446 | 1433 | - 1433 | 1433 |
| | | C | 2 | 4 | 205.0 | - 245.0 | 223.8 | -17 | 394 | - 462 | 428 | 994 | - 1188 | 1080 |
| 600+ | | B | 2 | 45 | 220.0 | - 274.0 | 258.7 | -8 | 393 | - 498 | 474 | 1531 | - 2926 | 2166 |
| | | C | 2 | 11 | 225.0 | - 263.0 | 239.8 | 5 | 433 | - 487 | 454 | 1450 | - 1963 | 1655 |
| | | | 89 | 205.0 | 334.0 | | | | 393 | 600 | | 919 | 2926 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.