

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX Carcoar

report date 09 May 2017

Yarding Change 3045  
-515

comparison date 02/05/2017

Numbers were back and the quality was a bit plainer. Yearlings made up the bulk of the young cattle with most going back onto feed. Vealers were limited as were prime yearlings to the trade. Grown steers and bullocks were in short supply but there was an increase in light plain grown heifers which returned to the paddock. Around 900 cows penned went to the usual buyers in a mostly firm to dearer market.

Light restocking steers reached 432c and trade vealers averaged 365c with light vealer heifers reached 390c/kg. Heavy feeder steers were firm while the medium weights were back 4c/kg on average. Steers to feed sold from 320c to 365c/kg. Medium weight heifers going to feed were 7c stronger selling from 305c to 339c/kg. Trade cattle were firm with processors paying 290c to 359c/kg.

Grown steers averaged 305c and the plainer restocking heifers averaged 265c/kg. Cows were 3c to 4c dearer to processors with the medium weight 2 scores 212c to 228c and the heavy 3 and 4 scores 220c to 245c averaging 237c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	3	350.0	- 396.2	380.8	N/Q	648	- 734	705	555	- 578	562
				<b>3</b>	<b>350.0</b>	<b>396.2</b>			<b>648</b>	<b>734</b>		<b>555</b>	<b>578</b>	
<b>Vealer Steer</b>														
0-200	RS	C	1	23	396.0	- 432.2	430.6	N/Q	-	-	-	733	- 821	817
	RS	C	2	2	380.0	- 380.0	380.0	N/Q	-	-	-	722	- 722	722
	RS	D	1	3	380.0	- 380.0	380.0	N/Q	-	-	-	532	- 532	532
200-280	RS	C	2	121	340.0	- 405.2	372.5	-23	-	-	-	779	- 1070	954
		C	2	2	363.2	- 363.2	363.2	N/Q	673	- 673	673	799	- 799	799
		C	3	2	364.2	- 364.2	364.2	N/Q	674	- 674	674	965	- 965	965
280-330		C	2	4	370.0	- 370.0	370.0	N/Q	685	- 685	685	1147	- 1147	1147
	RS	C	2	10	389.2	- 389.2	389.2	3	-	-	-	1148	- 1148	1148
	FD	C	3	8	350.0	- 359.2	354.6	N/Q	-	-	-	998	- 1149	1073
		C	3	8	348.2	- 365.2	352.4	-15	636	- 676	651	1041	- 1162	1110
330+	FD	C	2	4	338.2	- 338.2	338.2	-30	-	-	-	1133	- 1133	1133
		C	3	5	361.2	- 361.2	361.2	N/Q	669	- 669	669	1246	- 1246	1246
				<b>192</b>	<b>338.2</b>	<b>432.2</b>			<b>636</b>	<b>685</b>		<b>532</b>	<b>1246</b>	
<b>Vealer Heifer</b>														
0-200		C	1	1	390.0	- 390.0	390.0	N/Q	750	- 750	750	722	- 722	722
200-280		C	2	2	318.2	- 318.2	318.2	N/Q	589	- 589	589	891	- 891	891
	FD	C	2	15	320.0	- 350.0	335.0	-9	-	-	-	784	- 910	877
	RS	C	2	22	314.2	- 357.2	345.7	17	-	-	-	713	- 920	807
	RS	D	2	17	280.0	- 360.0	323.3	N/Q	-	-	-	644	- 848	778
280-330	FD	C	2	5	332.2	- 364.2	338.6	11	-	-	-	947	- 1165	991
		C	2	2	358.2	- 358.2	358.2	N/Q	663	- 663	663	1075	- 1075	1075
		C	3	16	325.2	- 355.0	341.9	-16	602	- 650	632	927	- 1136	1016
330+		C	2	5	337.2	- 337.2	337.2	N/Q	649	- 649	649	1163	- 1163	1163
		C	3	7	320.0	- 355.2	345.9	3	582	- 658	639	1088	- 1205	1186

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>92</b>	<b>280.0</b>	<b>390.0</b>			<b>582</b>	<b>750</b>		<b>644</b>	<b>1205</b>	
<b>Yearling Steer</b>															
200-280	FD	C	2	7	342.6	- 342.6	342.6	N/Q	-				925	- 925	925
	RS	C	2	43	339.0	- 382.4	367.8	-26	-				915	- 1032	993
	RS	D	2	5	305.2	- 305.2	305.2	N/Q	-				824	- 824	824
280-330	RS	C	2	50	331.2	- 399.2	384.5	7	-				1076	- 1179	1152
	FD	C	2	37	325.0	- 360.2	352.7	-8	-				1056	- 1171	1141
330-400	FD	C	2	273	320.0	- 365.2	354.6	-4	-				1160	- 1366	1282
	RS	C	2	64	350.0	- 363.4	358.4	-24	-				1221	- 1378	1253
		C	2	2	320.0	- 320.0	320.0	N/Q	593	- 593	593		1072	- 1072	1072
	FD	C	3	19	352.2	- 352.2	352.2	7	-				1338	- 1338	1338
		C	3	8	350.0	- 350.0	350.0	-4	648	- 648	648		1348	- 1348	1348
	FD	D	2	1	326.2	- 326.2	326.2	N/Q	-				1093	- 1093	1093
	RS	D	2	3	230.0	- 280.0	263.3	N/Q	-				874	- 952	926
400+	FD	C	2	191	320.0	- 359.0	349.2	1	-				1376	- 1572	1515
	FD	C	3	65	320.0	- 343.2	335.9	-15	-				1344	- 1707	1551
		C	3	3	315.2	- 359.2	329.9	-16	584	- 665	611		1509	- 1513	1512
					<b>771</b>	<b>230.0</b>	<b>399.2</b>			<b>584</b>	<b>665</b>		<b>824</b>	<b>1707</b>	
<b>Yearling Heifer</b>															
200-280	RS	C	2	3	324.6	- 324.6	324.6	N/Q	-				860	- 860	860
	RS	D	1	2	250.0	- 250.0	250.0	N/Q	-				600	- 600	600
	RS	D	2	23	320.0	- 335.0	331.1	N/Q	-				864	- 871	869
280-330	RS	C	2	18	359.6	- 359.6	359.6	N/Q	-				1115	- 1115	1115
	FD	C	2	45	320.0	- 340.0	330.9	46	-				988	- 1058	1028
	RS	D	2	26	290.0	- 303.2	294.1	N/Q	-				894	- 928	918
	FD	D	2	2	300.0	- 307.2	303.6	N/Q	-				876	- 930	903
330-400		C	2	3	339.2	- 339.2	339.2	N/Q	652	- 652	652		1153	- 1153	1153
	RS	C	2	9	280.0	- 330.2	324.4	N/Q	-				1036	- 1137	1118
	FD	C	2	312	305.0	- 339.2	331.4	7	-				1072	- 1294	1193
	FD	C	3	3	318.6	- 318.6	318.6	-20	-				1227	- 1227	1227
		C	3	18	290.0	- 344.0	332.7	8	537	- 637	616		1117	- 1273	1221
	RS	D	2	1	290.0	- 290.0	290.0	N/Q	-				1088	- 1088	1088
	FD	D	3	3	324.2	- 324.2	324.2	N/Q	-				1135	- 1135	1135
400+	FD	C	2	13	308.6	- 308.6	308.6	-27	-				1358	- 1358	1358
	FD	C	3	36	314.6	- 323.6	317.8	-18	-				1402	- 1463	1416
		C	3	10	320.0	- 330.0	328.0	2	593	- 611	607		1344	- 1370	1364
		C	4	5	280.0	- 300.0	296.0	N/Q	519	- 556	548		1428	- 1455	1450
	RS	D	2	1	270.0	- 270.0	270.0	N/Q	-				1107	- 1107	1107
	FD	D	3	11	315.0	- 315.0	315.0	N/Q	-				1370	- 1370	1370
					<b>544</b>	<b>250.0</b>	<b>359.6</b>			<b>519</b>	<b>652</b>		<b>600</b>	<b>1463</b>	
<b>Grown Steer</b>															
0-400	RS	D	1	3	220.0	- 220.0	220.0	N/Q	-				704	- 704	704
400-500	FD	C	2	14	280.0	- 320.6	288.8	-55	-				1176	- 1491	1269
		C	3	10	250.0	- 320.6	285.1	5	472	- 594	530		1088	- 1539	1356

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	C	3	30	280.0	- 335.0	324.0	37	-			1316	- 1625	1561
	DA	D	2	10	214.0	- 214.0	214.0	N/Q	446	- 446	446	899	- 899	899
	FD	C	3	41	266.0	- 327.2	308.0	N/C	-			1490	- 1734	1644
		C	3	17	270.0	- 305.0	302.1	N/Q	500	- 565	559	1485	- 1708	1683
				<b>125</b>	<b>214.0</b>	<b>335.0</b>			<b>446</b>	<b>594</b>		<b>704</b>	<b>1734</b>	
<b>Grown Heifer</b>														
0-540	RS	C	2	13	270.6	- 270.6	270.6	-21	-			1137	- 1137	1137
		C	3	2	302.2	- 302.2	302.2	N/Q	570	- 570	570	1360	- 1360	1360
	FD	C	3	2	301.6	- 301.6	301.6	N/Q	-			1297	- 1297	1297
		C	4	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1081	- 1081	1081
	FD	D	2	10	230.2	- 263.2	242.4	N/Q	-			829	- 1000	931
	RS	D	2	12	263.2	- 263.2	263.2	N/Q	-			1079	- 1079	1079
	RS	D	3	78	259.2	- 270.0	268.6	6	-			1089	- 1247	1200
	FD	D	3	7	243.2	- 255.0	244.9	-9	-			1094	- 1173	1106
		D	3	16	236.0	- 280.0	253.7	14	445	- 519	498	1109	- 1456	1264
	RS	E	1	2	125.0	- 125.0	125.0	N/Q	-			438	- 438	438
540+		D	3	2	238.2	- 238.2	238.2	N/Q	449	- 449	449	1310	- 1310	1310
		D	4	2	265.2	- 265.2	265.2	N/Q	491	- 491	491	1989	- 1989	1989
				<b>147</b>	<b>125.0</b>	<b>302.2</b>			<b>426</b>	<b>570</b>		<b>438</b>	<b>1989</b>	
<b>Manufacturing Steer</b>														
540+		D	4	1	240.0	- 240.0	240.0	N/Q	453	- 453	453	1488	- 1488	1488
				<b>1</b>	<b>240.0</b>	<b>240.0</b>			<b>453</b>	<b>453</b>		<b>1488</b>	<b>1488</b>	
<b>Cows</b>														
0-400		D	1	4	180.0	- 180.0	180.0	N/Q	391	- 391	391	684	- 684	684
	RS	D	1	31	193.2	- 218.2	204.5	N/Q	-			734	- 862	792
400-520	RS	D	1	17	208.2	- 214.2	212.1	N/Q	-			835	- 889	870
		D	1	26	152.0	- 210.0	191.5	N/Q	338	- 447	414	623	- 892	823
		D	2	118	212.0	- 228.0	219.4	6	442	- 473	459	890	- 1175	1016
	RS	D	2	62	222.0	- 233.8	228.5	15	-			937	- 1091	1024
		D	3	47	222.0	- 240.0	228.4	5	444	- 482	460	1040	- 1200	1078
	RS	D	3	15	227.0	- 227.0	227.0	1	-			1180	- 1180	1180
	RS	E	1	8	188.0	- 188.0	188.0	N/Q	-			771	- 771	771
520+		C	4	2	250.0	- 250.0	250.0	N/Q	472	- 472	472	1700	- 1700	1700
		D	2	1	215.0	- 215.0	215.0	N/Q	448	- 448	448	1140	- 1140	1140
		D	3	151	220.0	- 242.6	231.5	3	440	- 476	462	1187	- 1407	1267
		D	4	362	230.0	- 245.2	237.7	-1	451	- 481	467	1242	- 1994	1484
				<b>844</b>	<b>152.0</b>	<b>250.0</b>			<b>338</b>	<b>482</b>		<b>623</b>	<b>1994</b>	
<b>Bulls</b>														
0-450	RS	C	2	13	240.0	- 346.0	282.1	-41	-			733	- 912	812
		C	2	3	220.0	- 255.0	235.0	-25	407	- 472	430	816	- 989	910
		D	2	5	160.0	- 220.0	180.0	N/Q	296	- 400	332	480	- 847	625
450-600		C	2	9	210.0	- 241.2	230.0	6	389	- 431	414	1068	- 1392	1197
600+		B	2	10	260.0	- 285.0	265.9	7	419	- 475	443	2028	- 2730	2531
		C	2	17	225.0	- 259.2	243.4	4	402	- 455	431	1463	- 2540	1803
		D	2	1	230.0	- 230.0	230.0	N/Q	418	- 418	418	1426	- 1426	1426

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				<b>58</b>	<b>160.0</b>	<b>346.0</b>			<b>296</b>	<b>475</b>		<b>480</b>	<b>2730</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.