

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX Carcoar

report date 23 May 2017

Yarding Change <sup>2726</sup>  
586

comparison date 16/05/2017

Numbers lifted for a mixed yarding that mainly consisted of yearlings that suited feeder orders as well as a large run of plain cows which had strong restocking activity. Light young restocking steers and heifers were in reasonable numbers while suitable trade runs were in short supply. Prime grown cattle still remain limited. The market was dearer on most lines.

The few vealers to the trade went against the trend easing 4c with the top price reaching 350c/kg. Restocking steers were 10c stronger reaching 402c/kg. Most of the feeder steers were firm with the medium and heavy weights ranging from 320c to 365c/kg. Feeder heifers lifted 13c for the medium weight and 15c to 20c/kg for the heavy weights. Prices ranged from 319c to 345c/kg. Trade cattle were limited and sold between 280c and 350c/kg.

The few grown steers and bullocks in prime condition ranged from 280c to 331c/kg. Restocking cows lifted 15c to Restockers with light weights selling from 225c to 246c and heavy PTIC cows reached 258.2c/kg. Cows to processors were 10c dearer on medium weights and 5c to 6c/kg dearer for the heavy cows. Medium weights sold from 210c to 242c/kg. Heavy cows made from 222c to 252c, to average 243c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	1	410.0	- 410.0	410.0	N/Q	789	- 789	789	738	- 738	738
				<b>1</b>	<b>410.0</b>	<b>410.0</b>			<b>789</b>	<b>789</b>		<b>738</b>	<b>738</b>	
<b>Vealer Steer</b>														
0-200	RS	C	1	5	350.0	- 391.2	374.7	N/Q	-	-	-	508	- 763	661
200-280	RS	C	2	128	343.0	- 404.2	385.2	9	-	-	-	779	- 1031	956
		C	2	2	350.0	- 350.0	350.0	N/Q	648	- 648	648	823	- 823	823
	FD	C	2	6	335.0	- 373.2	364.4	N/Q	-	-	-	905	- 1016	987
		C	3	1	358.2	- 358.2	358.2	N/Q	663	- 663	663	985	- 985	985
280-330	RS	C	2	4	370.2	- 370.2	370.2	8	-	-	-	1111	- 1111	1111
		C	3	4	348.2	- 363.2	352.4	-4	633	- 673	644	998	- 1162	1088
	FD	C	3	4	359.2	- 359.2	359.2	N/Q	-	-	-	1114	- 1114	1114
				<b>154</b>	<b>335.0</b>	<b>404.2</b>			<b>633</b>	<b>673</b>		<b>508</b>	<b>1162</b>	
<b>Vealer Heifer</b>														
0-200	RS	D	1	1	300.0	- 300.0	300.0	N/Q	-	-	-	435	- 435	435
200-280	RS	C	2	51	334.6	- 356.6	349.3	50	-	-	-	803	- 909	874
		C	2	13	325.0	- 350.0	338.5	N/Q	611	- 673	633	704	- 872	793
	FD	C	2	49	330.0	- 352.6	349.3	18	-	-	-	793	- 946	852
		C	3	2	350.0	- 350.0	350.0	N/Q	660	- 660	660	928	- 928	928
	D	2	1	1	280.0	- 280.0	280.0	N/Q	539	- 539	539	658	- 658	658
	FD	D	2	2	300.0	- 300.0	300.0	N/Q	-	-	-	630	- 630	630
280-330	RS	C	2	8	347.2	- 347.2	347.2	-5	-	-	-	990	- 990	990
		C	3	10	345.0	- 355.0	348.7	-4	639	- 650	643	990	- 1124	1050
	FD	C	3	2	335.2	- 335.2	335.2	N/Q	-	-	-	955	- 955	955
330+		C	3	5	355.2	- 355.2	355.2	3	658	- 658	658	1225	- 1225	1225
		D	3	1	304.0	- 304.0	304.0	N/Q	574	- 574	574	1110	- 1110	1110
				<b>145</b>	<b>280.0</b>	<b>356.6</b>			<b>539</b>	<b>673</b>		<b>435</b>	<b>1225</b>	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Yearling Steer</b>														
200-280	RS	C	2	24	369.2	- 377.2	371.7	N/Q	-			978	- 1000	985
	RS	D	1	1	200.0	- 200.0	200.0	N/Q	-			520	- 520	520
	RS	D	2	1	200.0	- 200.0	200.0	N/Q	-			480	- 480	480
280-330	FD	C	2	117	338.6	- 367.2	357.5	24	-			1012	- 1197	1129
	RS	C	2	38	330.0	- 392.0	383.6	10	-			990	- 1117	1097
330-400	RS	C	2	11	300.0	- 360.0	354.5	-17	-			1110	- 1332	1312
	FD	C	2	211	325.0	- 365.2	357.3	N/C	-			1133	- 1441	1284
400+	FD	C	2	119	320.0	- 369.0	350.0	-8	-			1312	- 1576	1489
	RS	C	3	37	352.2	- 352.2	352.2	N/Q	-			1691	- 1691	1691
		C	3	7	295.2	- 310.8	308.6	5	547	- 576	571	1368	- 1506	1387
	FD	C	3	22	350.0	- 355.2	353.3	17	-			1470	- 1634	1574
				<b>588</b>	<b>200.0</b>	<b>392.0</b>			<b>547</b>	<b>576</b>		<b>480</b>	<b>1691</b>	
<b>Yearling Heifer</b>														
200-280	RS	C	2	19	343.0	- 358.2	351.8	N/Q	-			909	- 931	922
	FD	D	1	1	180.0	- 180.0	180.0	N/Q	-			459	- 459	459
	FD	D	2	11	303.2	- 303.2	303.2	N/Q	-			819	- 819	819
	RS	D	2	11	260.0	- 323.2	317.5	N/Q	-			676	- 824	811
280-330	FD	C	2	47	328.2	- 345.2	339.0	-4	-			990	- 1105	1082
		C	3	8	345.0	- 350.0	348.1	N/Q	648	- 690	664	1001	- 1120	1075
	FD	D	2	22	322.2	- 332.2	330.3	N/Q	-			934	- 1061	1039
		D	3	3	280.0	- 280.0	280.0	N/Q	528	- 528	528	924	- 924	924
330-400		C	2	1	337.2	- 337.2	337.2	N/Q	649	- 649	649	1130	- 1130	1130
	FD	C	2	90	319.2	- 342.2	336.7	13	-			1097	- 1232	1178
	RS	C	2	24	339.0	- 339.0	339.0	N/Q	-			1288	- 1288	1288
		C	3	15	290.0	- 341.6	321.1	-22	537	- 633	595	1117	- 1265	1184
	FD	C	3	27	334.2	- 347.2	345.3	4	-			1253	- 1267	1265
	FD	D	3	8	323.2	- 323.2	323.2	N/Q	-			1164	- 1164	1164
400+	FD	C	2	32	334.2	- 336.6	335.4	23	-			1404	- 1414	1409
		C	3	3	280.0	- 329.2	312.8	15	519	- 610	579	1288	- 1383	1351
	FD	C	3	38	319.8	- 335.2	323.8	16	-			1407	- 1616	1417
	RS	D	3	3	272.2	- 272.2	272.2	N/Q	-			1184	- 1184	1184
				<b>363</b>	<b>180.0</b>	<b>358.2</b>			<b>519</b>	<b>690</b>		<b>459</b>	<b>1616</b>	
<b>Grown Steer</b>														
0-400	FD	C	2	3	304.2	- 304.2	304.2	N/Q	-			1156	- 1156	1156
		D	2	1	240.0	- 240.0	240.0	N/Q	480	- 480	480	948	- 948	948
400-500	FD	C	2	34	280.0	- 314.0	299.5	-6	-			1244	- 1366	1311
	RS	C	2	1	270.0	- 270.0	270.0	N/Q	-			1134	- 1134	1134
		C	2	1	285.0	- 285.0	285.0	N/Q	548	- 548	548	1197	- 1197	1197
		C	3	7	331.6	- 331.6	331.6	36	614	- 614	614	1592	- 1592	1592
500-600		C	3	6	280.0	- 310.2	294.1	-11	528	- 574	546	1456	- 1613	1510
600-750		C	4	10	315.0	- 315.0	315.0	N/Q	583	- 583	583	2000	- 2000	2000
				<b>63</b>	<b>240.0</b>	<b>331.6</b>			<b>480</b>	<b>614</b>		<b>948</b>	<b>2000</b>	
<b>Grown Heifer</b>														
0-540	RS	C	2	4	265.2	- 265.2	265.2	-5	-			1193	- 1193	1193

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	2	319.2	- 319.2	319.2	N/Q	591	- 591	591	1309	- 1309	1309
	FD	C	2	1	292.0	- 292.0	292.0	N/Q	-	-	-	1226	- 1226	1226
		C	3	1	278.6	- 278.6	278.6	N/Q	516	- 516	516	1449	- 1449	1449
	RS	D	2	25	235.0	- 273.6	265.0	N/Q	-	-	-	1000	- 1204	1059
		D	2	2	245.6	- 245.6	245.6	N/Q	491	- 491	491	823	- 823	823
	RS	D	3	7	264.2	- 264.2	264.2	N/Q	-	-	-	1215	- 1215	1215
	FD	D	3	6	240.0	- 265.2	256.8	N/Q	-	-	-	1128	- 1286	1233
		D	3	21	254.2	- 274.0	269.4	N/Q	480	- 517	504	1238	- 1364	1283
		D	4	1	260.0	- 260.0	260.0	N/Q	482	- 482	482	1261	- 1261	1261
540+		D	3	2	280.0	- 280.0	280.0	N/Q	519	- 519	519	1568	- 1568	1568
				<b>72</b>	<b>235.0</b>	<b>319.2</b>			<b>480</b>	<b>591</b>		<b>823</b>	<b>1568</b>	
<b>Cows</b>														
0-400		D	1	47	216.0	- 231.2	223.1	N/Q	460	- 503	480	821	- 925	869
	RS	D	1	24	223.2	- 227.6	225.4	N/Q	-	-	-	774	- 848	811
		D	2	4	214.6	- 214.6	214.6	15	457	- 457	457	826	- 826	826
		E	1	22	175.0	- 185.0	179.8	N/Q	398	- 411	402	613	- 711	675
400-520	RS	C	2	3	240.0	- 240.0	240.0	N/Q	-	-	-	1248	- 1248	1248
	RS	D	1	40	215.0	- 232.6	227.1	N/Q	-	-	-	864	- 989	960
		D	1	28	180.0	- 212.0	206.2	N/Q	391	- 461	443	774	- 890	859
		D	2	59	210.0	- 234.2	222.4	28	439	- 492	467	853	- 1149	1016
	RS	D	2	126	225.0	- 246.2	234.3	14	-	-	-	962	- 1194	1054
	RS	D	3	12	231.2	- 231.2	231.2	4	-	-	-	1202	- 1202	1202
		D	3	37	222.0	- 242.0	232.2	10	444	- 484	465	1067	- 1194	1146
		D	4	1	244.0	- 244.0	244.0	N/Q	478	- 478	478	1269	- 1269	1269
		E	1	1	140.0	- 140.0	140.0	N/Q	298	- 298	298	563	- 563	563
520+		C	2	4	231.0	- 231.0	231.0	N/Q	462	- 462	462	1224	- 1224	1224
	RS	D	3	66	258.6	- 258.6	258.6	30	-	-	-	1474	- 1474	1474
		D	3	97	222.0	- 249.2	239.1	12	444	- 498	478	1188	- 1488	1321
		D	4	94	232.0	- 252.0	243.0	3	463	- 494	477	1230	- 1865	1513
				<b>665</b>	<b>140.0</b>	<b>258.6</b>			<b>298</b>	<b>503</b>		<b>563</b>	<b>1865</b>	
<b>Bulls</b>														
0-450	RS	B	2	9	355.6	- 355.6	355.6	N/Q	-	-	-	942	- 942	942
	RS	C	2	14	256.0	- 328.6	317.5	40	-	-	-	700	- 1183	1041
	FD	C	2	1	250.0	- 250.0	250.0	N/Q	-	-	-	963	- 963	963
		C	2	3	268.2	- 281.2	272.5	25	471	- 502	481	1125	- 1207	1180
		D	2	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	880	- 880	880
450-600		C	2	4	235.0	- 270.0	254.8	8	427	- 472	451	1188	- 1580	1417
		D	2	3	200.0	- 235.0	220.4	N/Q	370	- 435	408	1040	- 1176	1119
600+		B	2	9	265.0	- 294.2	278.1	13	450	- 482	470	1812	- 2709	2301
		C	2	3	249.2	- 257.2	252.9	13	437	- 459	446	1545	- 1852	1670
				<b>47</b>	<b>200.0</b>	<b>355.6</b>			<b>370</b>	<b>502</b>		<b>700</b>	<b>2709</b>	

**Abbreviations**

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

**Disclaimer:**

© 2017 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.