

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 28 Apr 2011

Yarding Change 2500

comparison date 21/04/2011

Cattle numbers eased and the quality slipped. Yearlings were supplied in the greatest numbers with a larger amount of plainer cattle which suited the feeder and restocking orders. Vealers were in good numbers with a reasonable numbers in prime condition. Grown cattle were limited with very few heavy bullocks and a fair few unfinished runs. Cows were well represented. All the usual buyers attended the market.

Veal to the trade lifted 6c to 9c and the restocking lines eased 3c/kg. Medium weight veal steers ranged from 221c to 241c/kg. Light restocking lines reached 256c/kg. Trade steers eased 8c ranging from 180c to 240c and medium weight heifers eased at a similar rate to sell between 185c and 239c/kg. Feeder steers still had solid competition and lifted 11c to range between 193c and 230c/kg.

Grown steers to feed on lost 20c due to weak competition and these returning to the paddock lifted to average 187c/kg. Heavy grown steers lost 15c/kg and the few heavy bullocks eased 7c selling from 180c to 202c/kg for the better finished. Cows were 3c to 5c easier with the 3 and 4 score cows ranging from 142c to 169c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80		C	1	1	268.2	- 268.2	268.2	N/Q	536	- 536	536	201	- 201	201	
		C	2	2	250.0	- 260.2	255.1	N/Q	472	- 491	481	150	- 182	166	
	RS	C	2	1	340.0	- 340.0	340.0	N/Q	-	-	-	272	- 272	272	
		D	2	1	212.2	- 212.2	212.2	N/Q	408	- 408	408	127	- 127	127	
80+	RS	C	2	2	267.0	- 267.0	267.0	N/Q	-	-	-	320	- 320	320	
		C	2	1	262.0	- 262.0	262.0	N/Q	494	- 494	494	236	- 236	236	
					8	212.2	340.0	265.8		408	536	480	127	320	226
Vealer Steer															
0-200		C	2	3	220.0	- 251.6	237.9	N/Q	415	- 475	446	374	- 436	412	
	RS	C	2	11	220.0	- 256.2	240.6	N/Q	-	-	-	256	- 440	357	
	RS	C	3	2	224.0	- 224.0	224.0	N/Q	-	-	-	403	- 403	403	
200-280	RS	C	2	1	222.0	- 222.0	222.0	N/Q	-	-	-	466	- 466	466	
		C	2	6	229.6	- 233.0	231.9	N/Q	425	- 432	429	482	- 652	596	
		C	3	16	221.2	- 243.2	234.5	N/Q	410	- 450	434	509	- 657	586	
	RS	C	3	3	240.0	- 240.0	240.0	N/Q	-	-	-	576	- 576	576	
280-330	FD	C	2	5	237.4	- 237.4	237.4	N/Q	-	-	-	688	- 688	688	
		C	3	9	241.2	- 241.2	241.2	N/Q	447	- 447	447	748	- 748	748	
330+	FD	C	3	2	232.0	- 232.0	232.0	N/Q	-	-	-	777	- 777	777	
	RS	C	3	1	233.4	- 233.4	233.4	N/Q	-	-	-	782	- 782	782	
					59	220.0	256.2	236.4		410	475	438	256	782	570
Vealer Heifer															
0-200	RS	C	2	11	216.2	- 250.0	227.9	N/Q	-	-	-	218	- 443	378	
		C	2	7	200.0	- 230.0	216.9	N/Q	377	- 434	410	320	- 400	367	
		C	3	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	396	- 396	396	
	RS	D	2	1	203.2	- 203.2	203.2	N/Q	-	-	-	244	- 244	244	
200-280		C	2	29	192.0	- 234.6	223.2	N/Q	356	- 434	416	403	- 601	532	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
280-330	RS	C	2	12	220.0	- 223.6	223.0	N/Q	-			559	-	572	561	
		C	3	10	190.0	- 240.2	234.0	N/Q	352	-	445	433	532	-	673	603
	RS	C	2	4	202.0	- 202.0	202.0	N/Q	-			586	-	586	586	
		C	3	5	220.0	- 232.0	227.2	N/Q	407	-	430	421	673	-	704	690
				80	190.0	250.0	223.5		352	445	419	218	704	517		
Yearling Steer																
0-330		C	2	4	201.0	- 229.2	222.2	N/Q	387	-	441	427	653	-	688	679
	FD	C	2	61	176.2	- 233.2	221.0	N/Q	-			564	-	730	693	
	RS	C	2	13	180.0	- 195.2	189.8	N/Q	-			486	-	611	565	
	FD	C	3	8	228.0	- 228.0	228.0	N/Q	-			752	-	752	752	
		C	3	41	193.6	- 244.2	230.7	N/Q	359	-	452	427	629	-	757	740
330-400	RS	C	3	5	211.0	- 211.0	211.0	N/Q	-			696	-	696	696	
		C	2	10	180.0	- 202.4	196.8	N/Q	346	-	389	379	634	-	749	724
	FD	C	2	173	180.0	- 230.6	219.6	N/Q	-			657	-	879	784	
	RS	C	2	13	170.0	- 211.0	191.2	N/Q	-			646	-	770	693	
		C	3	50	200.0	- 239.6	225.8	N/Q	370	-	444	418	729	-	894	817
400+	RS	D	2	1	166.2	- 166.2	166.2	N/Q	-			582	-	582	582	
		C	2	19	210.0	- 238.2	230.8	N/Q	396	-	467	448	903	-	1000	975
	RS	C	2	18	180.2	- 191.6	190.3	N/Q	-			775	-	901	887	
	FD	C	2	62	179.2	- 218.0	200.8	N/Q	-			811	-	937	848	
		C	3	43	182.2	- 228.0	209.3	N/Q	343	-	422	389	815	-	958	891
	D	2	1	161.0	- 161.0	161.0	N/Q	316	-	316	316	676	-	676	676	
				522	161.0	244.2	215.5		316	467	414	486	1000	788		
Yearling Heifer																
0-330		C	2	24	178.2	- 214.2	195.5	N/Q	356	-	420	381	475	-	640	543
	FD	C	2	28	156.6	- 222.0	217.0	N/Q	-			501	-	710	685	
	RS	C	2	58	172.0	- 230.0	200.8	N/Q	-			403	-	666	596	
		C	3	14	205.2	- 243.2	218.5	N/Q	380	-	450	410	657	-	726	684
		C	4	1	195.0	- 195.0	195.0	N/Q	361	-	361	361	605	-	605	605
	RS	D	2	6	149.2	- 163.2	159.7	N/Q	-			484	-	522	511	
		D	2	12	167.0	- 195.0	183.7	N/Q	334	-	390	367	418	-	585	537
330-400	FD	D	2	8	158.6	- 172.0	160.3	N/Q	-			492	-	516	495	
		C	2	9	160.0	- 200.0	180.7	N/Q	302	-	385	347	576	-	686	635
	FD	C	2	11	188.0	- 212.0	207.6	N/Q	-			677	-	784	765	
	RS	C	2	19	213.2	- 214.0	213.5	N/Q	-			736	-	792	759	
	FD	C	3	10	222.2	- 222.2	222.2	N/Q	-			844	-	844	844	
		C	3	55	186.2	- 221.2	206.2	N/Q	345	-	410	383	652	-	841	752
		D	2	2	155.2	- 155.2	155.2	N/Q	310	-	310	310	535	-	535	535
	RS	D	2	1	157.0	- 157.0	157.0	N/Q	-			550	-	550	550	
400+	RS	D	3	2	170.0	- 170.0	170.0	N/Q	-			612	-	612	612	
		D	3	12	170.0	- 180.0	171.7	N/Q	321	-	340	324	612	-	666	625
		C	2	1	187.2	- 187.2	187.2	N/Q	360	-	360	360	768	-	768	768
		C	3	8	185.0	- 239.2	213.0	N/Q	349	-	443	398	777	-	1005	894
				281	149.2	243.2	200.7		302	450	376	403	1005	666		

Grown Steer

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
0-400	FD	C	2	11	199.2	- 199.2	199.2	N/Q	-			717	- 717	717	
	RS	C	2	20	176.0	- 180.2	178.9	N/Q	-			634	- 685	669	
	RS	C	3	1	180.0	- 180.0	180.0	N/Q	-			702	- 702	702	
		C	3	13	202.0	- 202.0	202.0	N/Q	381	- 381	381	768	- 768	768	
		D	2	2	166.2	- 166.2	166.2	N/Q	320	- 320	320	598	- 598	598	
400-500		C	2	55	150.0	- 183.0	177.1	N/Q	289	- 346	337	630	- 869	829	
	FD	C	2	17	166.6	- 183.0	175.3	N/Q	-			700	- 787	746	
	RS	C	2	36	182.2	- 195.6	186.9	N/Q	-			799	- 886	824	
	RS	C	3	2	183.6	- 185.0	184.3	N/Q	-			749	- 863	806	
		C	3	42	184.0	- 195.0	187.4	N/Q	347	- 375	354	800	- 931	884	
	D	2	1	162.0	- 162.0	162.0	N/Q	312	- 312	312	778	- 778	778		
500-600		C	2	2	168.2	- 170.0	169.1	N/Q	324	- 327	325	858	- 884	871	
		C	3	40	180.0	- 195.0	185.4	N/Q	333	- 368	348	995	- 1092	1056	
		C	4	8	185.6	- 202.0	199.7	N/Q	344	- 377	371	1076	- 1131	1123	
600-750		C	4	30	180.0	- 186.0	184.1	N/Q	333	- 344	341	1141	- 1224	1156	
				280	150.0	202.0	184.4		289	381	347	598	1224	887	
Grown Heifer															
0-540		C	3	17	169.6	- 188.0	180.0	N/Q	320	- 363	342	796	- 959	876	
		C	4	12	182.0	- 190.0	185.8	N/Q	350	- 365	356	813	- 988	883	
		RS	D	1	1	139.6	- 139.6	139.6	N/Q	-			503	- 503	503
		RS	D	2	1	142.2	- 142.2	142.2	N/Q	-			498	- 498	498
			D	2	3	148.0	- 148.0	148.0	N/Q	296	- 296	296	666	- 666	666
			D	3	31	162.0	- 175.0	171.2	N/Q	312	- 350	339	714	- 893	755
540+		C	4	1	188.0	- 188.0	188.0	N/Q	362	- 362	362	1053	- 1053	1053	
				66	139.6	190.0	174.4		296	365	341	498	1053	802	
Cows															
0-400		D	1	21	100.0	- 130.0	119.6	N/Q	213	- 277	256	400	- 494	434	
		D	2	18	125.0	- 145.0	132.6	N/Q	266	- 307	284	450	- 551	486	
		RS	D	2	2	130.0	- 130.0	130.0	N/Q	-			468	- 468	468
			E	1	4	60.0	- 100.0	88.6	N/Q	133	- 227	201	210	- 340	293
400-520		C	4	2	162.2	- 162.2	162.2	N/Q	324	- 324	324	843	- 843	843	
		D	2	87	125.0	- 156.2	138.3	N/Q	256	- 313	284	513	- 750	611	
		D	3	106	141.2	- 162.6	150.4	N/Q	282	- 325	301	607	- 837	714	
		D	4	35	135.0	- 164.2	155.9	N/Q	281	- 328	313	567	- 854	770	
520+		C	4	9	168.0	- 168.0	168.0	N/Q	329	- 329	329	1126	- 1126	1126	
		D	3	3	157.2	- 160.2	159.2	N/Q	314	- 320	318	849	- 849	849	
		D	4	89	155.0	- 169.6	162.5	N/Q	310	- 334	323	837	- 1087	959	
				376	60.0	169.6	148.2		133	334	300	210	1126	733	
Bulls															
0-450		C	2	54	147.2	- 225.2	191.8	N/Q	278	- 417	362	490	- 719	556	
450-600		C	2	18	147.6	- 165.6	154.8	N/Q	273	- 307	291	713	- 762	721	
600+	RS	B	2	2	181.2	- 181.2	181.2	N/Q	-			1576	- 1576	1576	
		B	2	3	165.0	- 170.2	166.7	N/Q	295	- 299	296	1403	- 1600	1468	
		C	1	1	140.2	- 140.2	140.2	N/Q	260	- 260	260	1009	- 1009	1009	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
		C	2	5	145.0	- 175.6	161.4	N/Q	274	-	325	301	986	-	1177	1117
				83	140.2	225.2	180.1		260		417	339	490		1600	689

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.