

UNIVERSAL FEEDERS



EFFICIENT | PRACTICAL | STRONG

www.universalfeeders.com.au

Contact Ross: 0409 804 613

BENEFITS

- Seamless Nutrition at Weaning
- Better Feed Conversion
- Robust Construction of Feeder for durability
- Quicker turnoff of cattle
- Saves up to 2tonne of grass per head
- Speeds up cash flow

INCREASED PROFITS

HOW IT WORKS

- The saliva lick feeding system of Universal Feeders requires livestock to utilize saliva to draw feed out from between two plates which Universal Feeders call adjusters.
- The upper adjuster controls the depth of the grain whilst the lower adjuster controls the width of the grain available for consumption.
- As the livestock's tongue goes into the groove, the feed that sticks to the tongue is the ration they can consume. The saliva decreases with progressive licks until the animal is unable to obtain any more feed.
- Livestock will leave the feeder once they are unable to obtain more feed, enabling other animals to have their turn.
- The age and breed of the livestock are both factors which affect the calibration of the Feeder. For this reason Universal Feeders supply a guide for initial calibration however the most accurate rates will be achieved through self calibration.



STRONG SIDES

NEW

275 grams Zinc/m²

- This area is usually the weakest part of most feeders
- Unique design has 3 bends
- Moisture unable to run down sides
- Easier to lift with forks
- Withstands greater pressure from cattle

FEEDER ON WHEELS


The dolly system is purchased separately to the feeder. The feeder can be left on the dolly or removed at will. There is good ground clearance and the checker plate can act as a step for lambs to access easily. The wheels are located away from the feeder to eliminate livestock getting stuck.

BENEFITS OF THE FEEDER BEING ON WHEELS:

- Ability to tow the feeder full of grain
- Ability to tow multiple feeders at one time



UNIQUE FEATURES



CHECKER PLATE WITH SKIDS

- Reduces the ground disturbance
- Ensures the feeder is always on level ground



INTERNAL RHS SUPPORTS

- All feeder models have 25x25x2mm RHS supports within the feeder.
- Supports significantly increase the strength of the feeder.



FORKLIFT SLEEVES

- 350 x 100 x 4mm
- Increased lifting strength



ADJUSTER OF THE SLIDES

- Adjuster brackets have 5mm notches for easy adjustments.
- All bolts for adjustment have cage nuts.



AD-LIB ATTACHMENT

- Ideal for feed lotting
- Designed to minimise wastage



RESTRICTOR GUARD

- Restrictor guard is optional
- Ability to achieve rates less than 200gms/day
- Stops bridging of grain



PREMIUM QUALITY MATERIALS

Stainless steel adjuster bolts and cage nuts



HANDLES

Easy access strong handles



LID HINGES

RHS lid hinges

SIGHT GLASSES

3 large sight glasses

UNIQUE FEATURES




SUB FRAME

- Made from 50x50x3mm and 40x40x3mm RHS
- 4 skids for increased stability
- Checker plate to help stop soil erosion
- Flat rolled bends (Less rust)
- Hot dipped galvanized after welding

HEAVY AND STRONG

- Extra Large model weighs 430kg
- Best value for money on a kg/\$ ratio
- Very hard to blow over
- Easy to move
- Extra longevity

= Better Investment



HEAVY DUTY MATERIALS

- 2mm sheet steel is used for the hopper area
- Strength in this area is critically important not only because of the high amount of force from livestock but also due to the large amount of components that draw strength from this area
- The main skids are made from 50 x 50 x 4mm RHS which enables the feeder to be skid towed.
- In addition to the main skids there are also 40 x 40 x 3mm outer skids

SIZES



MEDIUM
3000 Litres

STOCK PER FEEDER

**Nutrients available
only from the feeder:**

- 170 Sheep
- 20 Cattle
- 150 Ewes with lamb at foot

**Supplementing nutrients
available in paddock:**

- 200 Sheep
- 30 Cattle
- 180 Ewes with lamb at foot

Higher stocking rates can be achieved but it can lead to increased numbers of shy feeders.

SIZES



LARGE
4000 Litres

UNIVERSAL FEEDERS

	Fully Built	Flat Pack	Stacks of Flat Pack (5 standard 4 higher bases)
LARGE 4000L	\$2,380	\$2,280	\$2,180
MEDIUM 3000L	\$2,050	\$1,980	\$1,890

EXTRA FEATURES FOR FEEDERS	
Feeder Trailer	\$2,000
Feeder Trolley Dolly	\$600
Ad-Lib Attachments	\$70 / Feeder
Restrictor Guard	\$140 / Feeder

All prices plus GST.

UNIVERSAL FEEDERS



TOTAL CONTROL

UNIVERSAL FEEDERS

Ross Walker: 0409 804 613

Mingara | 2496 Moonie Highway | Dalby Qld 4405 |

07 4663 8132 (landline)

rossandjanewalker@bigpond.com

www.universalfeeders.com.au