

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 08 May 2018

Yarding Change 3740
-1075

comparison date 01/05/2018

It was another typical drought yarding with large numbers of young cattle mostly in store condition along with good numbers of cows a number of which were also in plain condition. There were odd lots of well finished trade cattle along with a few pens of well finished grown steers.

Prime young cattle to the trade were 10c dearer with vealers selling to 325c and prime steer yearlings selling from 275c to 296c/kg. The heavier feeder steers were 4c dearer the lighter weights and feeder heifers though were 8c to 12c cheaper. The feeder steers sold from 234c to 305c while the feeder heifers sold from 207c to 264c/kg. With the forecast of rain for the weekend young cattle to the restockers finished up to 20c dearer with young steers selling to 325c and the young heifers 285c/kg.

The few grown steers were 6c dearer with the prime medium and heavy weights selling from 258c to 275c/kg. Grown heifers sold to 255c/kg. Plain conditioned cows were 12c cheaper while the better cows were firm to 1c cheaper. 2 score cows sold from 76c to 142c while the better 3 and 4 scores sold from 137c to 211c with the prime heavy weights averaging 195c/kg. Cows to the restockers sold from 47c to 162c/kg. Bulls sold to 246c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	C	2	87	254.0	- 283.0	265.6	8	-	-	-	470	- 521	496
200-280	RS	C	2	114	227.0	- 292.0	265.4	17	-	-	-	556	- 774	677
	FD	C	2	29	265.0	- 265.0	265.0	-10	-	-	-	649	- 649	649
280-330	FD	C	2	13	280.0	- 290.0	283.8	25	-	-	-	826	- 827	826
	RS	C	2	42	280.0	- 290.0	284.2	29	-	-	-	798	- 943	886
		C	3	12	307.0	- 325.0	311.0	42	578	- 602	585	959	- 1014	1003
330+	FD	C	2	5	272.0	- 272.0	272.0	-8	-	-	-	911	- 911	911
	RS	C	2	19	282.0	- 298.0	295.5	N/Q	-	-	-	973	- 1028	1019
		C	3	5	272.0	- 317.0	291.8	-10	513	- 598	551	911	- 1094	1001
				326	227.0	325.0			513	602		470	1094	
Vealer Heifer														
0-200	RS	C	2	10	214.0	- 214.0	214.0	13	-	-	-	375	- 375	375
200-280	RS	C	2	148	175.0	- 285.0	239.3	19	-	-	-	429	- 696	576
		C	2	8	256.0	- 256.0	256.0	-13	512	- 512	512	576	- 576	576
	FD	C	2	38	207.0	- 236.0	224.4	-11	-	-	-	549	- 602	578
280-330	FD	C	2	28	227.0	- 261.0	244.2	-11	-	-	-	670	- 757	708
		C	2	12	230.0	- 240.0	238.3	-19	426	- 471	457	684	- 725	707
	RS	C	2	26	240.0	- 254.0	245.9	N/Q	-	-	-	724	- 756	742
330+	RS	C	2	29	261.0	- 261.0	261.0	N/Q	-	-	-	900	- 900	900
		C	3	12	260.0	- 288.0	278.3	-10	491	- 543	525	897	- 1109	951
				311	175.0	288.0			426	543		375	1109	
Yearling Steer														
200-280	RS	C	2	6	190.0	- 220.0	195.0	N/Q	-	-	-	466	- 605	489
280-330	FD	C	2	44	234.0	- 279.0	259.8	-25	-	-	-	737	- 894	806
		C	3	1	278.0	- 278.0	278.0	N/Q	525	- 525	525	862	- 862	862

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400	RS	C	2	1	275.0	- 275.0	275.0	N/Q	-			949	- 949	949	
	FD	C	2	80	265.0	- 296.0	275.0	-8	-			942	- 992	973	
	FD	C	3	13	289.0	- 289.0	289.0	-6	-			1113	- 1113	1113	
400+	RS	C	2	10	290.0	- 290.0	290.0	N/Q	-			1233	- 1233	1233	
	FD	C	2	234	240.0	- 305.0	285.3	4	-			1105	- 1357	1287	
		C	3	21	275.0	- 296.0	277.0	-2	519	- 592	526	1169	- 1444	1377	
				410	190.0	305.0			519	592		466	1444		
Yearling Heifer															
200-280	RS	C	2	32	190.0	- 205.0	198.4	N/Q	-			504	- 564	542	
	RS	D	2	30	192.0	- 192.0	192.0	N/Q	-			538	- 538	538	
280-330	FD	C	2	43	220.0	- 263.0	231.8	-22	-			715	- 855	741	
	RS	C	2	14	208.0	- 208.0	208.0	N/Q	-			593	- 593	593	
	RS	D	2	11	172.0	- 172.0	172.0	N/Q	-			490	- 490	490	
330-400	FD	C	2	34	260.0	- 264.0	261.9	-3	-			923	- 924	923	
		C	2	5	193.0	- 193.0	193.0	N/Q	378	- 378	378	704	- 704	704	
400+	FD	C	2	2	220.0	- 220.0	220.0	N/Q	-			1001	- 1001	1001	
	FD	C	3	19	247.0	- 247.0	247.0	7	-			1074	- 1074	1074	
		C	3	31	240.0	- 265.0	260.0	25	453	- 506	491	1144	- 1413	1248	
				221	172.0	265.0			378	506		490	1413		
Grown Steer															
400-500		C	2	2	209.0	- 209.0	209.0	N/Q	418	- 418	418	1014	- 1014	1014	
	FD	C	2	11	269.0	- 269.0	269.0	30	-			1224	- 1224	1224	
	FD	C	3	28	219.0	- 265.0	258.4	28	-			1040	- 1285	1250	
500-600		C	3	1	229.0	- 229.0	229.0	N/Q	432	- 432	432	1202	- 1202	1202	
		C	4	35	270.0	- 275.0	273.6	6	500	- 509	508	1418	- 1554	1530	
600-750		C	4	6	258.0	- 258.0	258.0	N/Q	487	- 487	487	1613	- 1613	1613	
				83	209.0	275.0			418	509		1014	1613		
Grown Heifer															
0-540		C	2	12	185.0	- 185.0	185.0	-1	363	- 363	363	805	- 805	805	
	FD	C	2	21	205.0	- 205.0	205.0	-64	-			871	- 871	871	
	FD	C	3	46	230.0	- 247.0	245.9	61	-			1149	- 1208	1152	
		C	3	9	208.0	- 225.0	219.3	13	408	- 425	419	988	- 1181	1117	
		C	4	13	231.0	- 255.0	249.5	20	436	- 481	471	1213	- 1339	1310	
		RS	D	2	12	50.0	- 160.0	123.3	17	-			123	- 456	345
		D	3	6	192.0	- 205.0	194.2	-3	384	- 410	388	662	- 1056	728	
		RS	D	3	20	185.0	- 185.0	185.0	7	-			805	- 805	805
540+		C	4	2	246.0	- 246.0	246.0	N/Q	456	- 456	456	1562	- 1562	1562	
				141	50.0	255.0			363	481		123	1562		
Manufacturing Steer															
540+		D	3	10	150.0	- 150.0	150.0	-27	313	- 313	313	1148	- 1148	1148	
				10	150.0	150.0			313	313		1148	1148		
Cows															
0-400	RS	D	1	13	63.0	- 63.0	63.0	N/Q	-			224	- 224	224	
	RS	D	2	64	55.0	- 113.0	77.0	-3	-			212	- 424	291	
		D	2	5	76.0	- 76.0	76.0	-44	173	- 173	173	285	- 285	285	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		D	2	112	86.0	- 142.0	117.6	-13	196	- 316	265	383	- 660	528
	RS	D	2	221	47.0	- 145.0	100.4	-5		-		193	- 684	452
	RS	D	3	25	161.0	- 162.0	161.2	-15		-		770	- 821	811
		D	3	234	137.0	- 179.0	160.9	N/C	298	- 381	345	651	- 868	778
		D	4	6	190.0	- 190.0	190.0	5	388	- 388	388	969	- 979	971
520+	RS	D	3	12	153.0	- 153.0	153.0	N/Q		-		803	- 803	803
		D	3	194	150.0	- 188.0	170.6	-1	319	- 400	363	788	- 1138	914
		D	4	333	185.0	- 211.0	194.7	-1	369	- 406	382	971	- 1614	1160
		D	5	1	181.0	- 181.0	181.0	N/Q	355	- 355	355	1312	- 1312	1312
				1220	47.0	211.0		173	406		193	1614		
Bulls														
0-450		C	2	3	200.0	- 200.0	200.0	N/Q	392	- 392	392	510	- 510	510
	RS	C	2	36	150.0	- 206.0	192.3	-7		-		295	- 638	478
450-600		B	2	2	200.0	- 205.0	202.5	N/Q	377	- 380	379	950	- 974	962
		C	2	6	155.0	- 200.0	162.5	-58	310	- 377	321	736	- 1170	809
600+		B	2	25	150.0	- 246.0	222.2	-10	278	- 456	412	1370	- 3075	1940
		C	2	13	130.0	- 215.0	174.2	6	255	- 406	334	982	- 1750	1231
		D	2	1	140.0	- 140.0	140.0	N/Q	275	- 275	275	903	- 903	903
				86	130.0	246.0		255	456		295	3075		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.