

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 31 May 2018

Yarding Change 5690
150

comparison date 24/05/2018

Once again cows were the majority as the selloff continues. There was a reasonable selection of well finished trade cattle along with good numbers of young cattle in store condition. There was a limited selection of ideal feeder cattle and there were a few pens of well finished grown steers which have had grain assistance.

Young cattle to the trade were firm to 3c dearer with vealers selling to 304c and the prime yearlings selling from 250c to 297c/kg. Feeder steers and heifers were 10c to 15c/kg cheaper. The feeder steers sold from 220c to 294c while the feeder heifers sold from 200c to 266c/kg. Young steers and the light weight heifers to the restockers were up to 30c/kg dearer while the heavier heifers were cheaper. The steers to the restockers sold from 165c to 291c while the young heifers going back to the paddock sold from 132c to 235c/kg.

The few grown steers were 6c dearer with the prime medium weights selling from 239c to 278c/kg. Grown heifers sold to 264c/kg which was cheaper mainly due to quality. Light weight cows were up to 14c cheaper while the better conditioned medium and heavy weights were 2c to 3c/kg cheaper. 2 score cows sold from 76c to 148c while the better 3 and 4 scores sold from 135c to 217c with the prime heavy weights averaging 201c/kg. Bulls sold to 258c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	C	2	6	221.0	- 221.0	221.0	N/C	-			431	- 431	431
	RS	D	2	235	165.0	- 291.0	227.3	34	-			206	- 534	393
200-280	RS	C	2	43	226.0	- 255.0	239.0	24	-			509	- 650	544
	FD	C	2	4	266.0	- 266.0	266.0	N/Q	-			705	- 705	705
280-330	RS	D	2	414	196.0	- 280.0	252.4	27	-			441	- 754	625
	RS	C	2	31	270.0	- 270.0	270.0	15	-			770	- 770	770
		C	3	1	250.0	- 250.0	250.0	N/Q	472	- 472	472	738	- 738	738
	FD	D	2	16	279.0	- 279.0	279.0	22	-			907	- 907	907
	RS	D	2	12	210.0	- 210.0	210.0	-47	-			620	- 620	620
	330+		C	3	12	304.0	- 304.0	304.0	N/C	574	- 574	574	1049	- 1049
					774	165.0	304.0		472	574		206	1049	
Vealer Heifer														
0-200	RS	D	2	153	158.0	- 235.0	185.9	13	-			235	- 400	325
200-280	RS	C	2	34	202.0	- 222.0	211.4	37	-			535	- 544	539
	FD	C	2	14	215.0	- 215.0	215.0	N/Q	-			505	- 505	505
280-330		C	3	38	226.0	- 255.0	241.3	-20	443	- 481	463	576	- 676	629
		D	2	7	185.0	- 185.0	185.0	-33	385	- 385	385	472	- 472	472
	RS	D	2	159	132.0	- 221.0	188.6	-6	-			297	- 586	455
	RS	C	2	38	208.0	- 208.0	208.0	-6	-			593	- 593	593
	FD	C	2	22	206.0	- 209.0	207.9	N/Q	-			587	- 596	593
		C	3	25	220.0	- 245.0	244.0	-31	415	- 462	460	627	- 711	707
	FD	D	2	28	200.0	- 212.0	206.9	N/Q	-			604	- 650	624
	RS	D	2	44	170.0	- 192.0	179.0	-69	-			485	- 595	530
330+	FD	C	3	14	266.0	- 266.0	266.0	N/Q	-			918	- 918	918
					576	132.0	266.0		385	481		235	918	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	RS	C	2	16	243.0	- 243.0	243.0	N/Q	-			620	- 620	620
	RS	D	2	46	192.0	- 247.0	211.6	N/Q	-			451	- 679	533
	RS	D	3	8	174.0	- 174.0	174.0	N/Q	-			426	- 426	426
280-330	FD	C	2	15	248.0	- 248.0	248.0	-23	-			806	- 806	806
	FD	C	3	24	288.0	- 288.0	288.0	N/Q	-			907	- 907	907
	FD	D	2	38	220.0	- 280.0	263.8	N/Q	-			627	- 910	837
	RS	D	2	37	210.0	- 240.0	219.5	-37	-			620	- 689	657
330-400	FD	C	2	21	273.0	- 274.0	273.6	-1	-			942	- 1055	1006
	FD	C	3	19	270.0	- 277.0	270.4	N/Q	-			905	- 1011	910
		C	3	25	297.0	- 297.0	297.0	14	550	- 550	550	1025	- 1025	1025
	FD	D	2	11	253.0	- 280.0	269.4	1	-			873	- 1078	985
		D	2	5	282.0	- 282.0	282.0	N/Q	588	- 588	588	973	- 973	973
	FD	C	2	14	250.0	- 289.0	282.2	10	-			1163	- 1228	1200
400+	FD	C	3	12	238.0	- 294.0	280.3	-4	-			1012	- 1250	1208
		C	3	15	256.0	- 280.0	268.8	-11	474	- 519	498	1190	- 1302	1250
				306	174.0	297.0		474	588		426	1302		
	Yearling Heifer													
200-280	RS	D	2	118	166.0	- 229.0	216.2	72	-			457	- 602	574
	FD	D	2	1	238.0	- 238.0	238.0	N/Q	-			631	- 631	631
280-330	FD	C	2	35	218.0	- 227.0	223.4	-19	-			676	- 738	713
	RS	C	2	26	201.0	- 234.0	228.9	26	-			653	- 761	744
		C	3	18	255.0	- 255.0	255.0	N/Q	481	- 481	481	727	- 727	727
	FD	D	2	68	200.0	- 226.0	216.4	N/Q	-			620	- 698	664
	RS	D	2	24	184.0	- 198.0	192.3	N/Q	-			543	- 624	564
	RS	D	3	16	125.0	- 125.0	125.0	N/Q	-			406	- 406	406
		C	3	8	260.0	- 260.0	260.0	16	500	- 500	500	1001	- 1001	1001
330-400	FD	D	2	77	210.0	- 255.0	242.1	46	-			725	- 970	883
	RS	D	2	17	195.0	- 212.0	199.0	N/C	-			673	- 816	707
		C	2	15	240.0	- 240.0	240.0	34	480	- 480	480	1044	- 1044	1044
400+	FD	C	3	23	235.0	- 259.0	242.3	N/Q	-			1093	- 1101	1095
		C	3	46	250.0	- 267.0	260.4	4	463	- 504	488	1161	- 1444	1187
	FD	D	2	29	266.0	- 266.0	266.0	N/Q	-			1157	- 1237	1196
				521	125.0	267.0		463	504		406	1444		
Grown Steer														
0-400		C	3	1	270.0	- 270.0	270.0	N/Q	509	- 509	509	1067	- 1067	1067
400-500		C	2	1	241.0	- 241.0	241.0	N/Q	464	- 464	464	1145	- 1145	1145
	FD	C	2	9	246.0	- 287.0	276.0	9	-			1144	- 1335	1244
	FD	C	3	69	250.0	- 291.0	275.1	20	-			1213	- 1411	1334
		C	3	7	265.0	- 265.0	265.0	10	520	- 520	520	1232	- 1232	1232
		C	4	5	270.0	- 270.0	270.0	N/Q	509	- 509	509	1310	- 1310	1310
	RS	D	3	18	210.0	- 210.0	210.0	23	-			893	- 893	893
	FD	C	3	10	275.0	- 285.0	282.0	27	-			1444	- 1468	1461
500-600		C	4	30	239.0	- 278.0	272.1	17	451	- 515	506	1398	- 1626	1508
	750+		D	3	5	216.0	- 216.0	216.0	N/Q	424	- 424	424	1696	- 1696

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
					155	210.0	291.0		424	520		893	1696	
Grown Heifer														
0-540	FD	C	2	20	240.0	- 254.0	243.5	11	-			1020	- 1156	1054
	RS	C	2	6	195.0	- 200.0	197.5	-3	-			731	- 850	791
	FD	C	3	1	230.0	- 230.0	230.0	N/Q	-			1070	- 1070	1070
		C	3	41	212.0	- 264.0	239.2	-4	416	- 498	457	1089	- 1228	1183
		C	4	11	203.0	- 203.0	203.0	-54	383	- 383	383	1066	- 1066	1066
	RS	D	2	76	135.0	- 196.0	164.4	7	-			393	- 911	668
	RS	D	3	46	186.0	- 196.0	192.5	23	-			716	- 865	769
540+		C	4	1	245.0	- 245.0	245.0	N/Q	454	- 454	454	1433	- 1433	1433
					202	135.0	264.0		383	498		393	1433	
Cows														
0-400	RS	D	2	73	57.0	- 136.0	102.4	3	-			219	- 524	392
		D	2	35	76.0	- 124.0	99.3	N/Q	173	- 282	226	293	- 477	382
400-520		D	2	427	104.0	- 148.0	130.2	-16	231	- 336	295	468	- 674	580
	RS	D	2	90	65.0	- 136.0	102.5	-2	-			276	- 619	450
		D	3	298	135.0	- 180.0	159.2	-2	287	- 386	340	655	- 896	774
520+		D	3	250	140.0	- 190.0	174.3	-3	298	- 404	372	735	- 1113	951
	RS	D	3	12	136.0	- 136.0	136.0	N/Q	-			714	- 714	714
		D	4	240	188.0	- 217.0	201.1	-2	373	- 438	406	992	- 1544	1174
		D	5	1	188.0	- 188.0	188.0	N/Q	376	- 376	376	1213	- 1213	1213
					1426	57.0	217.0		173	438		219	1544	
Bulls														
0-450		C	2	1	178.0	- 178.0	178.0	N/Q	371	- 371	371	757	- 757	757
	RS	C	2	7	170.0	- 200.0	188.0	26	-			383	- 770	571
450-600		C	2	1	210.0	- 210.0	210.0	N/Q	396	- 396	396	977	- 977	977
600+		B	2	31	200.0	- 258.0	221.8	6	370	- 461	407	1576	- 3000	1933
		C	2	6	178.0	- 196.0	181.0	-42	342	- 370	347	1219	- 1323	1237
					46	170.0	258.0		342	461		383	3000	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.