

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 05 Jun 2018

Yarding Change 4845
-1231

comparison date 29/05/2018

The supply of stock reduced by 1,231 head to 4,845 at the Roma store sale and most were drawn from the local supply areas. Buyer attendance was good with representatives covering all classes. Apart from a few drought affected lines the overall quality of the remainder was fair to good. There was a lift in the standard of some classes of yearling steers and prices improved accordingly. A large sample of light weight yearling steers returning to the paddock sold close to the previous weeks level. Medium and heavy weight yearling steers to feed experienced some quality related price improvements. The vast majority of the light weight yearling heifers sold to within 2c to 3c/kg of the previous sale. A good selection of cows received some small price changes of 2c to 3c/kg.

Steer calves returning to the paddock made to 284.2c, while lesser quality mixed sex calves averaged 218c/kg. Light weight yearling steers sold to restockers at an average of 274c, while some made 306.2c/kg. Drought affected lines averaged 235c and made to 262.2c/kg. Medium weight yearling steers to feed averaged 270c with occasional sales to 290.2c/kg. The largest number of heavy weight yearling steers to feed averaged 268c and made to 279.2c/kg. Light weight yearling heifers mostly sold in the early to mid 230c/kg range and made to 242.2c/kg. The better end of the medium weight yearling heifers to feed averaged 225c and made to 230c, while local trade lines averaged 230c and made to 244.2c/kg.

A small selection of heavy grown steers to export slaughter made to 264.2c to average 253c/kg. Light weight poor condition cows returned to the paddock at an average of 143c, medium weights averaged 158c, while some better lines averaged 177c/kg. Medium weight 2 scores sold to processors at an average of 176c, while the 3 scores averaged 184c/kg. Heavy 3 scores averaged close to 194c, while good heavy cows averaged 205c and made to 212.2c/kg. Heavy bulls made to 240c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	48	260.2	- 284.2	266.2	N/Q	-			481	- 526	492
	RS	D	2	182	170.2	- 238.2	218.0	-2	-			262	- 443	388
				230	170.2	284.2			0	0		262	526	
Yearling Steer														
200-280	FD	C	2	13	270.0	- 270.0	270.0	N/Q	-			702	- 702	702
	RS	C	2	557	246.2	- 306.2	273.8	-3	-			534	- 798	698
	RS	D	1	174	200.2	- 262.2	235.6	-29	-			450	- 656	567
	RS	D	2	68	164.2	- 254.2	230.5	N/C	-			411	- 652	550
	FD	D	2	7	218.2	- 218.2	218.2	-16	-			600	- 600	600
280-330	RS	C	2	114	262.2	- 307.2	284.7	12	-			787	- 876	842
	FD	C	2	77	260.0	- 301.2	283.1	13	-			832	- 904	872
	RS	D	2	42	212.2	- 248.2	223.1	-33	-			605	- 709	646
	FD	D	2	6	220.0	- 220.0	220.0	-22	-			660	- 660	660
330-400	RS	C	2	15	272.2	- 272.2	272.2	8	-			994	- 994	994
	FD	C	2	360	240.0	- 290.2	270.6	7	-			840	- 1099	979
	RS	D	2	31	222.2	- 246.2	241.9	-1	-			758	- 948	918
	FD	D	2	28	215.0	- 246.2	230.9	-11	-			785	- 862	835
	FD	E	2	2	180.0	- 180.0	180.0	N/Q	-			630	- 630	630
400+	FD	C	2	209	259.2	- 279.2	268.2	3	-			1090	- 1320	1210
	FD	C	3	36	268.2	- 275.2	273.1	3	-			1167	- 1335	1283
	RS	D	1	6	240.2	- 240.2	240.2	N/Q	-			1021	- 1021	1021
	FD	D	2	34	250.0	- 254.2	252.3	5	-			1063	- 1233	1154

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					1779	164.2	307.2			0	0		411	1335	
Yearling Heifer															
200-280	RS	C	2	470	216.2	- 242.2	234.4	-3	-				443	- 666	575
	FD	C	2	117	222.2	- 240.2	230.3	-2	-				491	- 633	557
	RS	D	2	39	198.2	- 200.2	198.8	-3	-				414	- 513	483
		D	2	52	160.0	- 206.2	181.8	-14	296	- 382	337		376	- 550	472
280-330	FD	C	2	69	220.2	- 230.2	228.0	-15	-				621	- 721	690
	RS	C	2	6	238.2	- 238.2	238.2	19	-				715	- 715	715
		C	3	19	244.2	- 244.2	244.2	-4	452	- 452	452		696	- 696	696
	FD	D	2	20	200.2	- 206.2	203.8	N/Q	-				571	- 604	591
330-400	FD	C	2	52	220.2	- 226.2	222.4	-12	-				749	- 868	805
	FD	C	3	56	216.2	- 230.0	225.2	-18	-				811	- 856	836
		C	3	52	214.2	- 244.2	230.8	6	397	- 452	427		803	- 869	825
	FD	D	2	14	200.0	- 206.2	200.4	N/Q	-				773	- 798	796
		D	2	9	190.0	- 190.0	190.0	-2	352	- 352	352		728	- 728	728
		D	3	1	210.0	- 210.0	210.0	N/Q	389	- 389	389		788	- 788	788
400+		C	3	2	219.2	- 219.2	219.2	N/Q	406	- 406	406		888	- 888	888
		D	2	36	186.2	- 210.2	190.9	1	345	- 389	354		762	- 893	783
					1014	160.0	244.2		296	452			376	893	
Grown Steer															
400-500	FD	C	2	29	244.2	- 250.2	246.5	-2	-				1163	- 1184	1176
	FD	C	3	23	240.0	- 240.0	240.0	-2	-				1164	- 1164	1164
	FD	D	2	14	228.2	- 228.2	228.2	21	-				1107	- 1107	1107
500-600		C	3	10	240.0	- 244.2	243.4	-7	436	- 444	443		1380	- 1404	1385
		C	4	41	249.2	- 264.2	253.7	-10	445	- 472	453		1333	- 1546	1469
		D	2	10	200.0	- 216.2	211.3	11	364	- 393	384		1070	- 1157	1131
		D	3	2	244.2	- 244.2	244.2	N/Q	444	- 444	444		1429	- 1429	1429
					129	200.0	264.2		364	472			1070	1546	
Grown Heifer															
0-540		C	3	16	203.2	- 228.2	220.7	-3	383	- 431	416		1049	- 1107	1096
		D	3	29	195.0	- 210.0	203.9	-12	382	- 404	389		907	- 1103	1050
		D	4	11	198.2	- 198.2	198.2	N/Q	374	- 374	374		1060	- 1060	1060
					56	195.0	228.2		374	431			907	1107	
Cows															
0-400	RS	D	1	111	112.2	- 168.2	143.4	N/Q	-				393	- 673	556
		D	1	13	120.0	- 140.0	127.7	-10	273	- 318	290		480	- 525	497
		E	1	3	40.2	- 100.0	60.1	-40	91	- 227	137		151	- 400	234
	RS	E	1	13	80.2	- 106.2	87.6	-5	-				257	- 398	303
400-520	RS	D	1	109	140.2	- 170.2	158.0	12	-				610	- 821	731
		D	1	6	132.2	- 140.2	137.5	-7	301	- 319	313		562	- 610	594
		D	2	209	158.2	- 176.2	166.7	-1	344	- 383	362		688	- 856	760
	RS	D	2	74	164.2	- 186.2	177.8	N/Q	-				706	- 819	782
		D	3	109	175.0	- 192.2	184.2	-2	357	- 392	376		831	- 941	889
		D	4	40	192.0	- 202.2	197.4	-3	377	- 397	387		960	- 1011	987
520+		D	2	1	176.2	- 176.2	176.2	N/Q	383	- 383	383		943	- 943	943

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	152	185.0	- 198.2	193.9	-3	378	- 405	396	1044	- 1189	1114
		D	4	140	197.2	- 212.2	204.9	-6	387	- 416	402	1097	- 1245	1169
		D	5	3	188.2	- 188.2	188.2	N/Q	384	- 384	384	1186	- 1186	1186
				983	40.2	212.2			91	416		151	1245	
Bulls														
0-450	LE	C	2	43	210.0	- 216.2	212.6	N/Q	382	- 393	387	649	- 809	742
	FD	C	2	12	219.2	- 219.2	219.2	-10				767	- 767	767
	RS	C	2	21	214.2	- 272.2	242.2	8				571	- 871	654
	FD	C	3	2	236.2	- 236.2	236.2	N/Q				957	- 957	957
	LE	D	2	23	202.2	- 206.2	205.5	-10	368	- 375	374	660	- 809	686
450-600		C	3	8	220.0	- 234.2	230.9	N/Q	393	- 426	418	1211	- 1370	1340
		E	1	1	100.0	- 100.0	100.0	N/Q	185	- 185	185	535	- 535	535
600+		C	2	8	210.0	- 216.2	215.0	-5	382	- 393	391	1365	- 1405	1397
	LE	C	2	5	219.2	- 219.2	219.2	N/Q	399	- 399	399	1370	- 1370	1370
	LE	C	3	6	224.2	- 224.2	224.2	-6	400	- 400	400	1536	- 1536	1536
		C	3	31	229.2	- 240.0	234.6	-6	409	- 429	419	1433	- 1862	1629
		D	2	1	191.2	- 191.2	191.2	N/Q	348	- 348	348	1243	- 1243	1243
				161	100.0	272.2			185	429		535	1862	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.