

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 14 Jun 2018

Yarding Change 4830
1295

comparison date 07/06/2018

Once again cows and young cattle lacking finish made up a large percentage of the yarding as the dry conditions continue. There were a few pens of well finished trade cattle along with some good quality feeder cattle.

Young cattle to the trade were 8c dearer with vealers selling to 292c and prime yearlings 295c/kg. The better quality feeder cattle were 10c dearer depending on breed while the plainer types and crossbreds were up to 15c/kg cheaper. Feeder steers sold from 255c to 320c while the feeder heifers sold from 210c to 284c/kg. Young cattle to the restockers were firm to dearer with young steers selling from 210c to 333c and the young heifers 180c to 300c/kg.

The few grown steers were 7c dearer with the prime medium weights selling from 255c to 292c/kg. Grown heifers were firm selling to 273c/kg. Plainer conditioned cows were 10c to 15c dearer while the properly finished cows were 3c/kg dearer. 2 score cows sold from 78c to 162c while the better 3 and 4 score sold from 140c to 205c with the prime heavy weights averaging 192c/kg. Bulls sold to 234c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80	RS	C	2	6	192.0	- 192.0	192.0	-28	-	-	-	106	- 106	106	
		C	2	1	290.0	- 290.0	290.0	N/Q	580	- 580	580	232	- 232	232	
80+	RS	C	2	20	204.0	- 264.0	236.9	7	408	- 528	474	173	- 304	257	
		C	2	4	228.0	- 228.0	228.0	-5	-	-	-	262	- 262	262	
		D	3	8	230.0	- 230.0	230.0	N/Q	460	- 460	460	265	- 265	265	
				39	192.0	290.0			408	580		106	304		
Vealer Steer															
0-200	RS	C	2	216	210.0	- 333.0	269.4	25	-	-	-	347	- 511	436	
		D	2	2	105.0	- 105.0	105.0	N/Q	-	-	-	194	- 194	194	
200-280	RS	C	2	258	229.0	- 279.0	255.2	-4	-	-	-	483	- 729	609	
		C	2	6	184.0	- 184.0	184.0	N/Q	368	- 368	368	506	- 506	506	
		FD	C	2	8	232.0	- 269.0	245.9	N/Q	-	-	-	568	- 740	633
		RS	D	2	2	174.0	- 174.0	174.0	N/Q	-	-	-	365	- 365	365
280-330	RS	C	2	89	254.0	- 270.0	262.0	5	-	-	-	741	- 791	765	
		FD	C	2	43	270.0	- 288.0	278.4	10	-	-	-	821	- 923	889
		C	3	2	290.0	- 290.0	290.0	N/Q	547	- 547	547	943	- 943	943	
330+	FD	C	2	24	276.0	- 283.0	278.6	N/Q	-	-	-	976	- 1090	1048	
		C	3	2	292.0	- 292.0	292.0	N/Q	541	- 541	541	1007	- 1007	1007	
				652	105.0	333.0			368	547		194	1090		
Vealer Heifer															
0-200	RS	C	2	254	180.0	- 300.0	226.1	23	-	-	-	261	- 447	369	
200-280	RS	C	2	133	188.0	- 221.0	207.1	-9	-	-	-	442	- 519	478	
		C	2	14	210.0	- 219.0	217.7	-17	412	- 438	434	471	- 473	471	
		FD	C	2	41	219.0	- 248.0	231.4	44	-	-	-	537	- 682	597
		C	3	39	258.0	- 260.0	259.0	15	516	- 520	518	632	- 689	660	
	RS	D	2	9	198.0	- 198.0	198.0	28	-	-	-	505	- 505	505	
	RS	D	3	9	189.0	- 189.0	189.0	N/Q	-	-	-	463	- 463	463	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	FD	C	2	17	250.0	- 250.0	250.0	10	-			738	- 738	738	
		C	2	16	240.0	- 240.0	240.0	32	471	- 471	471	780	- 780	780	
	FD	C	3	12	250.0	- 250.0	250.0	N/Q	-			813	- 813	813	
		C	3	11	250.0	- 275.0	268.2	8	472	- 519	506	811	- 813	812	
330+		C	2	2	265.0	- 265.0	265.0	N/Q	530	- 530	530	914	- 914	914	
		C	3	4	265.0	- 265.0	265.0	N/Q	500	- 500	500	914	- 914	914	
				561	180.0	300.0			412	530		261	914		
Yearling Steer															
280-330	FD	C	2	21	255.0	- 281.0	265.5	-17	-			727	- 851	818	
	RS	C	2	8	265.0	- 265.0	265.0	4	-			755	- 755	755	
	RS	D	3	14	190.0	- 190.0	190.0	N/Q	-			542	- 542	542	
330-400	FD	C	2	196	260.0	- 320.0	290.0	-15	-			897	- 1168	1040	
		C	3	19	276.0	- 295.0	277.0	-2	521	- 557	523	1063	- 1077	1063	
400+	FD	C	2	45	277.0	- 317.0	298.5	14	-			1205	- 1411	1289	
		C	2	2	290.0	- 290.0	290.0	N/Q	547	- 547	547	1233	- 1233	1233	
		C	3	15	262.0	- 290.0	279.9	3	494	- 553	531	1148	- 1512	1371	
				320	190.0	320.0			494	557		542	1512		
Yearling Heifer															
0-200	RS	D	2	2	110.0	- 110.0	110.0	N/Q	-			160	- 160	160	
200-280	RS	D	2	16	130.0	- 150.0	140.0	N/Q	-			319	- 368	343	
		D	3	15	224.0	- 224.0	224.0	N/Q	-			571	- 571	571	
280-330	FD	C	2	102	220.0	- 250.0	242.1	14	-			627	- 796	727	
		RS	C	2	7	264.0	- 264.0	264.0	58	-			858	- 858	858
		C	3	1	273.0	- 273.0	273.0	N/Q	515	- 515	515	887	- 887	887	
330-400	FD	RS	D	3	6	190.0	- 190.0	190.0	30	-			542	- 542	542
		C	2	47	210.0	- 268.0	238.1	-28	-			725	- 1032	892	
			3	71	258.0	- 296.0	273.1	12	487	- 559	515	932	- 1080	991	
400+	FD	C	3	23	277.0	- 284.0	280.3	18	-			1011	- 1093	1050	
		C	2	1	262.0	- 262.0	262.0	N/Q	514	- 514	514	1114	- 1114	1114	
		C	2	61	200.0	- 282.0	267.7	-2	-			830	- 1283	1177	
		C	3	8	274.0	- 276.0	274.5	N/Q	-			1247	- 1256	1249	
		C	3	27	261.0	- 281.0	270.7	14	493	- 530	511	1148	- 1307	1267	
	FD	D	2	18	277.0	- 277.0	277.0	N/Q	-			1177	- 1177	1177	
				405	110.0	296.0			487	559		160	1307		
Grown Steer															
0-400	RS	D	2	8	208.0	- 208.0	208.0	N/Q	-			551	- 551	551	
		D	3	8	130.0	- 185.0	164.4	N/Q	-			488	- 638	582	
400-500	FD	C	2	14	259.0	- 302.0	278.4	4	-			1129	- 1269	1224	
		C	3	2	236.0	- 236.0	236.0	N/Q	445	- 445	445	1145	- 1145	1145	
500-600	FD	C	3	12	260.0	- 260.0	260.0	-15	510	- 510	510	1365	- 1365	1365	
		C	3	2	265.0	- 265.0	265.0	N/Q	-			1365	- 1365	1365	
		C	4	12	255.0	- 292.0	288.9	10	500	- 551	547	1390	- 1533	1521	
				58	130.0	302.0			445	551		488	1533		
Grown Heifer															
0-540	FD	C	2	9	200.0	- 235.0	219.4	-18	-			850	- 999	933	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	1	250.0	- 250.0	250.0	N/Q	-			1213	- 1213	1213
		C	3	26	190.0	- 250.0	197.2	-52	400	- 481	407	847	- 1138	924
		C	4	23	230.0	- 273.0	238.1	-7	434	- 515	449	1093	- 1324	1213
		D	2	6	104.0	- 104.0	104.0	N/Q	226	- 226	226	255	- 255	255
	RS	D	2	39	136.0	- 166.0	157.7	58	-			593	- 706	637
	RS	D	3	37	155.0	- 195.0	182.2	32	-			659	- 844	734
	FD	D	3	13	160.0	- 213.0	204.8	N/Q	-			735	- 760	739
		D	3	34	170.0	- 195.0	182.4	N/Q	340	- 392	383	774	- 1024	902
540+		C	4	11	228.0	- 233.0	232.5	-2	430	- 440	439	1288	- 1363	1356
				199	104.0	273.0			226	515		255	1363	
Cows														
0-400	RS	D	2	57	132.0	- 168.0	145.9	N/Q	-			495	- 647	554
		D	2	39	115.0	- 132.0	124.8	N/Q	261	- 300	284	443	- 508	468
	FD	D	3	12	200.0	- 200.0	200.0	N/Q	-			570	- 570	570
400-520		D	2	188	110.0	- 162.0	143.8	15	250	- 368	327	468	- 737	644
	RS	D	2	209	78.0	- 159.0	133.0	36	-			332	- 716	590
	RS	D	3	39	125.0	- 158.0	145.2	N/Q	-			569	- 719	670
		D	3	182	140.0	- 182.0	166.8	20	298	- 387	356	665	- 883	796
520+		D	3	340	146.0	- 183.0	172.9	7	311	- 396	368	781	- 1052	928
	RS	D	3	3	170.0	- 170.0	170.0	40	-			978	- 978	978
		D	4	335	172.0	- 205.0	192.2	3	344	- 402	383	945	- 1322	1122
		D	5	6	186.0	- 186.0	186.0	36	365	- 365	365	1274	- 1274	1274
				1410	78.0	205.0			250	402		332	1322	
Bulls														
0-450	RS	C	2	31	192.0	- 220.0	205.5	39	-			473	- 816	650
		C	3	1	205.0	- 205.0	205.0	N/Q	402	- 402	402	789	- 789	789
	RS	D	2	9	155.0	- 155.0	155.0	-63	-			395	- 395	395
600+		B	2	23	219.0	- 234.0	221.9	17	400	- 428	410	1434	- 2530	1615
		C	2	4	175.0	- 190.0	181.5	-9	330	- 365	348	1274	- 1706	1453
				68	155.0	234.0			330	428		395	2530	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.