

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 10 Jul 2018

Yarding Change 1340
-90

comparison date 03/07/2018

Prime cattle were in limited supply with a fair percentage of the yarding showing the effects of the season and cold conditions. There was a fair selection of feeder cattle along with some good runs of cows. There were no prime grown steers yarded.

The few young cattle to the trade were close to firm with vealers selling to 298c/kg. The best of the feeder cattle were fully firm, most though were 8c to 11c cheaper, with the feeder steers selling from 250c to 324c to average 304c, while the feeder heifers sold from 240c to 295c to average 280c/kg. Young restocker cattle were 8c to 14c cheaper with the young steers selling from 240c to 296c, while the young heifers going back to the paddock sold to 245c/kg.

There were no grown steers to quote. Grown heifers were 4c dearer with the better types selling from 244c to 282c/kg. Plain conditioned cows were up to 25c dearer, while the better finished cows were 2c/kg dearer. 2 score cows sold from 160c to 194c, while the better 3 and 4 scores sold from 176c to 248c with the prime heavy weights averaging 232c/kg. Bulls sold to 249c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200		C	2	5	200.0	- 200.0	200.0	N/Q	400	- 400	400	350	- 350	350
	RS	C	2	7	256.0	- 256.0	256.0	-15	-	-	-	397	- 397	397
200-280	RS	C	2	50	240.0	- 296.0	276.9	-14	-	-	-	538	- 758	673
		C	2	1	270.0	- 270.0	270.0	N/Q	540	- 540	540	635	- 635	635
	FD	C	2	19	278.0	- 295.0	289.1	-7	-	-	-	681	- 811	773
280-330	FD	C	2	67	270.0	- 310.0	301.6	-8	-	-	-	770	- 1008	941
	RS	C	2	1	280.0	- 280.0	280.0	N/Q	-	-	-	910	- 910	910
		C	3	2	292.0	- 292.0	292.0	N/Q	551	- 551	551	832	- 832	832
330+	FD	C	2	5	250.0	- 250.0	250.0	N/Q	-	-	-	1420	- 1420	1420
	FD	C	3	7	282.0	- 289.0	288.0	N/Q	-	-	-	973	- 997	994
					164	200.0	310.0		400	551		350	1420	
Vealer Heifer														
0-200		C	2	3	180.0	- 180.0	180.0	-70	360	- 360	360	333	- 333	333
200-280		C	2	14	187.0	- 223.0	198.8	-38	374	- 446	398	428	- 546	464
	FD	C	2	24	240.0	- 251.0	247.3	-33	-	-	-	615	- 688	627
280-330	FD	C	2	31	240.0	- 277.0	253.7	-32	-	-	-	684	- 814	792
	RS	C	2	12	245.0	- 245.0	245.0	-8	-	-	-	698	- 698	698
		C	3	18	280.0	- 294.0	281.6	-18	528	- 555	531	826	- 910	883
330+		C	3	7	291.0	- 298.0	296.0	N/Q	549	- 562	559	1028	- 1062	1038
					109	180.0	298.0		360	562		333	1062	
Yearling Steer														
200-280	FD	C	2	4	300.0	- 300.0	300.0	N/Q	-	-	-	795	- 795	795
280-330	FD	C	2	18	289.0	- 309.0	299.1	-4	-	-	-	881	- 943	908
330-400	FD	C	2	63	280.0	- 323.0	304.3	1	-	-	-	966	- 1244	1105
	FD	C	3	8	290.0	- 305.0	296.9	N/Q	-	-	-	1018	- 1117	1039
400+		C	2	1	289.0	- 289.0	289.0	N/Q	578	- 578	578	1286	- 1286	1286
	FD	C	2	63	265.0	- 324.0	304.3	-11	-	-	-	1224	- 1507	1370

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
					157	265.0	324.0			578	578		795	1507		
Yearling Heifer																
200-280	FD	C	2	15	240.0	- 240.0	240.0	N/Q	-				636	- 636	636	
280-330	FD	C	2	36	240.0	- 280.0	267.4	-17	-				735	- 896	814	
330-400	FD	C	2	108	240.0	- 295.0	280.4	-11	-				828	- 1136	1017	
		C	2	11	220.0	- 220.0	220.0	N/Q	440	- 440	440		781	- 781	781	
		C	3	3	260.0	- 295.0	280.0	23	491	- 557	528		975	- 1077	1012	
400+	FD	C	3	7	288.0	- 288.0	288.0	N/Q	-				1109	- 1109	1109	
		C	2	1	235.0	- 235.0	235.0	N/Q	470	- 470	470		999	- 999	999	
		C	2	45	270.0	- 294.0	280.0	-5	-				1148	- 1397	1213	
		C	3	5	232.0	- 276.0	254.4	-39	438	- 521	480		986	- 1477	1184	
		D	3	2	190.0	- 190.0	190.0	N/Q	380	- 380	380		808	- 808	808	
					233	190.0	295.0			380	557		636	1477		
Grown Steer																
400-500	FD	C	2	44	242.0	- 328.0	310.0	2	-				1125	- 1460	1372	
		C	3	5	245.0	- 245.0	245.0	-20	462	- 462	462		1188	- 1188	1188	
500-600	FD	C	3	24	300.0	- 300.0	300.0	N/Q	-				1575	- 1575	1575	
					73	242.0	328.0			462	462		1125	1575		
Grown Heifer																
0-540		C	2	3	261.0	- 261.0	261.0	42	493	- 493	493		1214	- 1214	1214	
		FD	C	2	21	230.0	- 285.0	256.2	7	-				748	- 1325	1023
		FD	C	3	8	263.0	- 263.0	263.0	N/Q	-				1276	- 1276	1276
		C	3	52	245.0	- 282.0	265.2	35	471	- 542	507		982	- 1338	1221	
		C	4	3	244.0	- 256.0	252.0	4	460	- 483	476		1242	- 1281	1255	
		RS	D	3	7	220.0	- 220.0	220.0	57	-				957	- 957	957
540+		D	3	6	190.0	- 190.0	190.0	-24	380	- 380	380		618	- 618	618	
		C	3	13	258.0	- 258.0	258.0	N/Q	487	- 487	487		1458	- 1458	1458	
					113	190.0	285.0			380	542		618	1458		
Cows																
0-400		D	1	4	70.0	- 70.0	70.0	N/Q	167	- 167	167		270	- 270	270	
		D	2	5	170.0	- 170.0	170.0	34	386	- 386	386		655	- 655	655	
400-520		D	2	139	160.0	- 194.0	180.5	36	364	- 441	410		677	- 884	808	
		RS	D	2	46	186.0	- 194.0	188.6	46	-				791	- 883	821
520+		D	3	95	176.0	- 220.0	199.2	2	375	- 468	425		799	- 1133	981	
		D	3	71	188.0	- 218.0	207.5	-2	400	- 464	431		998	- 1275	1128	
		D	4	81	218.0	- 248.0	232.4	2	428	- 480	461		1145	- 1620	1351	
					441	70.0	248.0			167	480		270	1620		
Bulls																
0-450		C	2	2	180.0	- 180.0	180.0	N/Q	353	- 360	357		639	- 693	666	
450-600		C	2	5	140.0	- 220.0	176.4	-27	275	- 458	353		665	- 1045	862	
600+		B	2	11	210.0	- 249.0	232.0	-3	396	- 454	434		1439	- 2963	2098	
		C	2	4	100.0	- 228.0	182.3	-34	196	- 430	349		645	- 1710	1270	
		RS	C	2	1	152.0	- 152.0	152.0	N/Q	-				980	- 980	980
					23	100.0	249.0			196	458		639	2963		

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.