

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 14 Aug 2018

Yarding Change $\frac{1570}{245}$

comparison date 07/08/2018

Young cattle lacking finish made up a large percentage of the yarding though there was a fair selection of well finished trade cattle coming off crops. There were some good cows along with plenty of plain cows yarded and there was no grown steers or heifers.

Young cattle to the trade were 9c dearer with vealers selling to 314c and the prime yearlings sold from 265c to 280c/kg. Feeder steers were 8c cheaper, while the feeder heifers were up to 30c/kg cheaper. The feeder steers sold from 220c to 296c, while the feeder heifers sold from 164c to 255c/kg. Young cattle to the restockers continue to struggle falling another 15c to 20c, with the young steers selling from 130c to 220c, while the young heifers sold from 100c to 207c/kg.

The plainer conditioned cows were 3c to 7c/kg dearer, while the properly finished cows were firm. 2 score cows sold from 83c to 135c, while the better 3 and 4 scores sold from 145c to 235c/kg for a C muscle cow. The prime conditioned heavy weight cows averaged 199c and the best bulls sold for 240c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	26	80.0	- 180.0	114.8	N/Q	-	-	-	76	- 219	123
				26	80.0	180.0			0	0		76	219	
Vealer Steer														
0-200	RS	C	2	14	130.0	- 196.0	153.4	-26	-	-	-	215	- 343	263
	RS	D	2	7	134.0	- 134.0	134.0	-6	-	-	-	168	- 168	168
200-280		C	2	2	280.0	- 280.0	280.0	N/Q	528	- 528	528	686	- 686	686
	FD	C	2	14	240.0	- 260.0	245.8	-11	-	-	-	566	- 715	669
	RS	C	2	54	160.0	- 214.0	194.3	-23	-	-	-	344	- 515	444
		C	3	1	314.0	- 314.0	314.0	N/Q	582	- 582	582	864	- 864	864
280-330	FD	C	2	38	255.0	- 269.0	265.9	2	-	-	-	755	- 829	774
	RS	C	2	3	220.0	- 220.0	220.0	N/Q	-	-	-	649	- 649	649
		C	3	15	272.0	- 272.0	272.0	-17	513	- 513	513	775	- 775	775
330+		C	3	9	300.0	- 300.0	300.0	N/Q	566	- 566	566	1155	- 1155	1155
				157	130.0	314.0			513	582		168	1155	
Vealer Heifer														
0-200	FD	C	2	15	190.0	- 190.0	190.0	N/Q	-	-	-	162	- 162	162
	RS	C	2	38	155.0	- 207.0	176.1	52	-	-	-	194	- 376	299
	RS	D	2	16	100.0	- 100.0	100.0	N/Q	-	-	-	135	- 135	135
200-280		C	2	2	160.0	- 160.0	160.0	N/Q	320	- 320	320	376	- 376	376
	FD	C	2	104	192.0	- 238.0	214.1	-18	-	-	-	461	- 655	553
	RS	C	2	39	150.0	- 190.0	179.4	3	-	-	-	345	- 523	446
280-330	FD	C	2	97	180.0	- 234.0	214.7	-23	-	-	-	513	- 761	653
		C	3	4	255.0	- 258.0	257.3	N/Q	496	- 510	500	752	- 839	817
330+		C	3	3	265.0	- 270.0	268.3	N/Q	500	- 509	506	914	- 932	926
				318	100.0	270.0			320	510		135	932	
Yearling Steer														
200-280	FD	C	2	19	240.0	- 259.0	253.7	N/Q	-	-	-	660	- 712	698

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	RS	C	2	53	192.0	- 250.0	235.6	31	-			528	- 650	603	
	RS	C	2	15	190.0	- 230.0	201.9	-24	-			559	- 656	616	
330-400	FD	C	2	141	220.0	- 295.0	259.2	4	-			693	- 959	823	
	FD	C	2	76	240.0	- 292.0	266.8	-8	-			834	- 1066	964	
400+	RS	C	2	29	285.0	- 298.0	289.9	N/Q	-			1069	- 1147	1099	
		C	3	5	270.0	- 280.0	274.8	14	509	- 528	519	932	- 973	954	
	FD	C	3	2	288.0	- 288.0	288.0	N/Q	-			994	- 994	994	
	RS	C	2	4	173.0	- 173.0	173.0	N/Q	-			735	- 735	735	
	FD	C	2	46	230.0	- 296.0	270.7	-8	-			978	- 1258	1151	
	FD	C	3	1	220.0	- 220.0	220.0	N/Q	-			1001	- 1001	1001	
	C	3	1	268.0	- 268.0	268.0	N/Q	515	- 515	515	1139	- 1139	1139		
	D	3	1	190.0	- 190.0	190.0	N/Q	380	- 380	380	865	- 865	865		
				393	173.0	298.0			380	528		528	1258		
Yearling Heifer															
200-280	RS	C	2	8	150.0	- 160.0	156.3	-14	-			368	- 376	373	
	FD	C	2	1	199.0	- 199.0	199.0	N/Q	-			547	- 547	547	
280-330	RS	D	2	10	70.0	- 120.0	115.0	-18	-			175	- 258	250	
		C	2	2	189.0	- 189.0	189.0	N/Q	378	- 378	378	539	- 539	539	
	FD	C	2	44	178.0	- 255.0	214.5	-32	-			507	- 829	679	
		C	3	2	220.0	- 220.0	220.0	N/Q	415	- 415	415	715	- 715	715	
330-400	RS	D	2	33	115.0	- 130.0	121.8	N/Q	-			328	- 403	362	
	FD	C	2	77	164.0	- 230.0	207.1	-54	-			615	- 877	738	
		C	3	10	265.0	- 272.0	267.6	7	500	- 523	508	932	- 967	955	
400+	FD	C	2	5	184.0	- 184.0	184.0	-74	-			782	- 782	782	
	FD	C	3	3	220.0	- 220.0	220.0	N/Q	-			935	- 935	935	
				195	70.0	272.0			378	523		175	967		
Grown Steer															
0-400		C	2	1	200.0	- 200.0	200.0	N/Q	400	- 400	400	770	- 770	770	
		FD	C	2	47	210.0	- 249.0	233.4	-37	-			767	- 934	851
400-500	FD	C	2	28	174.0	- 275.0	222.9	N/Q	-			827	- 1128	954	
	RS	C	2	5	184.0	- 184.0	184.0	N/Q	-			819	- 819	819	
		C	2	22	124.0	- 190.0	174.6	N/Q	248	- 380	349	601	- 922	798	
		C	3	1	180.0	- 180.0	180.0	N/Q	360	- 360	360	855	- 855	855	
500-600		C	3	5	220.0	- 220.0	220.0	-7	415	- 415	415	1243	- 1243	1243	
600-750		C	3	1	215.0	- 215.0	215.0	N/Q	414	- 414	414	1559	- 1559	1559	
				110	124.0	275.0			248	415		601	1559		
Grown Heifer															
0-540		C	2	13	156.0	- 180.0	166.5	-31	320	- 360	339	560	- 741	701	
		FD	C	2	9	140.0	- 220.0	188.3	-52	-			399	- 935	724
			C	3	7	180.0	- 180.0	180.0	-24	360	- 360	360	837	- 837	837
			C	4	1	195.0	- 195.0	195.0	N/Q	382	- 382	382	995	- 995	995
			D	2	9	122.0	- 175.0	139.7	N/Q	277	- 365	306	470	- 796	579
			D	3	1	168.0	- 168.0	168.0	N/Q	336	- 336	336	865	- 865	865
540+		C	3	2	200.0	- 200.0	200.0	N/Q	377	- 377	377	1150	- 1150	1150	
				42	122.0	220.0			277	382		399	1150		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Manufacturing Steer														
540+		D	3	3	185.0	- 185.0	185.0	N/Q	370	- 370	370	1341	- 1341	1341
				3	185.0	185.0			370	370		1341	1341	
Cows														
0-400	RS	D	1	3	50.0	- 50.0	50.0	23	-	-	-	193	- 193	193
		D	1	5	40.0	- 40.0	40.0	N/Q	95	- 95	95	138	- 150	146
		D	2	30	83.0	- 105.0	97.7	5	193	- 244	227	311	- 394	366
		D	3	9	166.0	- 168.0	167.6	N/Q	353	- 357	357	291	- 311	306
400-520		D	2	34	95.0	- 135.0	120.1	-2	216	- 307	273	390	- 670	542
		D	3	45	145.0	- 185.0	162.3	3	309	- 394	346	638	- 897	796
520+		C	3	3	222.0	- 235.0	230.3	N/Q	419	- 452	440	1277	- 1586	1457
		D	2	11	130.0	- 130.0	130.0	N/Q	289	- 289	289	761	- 761	761
		D	3	19	146.0	- 195.0	181.4	9	311	- 415	386	767	- 1024	956
		D	4	63	178.0	- 211.0	198.5	-1	356	- 422	401	935	- 1424	1183
				222	40.0	235.0			95	452		138	1586	
Bulls														
0-450		C	2	2	170.0	- 190.0	180.0	N/Q	340	- 373	356	553	- 808	680
	RS	C	2	4	150.0	- 150.0	150.0	N/Q	-	-	-	518	- 518	518
	RS	D	2	6	40.0	- 120.0	80.0	N/Q	-	-	-	58	- 222	140
450-600		C	2	6	170.0	- 190.0	177.7	16	327	- 373	346	808	- 1082	948
600+		B	2	11	218.0	- 240.0	227.5	30	404	- 445	423	1480	- 3078	2108
		C	2	15	180.0	- 215.0	197.3	21	346	- 426	381	1163	- 2048	1402
				44	40.0	240.0			327	445		58	3078	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.