

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 16 Aug 2018

Yarding Change 6350
1610

comparison date 09/08/2018

Once again there were large numbers of cows and young calves lacking finish as growers move into the next age bracket of their cows as the sell-off continues. There were a few pens of well-finished trade cattle along with some well-finished grown steers, all grain assisted.

Young cattle to the trade were up to 12c cheaper with prime steer yearlings selling from 245c to 307c, while the prime heifer yearlings sold from 193c to 299c/kg. Feeder steers were 5c to 10c cheaper, while the feeder heifers were up to 20c/kg cheaper. Feeder steers sold from 187c to 291c, while the feeder heifers sold from 164c to 268c/kg. Light weight young cattle to the restockers were up to 25c cheaper with the young steers selling from 70c to 272c, while the young heifers sold from 30c to 238c/kg.

The few grown steers were a little dearer with the prime medium weights selling from 265c to 293c/kg. Grown heifers sold to 264c/kg. Plain conditioned cows were up to 10c dearer, while the better finished cows were firm. 2 score cows sold from 71c to 170c, while the better 3 and 4 scores sold from 139c to 225c, with the prime heavy weights averaging 205c/kg. Bulls sold to 226c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|------------|-----|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 0-80 | | C | 2 | 5 | 90.0 | - 90.0 | 90.0 | N/Q | 180 | - 180 | 180 | 59 | - 59 | 59 |
| | RS | C | 2 | 5 | 112.0 | - 112.0 | 112.0 | 64 | - | - | - | 84 | - 84 | 84 |
| 80+ | RS | C | 2 | 43 | 30.0 | - 144.0 | 65.3 | N/Q | - | - | - | 29 | - 158 | 62 |
| | | C | 2 | 18 | 85.0 | - 160.0 | 116.6 | N/Q | 170 | - 320 | 233 | 72 | - 136 | 113 |
| | | | | 71 | 30.0 | 160.0 | | | 170 | 320 | | 29 | 158 | |
| Vealer Steer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 2 | 214 | 133.0 | - 232.0 | 177.7 | -25 | - | - | - | 166 | - 429 | 310 |
| | RS | D | 2 | 69 | 95.0 | - 167.0 | 121.2 | -17 | - | - | - | 109 | - 259 | 157 |
| 200-280 | RS | C | 2 | 137 | 181.0 | - 270.0 | 238.1 | 19 | - | - | - | 443 | - 756 | 607 |
| | FD | C | 2 | 16 | 249.0 | - 249.0 | 249.0 | N/Q | - | - | - | 660 | - 660 | 660 |
| 280-330 | RS | C | 2 | 68 | 70.0 | - 196.0 | 131.1 | -87 | - | - | - | 200 | - 578 | 383 |
| | | | | 504 | 70.0 | 270.0 | | | 0 | 0 | | 109 | 756 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 2 | 284 | 80.0 | - 190.0 | 138.7 | -25 | - | - | - | 110 | - 352 | 239 |
| | RS | D | 2 | 70 | 50.0 | - 151.0 | 95.1 | -29 | - | - | - | 63 | - 219 | 124 |
| | RS | D | 3 | 4 | 80.0 | - 80.0 | 80.0 | N/Q | - | - | - | 100 | - 100 | 100 |
| 200-280 | RS | C | 2 | 136 | 150.0 | - 238.0 | 180.5 | -5 | - | - | - | 360 | - 583 | 432 |
| | | C | 3 | 1 | 258.0 | - 258.0 | 258.0 | N/Q | 496 | - 496 | 496 | 632 | - 632 | 632 |
| 280-330 | | C | 2 | 5 | 200.0 | - 200.0 | 200.0 | N/Q | 400 | - 400 | 400 | 570 | - 570 | 570 |
| | FD | C | 2 | 29 | 210.0 | - 220.0 | 213.8 | N/Q | - | - | - | 599 | - 683 | 647 |
| | | C | 3 | 9 | 250.0 | - 250.0 | 250.0 | N/Q | 472 | - 472 | 472 | 813 | - 813 | 813 |
| | | | | 538 | 50.0 | 258.0 | | | 400 | 496 | | 63 | 813 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | RS | D | 2 | 6 | 136.0 | - 136.0 | 136.0 | N/Q | - | - | - | 265 | - 265 | 265 |
| 200-280 | RS | C | 2 | 229 | 170.0 | - 272.0 | 237.1 | 23 | - | - | - | 417 | - 653 | 589 |
| | FD | C | 2 | 31 | 257.0 | - 262.0 | 259.4 | 9 | - | - | - | 681 | - 694 | 687 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| | RS | D | 2 | 8 | 80.0 | - 170.0 | 125.0 | N/Q | - | | | 188 | - 400 | 294 |
| 280-330 | RS | C | 2 | 88 | 178.0 | - 244.0 | 227.8 | -6 | - | | | 507 | - 793 | 699 |
| | FD | C | 2 | 161 | 187.0 | - 273.0 | 247.0 | -4 | - | | | 580 | - 887 | 787 |
| | | C | 2 | 17 | 226.0 | - 226.0 | 226.0 | N/Q | 452 | - 452 | 452 | 644 | - 644 | 644 |
| | | C | 3 | 15 | 219.0 | - 219.0 | 219.0 | N/Q | 421 | - 421 | 421 | 646 | - 646 | 646 |
| 330-400 | FD | C | 2 | 233 | 207.0 | - 291.0 | 253.0 | -5 | - | | | 735 | - 1055 | 893 |
| | | C | 3 | 32 | 269.0 | - 307.0 | 291.0 | -3 | 517 | - 579 | 551 | 982 | - 1114 | 1060 |
| 400+ | | C | 2 | 1 | 260.0 | - 260.0 | 260.0 | N/Q | 500 | - 500 | 500 | 1105 | - 1105 | 1105 |
| | FD | C | 2 | 92 | 246.0 | - 275.0 | 264.3 | -14 | - | | | 1046 | - 1224 | 1143 |
| | FD | C | 3 | 26 | 242.0 | - 279.0 | 277.6 | -8 | - | | | 1029 | - 1186 | 1180 |
| | | C | 3 | 44 | 245.0 | - 290.0 | 271.2 | -17 | 462 | - 537 | 505 | 1164 | - 1407 | 1257 |
| | | | | 983 | 80.0 | 307.0 | | | 421 | 579 | | 188 | 1407 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 0-200 | RS | D | 2 | 12 | 90.0 | - 90.0 | 90.0 | N/Q | - | | | 158 | - 158 | 158 |
| 200-280 | RS | C | 2 | 122 | 153.0 | - 188.0 | 166.1 | -20 | - | | | 375 | - 495 | 422 |
| | | C | 2 | 16 | 142.0 | - 152.0 | 148.9 | N/Q | 284 | - 304 | 298 | 376 | - 418 | 405 |
| | FD | C | 2 | 42 | 200.0 | - 231.0 | 223.2 | 17 | - | | | 550 | - 635 | 614 |
| | RS | D | 2 | 60 | 30.0 | - 164.0 | 100.7 | N/Q | - | | | 83 | - 410 | 258 |
| 280-330 | RS | C | 2 | 54 | 190.0 | - 220.0 | 205.0 | 2 | - | | | 561 | - 715 | 618 |
| | FD | C | 2 | 140 | 164.0 | - 238.0 | 219.5 | -1 | - | | | 467 | - 774 | 697 |
| | | C | 2 | 22 | 146.0 | - 190.0 | 152.0 | -73 | 292 | - 380 | 304 | 453 | - 618 | 475 |
| | RS | D | 2 | 15 | 142.0 | - 142.0 | 142.0 | N/Q | - | | | 405 | - 405 | 405 |
| 330-400 | RS | C | 2 | 10 | 188.0 | - 196.0 | 194.4 | 1 | - | | | 676 | - 724 | 686 |
| | | C | 2 | 16 | 184.0 | - 210.0 | 205.1 | N/Q | 368 | - 420 | 410 | 616 | - 725 | 704 |
| | FD | C | 2 | 144 | 206.0 | - 268.0 | 238.6 | -21 | - | | | 793 | - 1005 | 870 |
| | | C | 3 | 88 | 225.0 | - 299.0 | 248.3 | -14 | 425 | - 554 | 468 | 794 | - 1091 | 935 |
| 400+ | FD | C | 2 | 44 | 228.0 | - 240.0 | 237.7 | N/Q | - | | | 1012 | - 1083 | 1036 |
| | | C | 2 | 14 | 228.0 | - 239.0 | 236.6 | -24 | 430 | - 478 | 468 | 969 | - 1016 | 1006 |
| | FD | C | 3 | 42 | 257.0 | - 257.0 | 257.0 | -3 | - | | | 1311 | - 1311 | 1311 |
| | | C | 3 | 74 | 193.0 | - 240.0 | 213.7 | -55 | 372 | - 453 | 406 | 820 | - 1255 | 965 |
| | | | | 915 | 30.0 | 299.0 | | | 284 | 554 | | 83 | 1311 | |
| Grown Steer | | | | | | | | | | | | | | |
| 0-400 | FD | C | 2 | 8 | 239.0 | - 239.0 | 239.0 | 11 | - | | | 777 | - 777 | 777 |
| | RS | D | 2 | 14 | 148.0 | - 148.0 | 148.0 | 30 | - | | | 511 | - 511 | 511 |
| 400-500 | FD | C | 2 | 38 | 204.0 | - 278.0 | 245.6 | -7 | - | | | 908 | - 1182 | 1090 |
| | FD | C | 3 | 11 | 249.0 | - 249.0 | 249.0 | -27 | - | | | 1208 | - 1208 | 1208 |
| 500-600 | | C | 2 | 8 | 210.0 | - 210.0 | 210.0 | N/Q | 438 | - 438 | 438 | 1082 | - 1082 | 1082 |
| | | C | 3 | 11 | 265.0 | - 265.0 | 265.0 | N/Q | 500 | - 500 | 500 | 1391 | - 1391 | 1391 |
| | | C | 4 | 32 | 265.0 | - 293.0 | 274.8 | N/Q | 500 | - 553 | 519 | 1431 | - 1597 | 1485 |
| | FD | C | 4 | 4 | 260.0 | - 260.0 | 260.0 | N/Q | - | | | 1365 | - 1365 | 1365 |
| 600-750 | FD | C | 4 | 1 | 240.0 | - 240.0 | 240.0 | N/Q | - | | | 1500 | - 1500 | 1500 |
| 750+ | | D | 3 | 15 | 185.0 | - 185.0 | 185.0 | N/Q | 394 | - 394 | 394 | 1619 | - 1619 | 1619 |
| | | | | 142 | 148.0 | 293.0 | | | 394 | 553 | | 511 | 1619 | |
| Grown Heifer | | | | | | | | | | | | | | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | |
|-----------------|-------------|--------------|-----------|-------------|------------------|--------------|---------|--------|-------------------------------|------------|-------|-------------------|-------------|--------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | |
| 0-540 | | C | 2 | 8 | 181.0 | - 181.0 | 181.0 | -28 | 377 | - 377 | 377 | 824 | - 824 | 824 | |
| | | FD | C | 2 | 29 | 222.0 | - 252.0 | 236.5 | 16 | - | - | 944 | - 1071 | 1005 | |
| | | RS | C | 2 | 39 | 188.0 | - 210.0 | 208.3 | N/Q | - | - | 599 | - 649 | 602 | |
| | | | C | 3 | 11 | 180.0 | - 240.0 | 208.9 | -26 | 360 | - 480 | 418 | 585 | - 1080 | 885 |
| | | | C | 4 | 4 | 230.0 | - 264.0 | 247.0 | N/C | 434 | - 498 | 466 | 1208 | - 1280 | 1244 |
| | | | D | 2 | 4 | 80.0 | - 186.0 | 106.5 | N/Q | 178 | - 372 | 226 | 228 | - 642 | 331 |
| | | RS | D | 2 | 17 | 152.0 | - 152.0 | 152.0 | N/Q | - | - | - | 585 | - 585 | 585 |
| | | RS | D | 3 | 18 | 169.0 | - 169.0 | 169.0 | 16 | - | - | - | 769 | - 769 | 769 |
| | | | D | 3 | 21 | 148.0 | - 162.0 | 160.7 | -44 | 315 | - 352 | 349 | 511 | - 770 | 745 |
| 540+ | | C | 4 | 3 | 220.0 | - 234.0 | 229.3 | -13 | 415 | - 442 | 433 | 1287 | - 1369 | 1342 | |
| | | | | 154 | 80.0 | 264.0 | | | 178 | 498 | | 228 | 1369 | | |
| Cows | | | | | | | | | | | | | | | |
| 0-400 | | D | 1 | 13 | 28.0 | - 61.0 | 58.0 | N/C | 67 | - 143 | 125 | 80 | - 235 | 221 | |
| | | RS | D | 1 | 41 | 10.0 | - 33.0 | 26.9 | -6 | - | - | 29 | - 114 | 91 | |
| | | RS | D | 2 | 109 | 71.0 | - 148.0 | 123.4 | 42 | - | - | 202 | - 570 | 433 | |
| | | | D | 2 | 39 | 80.0 | - 140.0 | 114.9 | -1 | 182 | - 318 | 261 | 276 | - 539 | 432 |
| 400-520 | RS | D | 1 | 6 | 50.0 | - 50.0 | 50.0 | N/Q | - | - | - | 213 | - 213 | 213 | |
| | RS | D | 2 | 200 | 80.0 | - 169.0 | 118.8 | -2 | - | - | - | 332 | - 769 | 525 | |
| | | D | 2 | 229 | 110.0 | - 170.0 | 136.8 | 10 | 250 | - 386 | 311 | 468 | - 774 | 616 | |
| | | D | 3 | 138 | 139.0 | - 188.0 | 172.3 | N/C | 296 | - 400 | 371 | 659 | - 968 | 825 | |
| 520+ | | D | 3 | 157 | 138.0 | - 188.0 | 177.1 | 1 | 294 | - 400 | 377 | 725 | - 1129 | 972 | |
| | | D | 4 | 196 | 180.0 | - 225.0 | 205.0 | -2 | 360 | - 450 | 411 | 1013 | - 1451 | 1222 | |
| | | D | 5 | 1 | 165.0 | - 165.0 | 165.0 | N/Q | 330 | - 330 | 330 | 1114 | - 1114 | 1114 | |
| | | | | 1129 | 10.0 | 225.0 | | | 67 | 450 | | 29 | 1451 | | |
| Bulls | | | | | | | | | | | | | | | |
| 0-450 | FD | C | 2 | 13 | 204.0 | - 204.0 | 204.0 | N/Q | - | - | - | 704 | - 704 | 704 | |
| | RS | C | 2 | 14 | 80.0 | - 142.0 | 93.3 | N/Q | - | - | - | 172 | - 206 | 179 | |
| 450-600 | | C | 2 | 22 | 170.0 | - 188.0 | 183.2 | 1 | 340 | - 376 | 366 | 819 | - 978 | 860 | |
| 600+ | | B | 2 | 31 | 129.0 | - 226.0 | 209.9 | -18 | 239 | - 419 | 390 | 1484 | - 2788 | 1933 | |
| | | C | 2 | 17 | 137.0 | - 202.0 | 172.7 | -9 | 274 | - 404 | 336 | 884 | - 1545 | 1184 | |
| | RS | C | 2 | 19 | 170.0 | - 170.0 | 170.0 | N/Q | - | - | - | 1284 | - 1284 | 1284 | |
| | | | | 116 | 80.0 | 226.0 | | | 239 | 419 | | 172 | 2788 | | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.