

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 23 Aug 2018

Yarding Change 3925  
-2425

comparison date 16/08/2018

With the forecast of useful rain for the weekend, numbers were down considerably. There were some good pens of well finished trade cattle and grain assisted grown steers, along with the expected numbers of cows and young cattle lacking finish. There were only limited numbers of ideal feeder cattle. The smaller yarding certainly had a positive effect, with most sections enjoying healthy gains.

Young cattle to the trade were 15c dearer with prime steer yearlings making from 270c to 313c, while the prime heifer yearlings sold to 298c/kg. Feeder cattle were up to 15c to 20c dearer and more in places, with the feeder steers making from 226c to 294c/kg. Feeder heifers sold from 200c to 277c/kg. Young cattle to the restockers were up to 40c dearer, with the young steers making from 202c to 286c, while the young heifers to the restockers sold from 120c to 256c/kg.

Grown steers were 7c cheaper, with prime medium weights making from 257c to 282c/kg. Grown heifers sold to 260c/kg. Plain conditioned cows were 23c dearer and more in places, while the better finished cows were 7c to 12c/kg dearer. 1 and 2 score cows sold from 55c to 183c, while the better 3 and 4 scores sold from 160c to 234c/kg. Prime heavy weight cows averaged 217c and bulls sold to 235c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	2	150.0	- 150.0	150.0	N/Q	300	- 300	300	113	- 113	113
	RS	C	2	25	100.0	- 142.0	138.6	27	-	-	-	75	- 107	104
	RS	D	2	7	55.0	- 55.0	55.0	N/Q	-	-	-	41	- 41	41
				<b>34</b>	<b>55.0</b>	<b>150.0</b>			<b>300</b>	<b>300</b>		<b>41</b>	<b>113</b>	
<b>Vealer Steer</b>														
0-200	RS	C	2	23	247.0	- 260.0	255.5	N/Q	-	-	-	457	- 481	473
200-280	RS	C	2	4	247.0	- 248.0	247.5	9	-	-	-	521	- 556	538
		C	3	1	265.0	- 265.0	265.0	N/Q	500	- 500	500	729	- 729	729
280-330		C	3	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	910	- 910	910
				<b>29</b>	<b>247.0</b>	<b>280.0</b>			<b>500</b>	<b>528</b>		<b>457</b>	<b>910</b>	
<b>Vealer Heifer</b>														
0-200	RS	C	2	49	210.0	- 214.0	213.5	75	-	-	-	235	- 410	257
	RS	D	2	12	120.0	- 135.0	128.8	34	-	-	-	115	- 138	124
200-280	RS	C	2	19	170.0	- 204.0	195.1	15	-	-	-	357	- 479	447
	RS	D	3	5	150.0	- 150.0	150.0	N/Q	-	-	-	323	- 323	323
280-330		C	2	4	237.0	- 237.0	237.0	37	474	- 474	474	770	- 770	770
		C	3	2	280.0	- 280.0	280.0	N/Q	528	- 528	528	798	- 798	798
330+		C	3	2	265.0	- 265.0	265.0	N/Q	500	- 500	500	914	- 914	914
				<b>93</b>	<b>120.0</b>	<b>280.0</b>			<b>474</b>	<b>528</b>		<b>115</b>	<b>914</b>	
<b>Yearling Steer</b>														
0-200	RS	C	2	26	280.0	- 280.0	280.0	N/Q	-	-	-	560	- 560	560
200-280	RS	C	2	192	202.0	- 286.0	262.2	25	-	-	-	517	- 758	666
	FD	C	2	33	226.0	- 270.0	252.8	-7	-	-	-	598	- 689	647
280-330	FD	C	2	81	238.0	- 294.0	279.6	33	-	-	-	774	- 956	900
	RS	C	2	20	254.0	- 257.0	255.1	27	-	-	-	732	- 749	743
	FD	C	3	6	290.0	- 290.0	290.0	N/Q	-	-	-	943	- 943	943

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	5	290.0	- 290.0	290.0	71	547	- 547	547	943	- 943	943
330-400	FD	C	2	62	238.0	- 293.0	283.0	30	-	-	-	821	- 1124	1021
	FD	C	3	6	255.0	- 291.0	279.0	N/Q	-	-	-	931	- 1004	980
		C	3	41	272.0	- 313.0	291.5	1	513	- 591	548	938	- 1194	1065
400+	FD	C	2	18	270.0	- 293.0	279.2	15	-	-	-	1148	- 1245	1187
	FD	C	3	11	292.0	- 292.0	292.0	14	-	-	-	1299	- 1299	1299
		C	3	18	270.0	- 298.0	282.4	11	509	- 562	535	1233	- 1418	1367
				<b>519</b>	<b>202.0</b>	<b>313.0</b>			<b>509</b>	<b>591</b>		<b>517</b>	<b>1418</b>	
<b>Yearling Heifer</b>														
0-200	RS	C	2	12	170.0	- 170.0	170.0	N/Q	-	-	-	315	- 315	315
		D	3	11	150.0	- 150.0	150.0	N/Q	300	- 300	300	293	- 293	293
200-280	FD	C	2	10	246.0	- 246.0	246.0	23	-	-	-	677	- 677	677
	RS	C	2	241	160.0	- 256.0	223.9	58	-	-	-	376	- 696	526
	RS	D	2	12	140.0	- 140.0	140.0	39	-	-	-	357	- 357	357
	RS	D	3	18	121.0	- 160.0	138.3	N/Q	-	-	-	333	- 376	352
280-330	RS	C	2	42	244.0	- 247.0	245.5	40	-	-	-	695	- 796	711
	FD	C	2	34	200.0	- 241.0	222.2	3	-	-	-	620	- 759	691
		C	2	2	195.0	- 195.0	195.0	N/Q	390	- 390	390	634	- 634	634
		C	3	4	260.0	- 260.0	260.0	N/Q	491	- 491	491	845	- 845	845
330-400	FD	C	2	70	221.0	- 277.0	251.1	13	-	-	-	787	- 1066	873
	FD	C	3	9	240.0	- 265.0	259.4	N/Q	-	-	-	876	- 1020	988
		C	3	51	240.0	- 298.0	277.5	29	453	- 562	524	924	- 1101	1042
400+	FD	C	2	16	256.0	- 256.0	256.0	18	-	-	-	1190	- 1242	1229
	FD	C	3	14	266.0	- 266.0	266.0	9	-	-	-	1131	- 1131	1131
		C	3	47	255.0	- 272.0	265.5	52	481	- 513	501	1237	- 1319	1279
				<b>593</b>	<b>121.0</b>	<b>298.0</b>			<b>300</b>	<b>562</b>		<b>293</b>	<b>1319</b>	
<b>Grown Steer</b>														
0-400	RS	C	2	25	228.0	- 228.0	228.0	N/Q	-	-	-	559	- 559	559
400-500		C	2	2	223.0	- 223.0	223.0	N/Q	446	- 446	446	1059	- 1059	1059
	FD	C	3	2	240.0	- 240.0	240.0	N/Q	-	-	-	1164	- 1164	1164
500-600		C	3	9	222.0	- 233.0	230.6	-34	427	- 440	437	1166	- 1316	1283
		C	4	27	257.0	- 282.0	268.0	-7	489	- 514	510	1360	- 1615	1504
	RS	D	3	1	210.0	- 210.0	210.0	N/Q	-	-	-	1103	- 1103	1103
				<b>66</b>	<b>210.0</b>	<b>282.0</b>			<b>427</b>	<b>514</b>		<b>559</b>	<b>1615</b>	
<b>Grown Heifer</b>														
0-540		C	2	21	196.0	- 220.0	206.3	25	392	- 458	420	755	- 935	832
	FD	C	2	27	206.0	- 253.0	221.7	-15	-	-	-	876	- 1075	942
		C	3	8	220.0	- 230.0	226.8	18	415	- 460	448	1033	- 1155	1062
	RS	D	2	24	125.0	- 170.0	147.3	-5	-	-	-	344	- 723	526
	RS	D	3	19	181.0	- 198.0	188.2	19	-	-	-	878	- 921	896
	FD	D	3	9	172.0	- 190.0	180.0	N/Q	-	-	-	618	- 645	633
		D	3	29	138.0	- 204.0	171.5	11	294	- 425	362	380	- 1051	746
540+		C	3	1	245.0	- 245.0	245.0	N/Q	490	- 490	490	1384	- 1384	1384
		C	4	5	260.0	- 260.0	260.0	31	491	- 491	491	1469	- 1469	1469

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>143</b>	<b>125.0</b>	<b>260.0</b>			<b>294</b>	<b>491</b>		<b>344</b>	<b>1469</b>	
<b>Cows</b>															
0-400		D	1	27	70.0	- 108.0	89.1	31	167	- 257	212	263	- 373	322	
	RS	D	1	96	55.0	- 108.0	92.1	65		-		200	- 416	333	
		D	2	35	113.0	- 156.0	137.6	23	269	- 371	318	435	- 601	521	
	RS	D	2	152	107.0	- 157.0	133.7	10		-		412	- 585	497	
400-520	RS	D	1	16	118.0	- 118.0	118.0	68		-		484	- 484	484	
		D	2	207	120.0	- 183.0	153.1	16	273	- 416	348	510	- 798	678	
	RS	D	2	302	108.0	- 166.0	135.0	16		-		459	- 798	602	
		D	3	360	160.0	- 208.0	179.4	7	343	- 443	384	727	- 1015	858	
		D	4	4	212.0	- 212.0	212.0	N/Q	433	- 433	433	1028	- 1028	1028	
520+		D	3	162	160.0	- 215.0	187.6	10	340	- 457	399	893	- 1229	1014	
		D	4	207	190.0	- 234.0	216.9	12	380	- 468	434	1092	- 1729	1262	
					<b>1568</b>	<b>55.0</b>	<b>234.0</b>		<b>167</b>	<b>468</b>		<b>200</b>	<b>1729</b>		
<b>Bulls</b>															
0-450	RS	C	2	17	168.0	- 168.0	168.0	75		-		311	- 311	311	
600+		B	2	30	212.0	- 235.0	228.3	18	400	- 429	424	1493	- 2056	1750	
		C	2	6	181.0	- 227.0	195.3	23	348	- 428	380	1240	- 1881	1497	
					<b>53</b>	<b>168.0</b>	<b>235.0</b>		<b>348</b>	<b>429</b>		<b>311</b>	<b>2056</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.