

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wagga

report date 13 Aug 2018

Yarding Change ⁴²⁶⁴/₄₆₄

comparison date 06/08/2018

Numbers lifted and the quality was a little better. Weaners were back in numbers and there was not the very light and plain tail. Yearlings to feed were again well supplied and there were a few more trade cattle penned. Grown steers with weight still were in short supply and there were more heavy grown heifers suitable for the processors. Cow were also better supplied and there was a large run of PTIC cows and heifers included. The market was firm to dearer.

Weaners to restock sold dearer with quality improving. Steers ranged from 180c to 281c and heifers averaged 190c after reaching 238c/kg for light heifers. The best of the trade veal reached 280c/kg. Medium weight feeder steers were firm and heavy weights eased 5c, with prices from 255c to 301c/kg. Feeder heifers were 10c to 18c cheaper, with most selling from 220c to 278c/kg. Heavy trade cattle were firm from 262c to 303c, with medium trade weights reaching 310c/kg.

Prime grown steers and bullocks were firm to 4c cheaper, averaging 267c after reaching 296c/kg. Heavy grown heifers sold from 212c to 255c/kg. Cows to process were 2c to 3c stronger, with the medium weight 2 score cows making 125c to 188c. Heavy 3 and 4 scores sold from 184c to 222c/kg. Prime heavy weights averaged 213c/kg. The run of PTIC cows, which went to restockers ranged from 175c to 200c and the heifer portion reached 212c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	1	13	150.0	- 150.0	150.0	N/Q	-			141	- 141	141
	RS	D	1	3	118.0	- 118.0	118.0	N/Q	-			125	- 125	125
	RS	D	2	19	162.0	- 162.0	162.0	N/Q	-			190	- 190	190
				35	118.0	162.0			0	0		125	190	
Vealer Steer														
0-200		C	2	1	170.0	- 170.0	170.0	N/Q	340	- 340	340	286	- 286	286
	RS	C	2	21	194.0	- 252.0	229.9	22	-			365	- 496	446
	RS	D	2	146	140.0	- 268.0	236.5	8	-			192	- 485	398
200-280	RS	C	2	21	230.0	- 273.0	249.5	30	-			536	- 710	590
		C	2	2	240.0	- 240.0	240.0	N/Q	453	- 453	453	540	- 540	540
	FD	C	2	9	265.0	- 265.0	265.0	N/Q	-			686	- 686	686
	FD	C	3	3	273.0	- 273.0	273.0	N/Q	-			718	- 718	718
	RS	D	2	77	180.0	- 268.0	226.6	25	-			387	- 665	531
280-330	RS	C	2	8	281.0	- 281.0	281.0	49	-			868	- 868	868
				288	140.0	281.0			340	453		192	868	
Vealer Heifer														
0-200		C	2	13	168.0	- 180.0	172.6	18	336	- 346	340	235	- 353	280
	RS	C	2	8	125.0	- 125.0	125.0	N/Q	-			176	- 176	176
	RS	D	1	6	140.0	- 150.0	146.7	17	-			212	- 234	219
	RS	D	2	207	130.0	- 242.0	207.2	51	-			190	- 407	363
		D	2	37	130.0	- 176.0	174.5	N/Q	277	- 352	350	176	- 308	303
200-280		C	2	14	168.0	- 232.0	198.3	39	336	- 446	386	343	- 594	449
	RS	C	2	27	251.0	- 251.0	251.0	46	-			577	- 577	577
		C	3	3	280.0	- 280.0	280.0	N/Q	519	- 519	519	588	- 588	588
		D	2	3	164.0	- 164.0	164.0	9	328	- 328	328	385	- 385	385

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	2	150.0	- 150.0	150.0	N/Q	-			315	- 315	315
	RS	D	2	90	155.0	- 238.0	198.5	16	-			330	- 574	445
280-330	RS	C	2	1	178.0	- 178.0	178.0	N/Q	-			516	- 516	516
		C	3	4	260.0	- 260.0	260.0	N/Q	482	- 482	482	824	- 824	824
330+		C	3	2	270.0	- 283.0	276.5	N/Q	491	- 515	503	945	- 1061	1003
				417	125.0	283.0			277	519		176	1061	
Yearling Steer														
0-200	RS	D	2	10	262.0	- 262.0	262.0	N/Q	-			516	- 516	516
200-280	FD	C	2	40	212.0	- 274.0	251.9	18	-			559	- 688	642
	RS	C	2	25	250.0	- 282.0	265.8	21	-			653	- 747	696
	FD	D	1	1	214.0	- 214.0	214.0	N/Q	-			589	- 589	589
	FD	D	2	41	210.0	- 260.0	233.2	11	-			519	- 712	602
		D	2	1	252.0	- 252.0	252.0	N/Q	504	- 504	504	655	- 655	655
280-330		C	2	7	254.0	- 286.0	281.4	51	489	- 550	541	775	- 892	876
	FD	C	2	136	270.0	- 292.0	286.4	25	-			826	- 921	894
	RS	C	2	22	268.0	- 280.0	276.7	N/Q	-			791	- 882	828
	FD	C	3	3	284.0	- 284.0	284.0	N/Q	-			869	- 869	869
		C	3	18	256.0	- 302.0	284.3	-4	474	- 559	526	824	- 931	892
	DA	D	1	3	105.0	- 105.0	105.0	N/Q	223	- 223	223	328	- 328	328
	RS	D	1	5	100.0	- 100.0	100.0	N/Q	-			282	- 282	282
	RS	D	2	5	120.0	- 120.0	120.0	-73	-			342	- 342	342
	FD	D	2	14	140.0	- 242.0	201.3	13	-			434	- 726	591
330-400	FD	C	2	194	250.0	- 301.0	287.7	7	-			875	- 1162	1033
	FD	C	3	6	286.0	- 291.0	287.7	-15	-			1087	- 1112	1095
		C	3	32	270.0	- 310.0	300.8	8	500	- 574	557	932	- 1218	1165
	FD	D	2	7	206.0	- 250.0	237.4	N/Q	-			756	- 888	850
400+		C	2	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	852	- 852	852
	FD	C	2	35	224.0	- 294.0	283.3	-10	-			907	- 1392	1230
	FD	C	3	25	295.0	- 298.0	296.2	-1	-			1320	- 1460	1404
		C	3	31	262.0	- 303.0	284.2	-3	485	- 561	526	1140	- 1559	1370
		C	4	37	302.0	- 303.0	302.5	7	559	- 561	560	1851	- 1963	1909
				699	100.0	310.0			223	574		282	1963	
Yearling Heifer														
0-200	RS	D	2	36	130.0	- 196.0	167.7	N/Q	-			251	- 378	284
200-280	FD	C	2	25	176.0	- 242.0	209.1	-15	-			452	- 646	552
	RS	C	2	9	200.0	- 236.0	228.0	33	-			460	- 625	589
	RS	D	1	12	80.0	- 80.0	80.0	-62	-			166	- 166	166
	FD	D	1	9	150.0	- 150.0	150.0	N/Q	-			348	- 348	348
	FD	D	2	50	140.0	- 236.0	182.9	-37	-			344	- 602	472
	RS	D	2	106	150.0	- 246.0	216.9	31	-			327	- 587	493
280-330	FD	C	2	80	222.0	- 278.0	252.4	15	-			630	- 878	794
	RS	C	2	42	240.0	- 264.0	259.1	37	-			758	- 858	787
		C	3	4	290.0	- 293.0	292.3	42	537	- 543	541	914	- 952	943
	RS	D	2	27	162.0	- 202.0	165.0	-62	-			535	- 659	544
	FD	D	2	23	212.0	- 265.0	233.9	20	-			631	- 750	679

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400		C	2	1	262.0	- 262.0	262.0	N/Q	504	- 504	504	922	- 922	922
	FD	C	2	89	220.0	- 266.0	252.9	-18	-	-	-	749	- 1037	930
	RS	C	2	3	269.0	- 269.0	269.0	25	-	-	-	917	- 917	917
		C	3	69	230.0	- 310.0	269.9	2	426	- 574	504	877	- 1212	1020
	RS	D	1	32	160.0	- 160.0	160.0	N/Q	-	-	-	586	- 586	586
	RS	D	2	63	144.0	- 172.0	167.9	N/Q	-	-	-	480	- 685	630
		D	2	1	160.0	- 160.0	160.0	N/Q	333	- 333	333	547	- 547	547
	FD	D	2	10	182.0	- 202.0	196.0	16	-	-	-	612	- 717	685
	FD	D	3	7	224.0	- 224.0	224.0	N/Q	-	-	-	887	- 887	887
400+		D	3	10	244.0	- 259.0	251.5	25	452	- 489	470	876	- 1008	942
	FD	C	2	17	250.0	- 272.0	264.2	-10	-	-	-	1164	- 1185	1172
	RS	C	2	7	236.0	- 236.0	236.0	N/Q	-	-	-	968	- 968	968
	FD	C	3	25	264.0	- 284.0	276.2	-1	-	-	-	1148	- 1447	1364
		C	3	100	260.0	- 294.0	277.5	-5	482	- 544	514	1077	- 1630	1230
		C	4	9	282.0	- 282.0	282.0	11	522	- 522	522	1252	- 1252	1252
	FD	D	2	4	178.0	- 178.0	178.0	-59	-	-	-	758	- 758	758
	FD	D	3	12	180.0	- 244.0	226.3	N/Q	-	-	-	733	- 1100	960
		D	3	6	202.0	- 228.0	215.0	-15	381	- 439	410	939	- 1036	988
				888	80.0	310.0		333	574		166	1630		
Grown Steer														
0-400	FD	C	2	19	190.0	- 264.0	212.3	30	-	-	-	629	- 924	751
		C	3	4	240.0	- 240.0	240.0	N/Q	462	- 462	462	948	- 948	948
	FD	D	2	4	240.0	- 240.0	240.0	N/Q	-	-	-	948	- 948	948
400-500	FD	C	2	30	180.0	- 280.0	233.6	-56	-	-	-	738	- 1178	1019
		C	3	8	228.0	- 312.0	284.3	-3	422	- 578	528	1094	- 1314	1237
500-600	FD	C	2	3	235.0	- 235.0	235.0	-36	-	-	-	1201	- 1201	1201
		C	3	15	225.0	- 296.0	267.7	-4	417	- 548	497	1350	- 1501	1426
750+		C	5	1	260.0	- 260.0	260.0	N/Q	473	- 473	473	2080	- 2080	2080
				84	180.0	312.0		417	578		629	2080		
Grown Heifer														
0-540		C	2	2	225.0	- 225.0	225.0	N/Q	425	- 425	425	1040	- 1040	1040
	FD	C	2	12	187.0	- 210.0	194.7	6	-	-	-	725	- 828	794
		C	3	15	226.0	- 276.0	250.0	-10	426	- 511	466	1022	- 1340	1169
	FD	D	1	6	128.0	- 140.0	132.0	N/Q	-	-	-	402	- 532	489
		D	1	6	130.0	- 140.0	131.7	N/Q	289	- 304	292	566	- 616	574
	RS	D	1	168	80.0	- 212.0	162.6	N/Q	-	-	-	206	- 816	608
	RS	D	2	69	170.0	- 228.0	206.8	37	-	-	-	549	- 839	760
		D	2	48	130.0	- 230.0	204.5	38	283	- 479	428	528	- 1005	877
	FD	D	2	20	130.0	- 218.0	201.3	-3	-	-	-	481	- 975	844
540+		D	3	30	120.0	- 244.0	203.3	-1	226	- 452	395	540	- 1305	961
		C	3	3	230.0	- 255.0	245.0	29	426	- 472	454	1288	- 1513	1431
		C	4	1	255.0	- 255.0	255.0	N/Q	472	- 472	472	1543	- 1543	1543
		D	3	4	212.0	- 216.0	215.0	N/Q	424	- 432	430	1155	- 1313	1274
	D	4	7	216.0	- 263.0	229.4	N/Q	424	- 496	444	1318	- 1741	1471	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	5	5	204.0	- 222.0	212.8	N/Q	400	- 427	416	1422	- 1849	1677
				396	80.0	276.0			226	511		206	1849	
Manufacturing Steer														
0-540	DA	D	1	2	160.0	- 160.0	160.0	N/Q	340	- 340	340	688	- 688	688
	DA	D	2	2	200.0	- 200.0	200.0	N/Q	426	- 426	426	1004	- 1004	1004
				4	160.0	200.0			340	426		688	1004	
Cows														
0-400		D	1	21	100.0	- 140.0	120.5	10	217	- 311	268	320	- 525	445
	RS	D	1	38	84.0	- 180.0	105.2	-6	-	-	-	309	- 634	384
	RS	D	2	17	128.0	- 155.0	137.5	N/Q	-	-	-	453	- 577	497
		D	2	2	143.0	- 143.0	143.0	N/Q	298	- 298	298	568	- 568	568
	RS	E	1	19	70.0	- 82.0	77.6	N/Q	-	-	-	243	- 262	255
		E	1	34	60.0	- 84.0	64.9	-23	136	- 191	147	197	- 299	213
400-520	RS	D	1	95	113.0	- 186.0	159.5	10	-	-	-	460	- 887	718
		D	1	13	110.0	- 146.0	116.2	-17	239	- 317	254	446	- 730	495
		D	2	123	125.0	- 188.0	158.9	-2	266	- 376	336	514	- 927	742
	RS	D	2	112	124.0	- 200.0	166.4	32	-	-	-	522	- 912	769
		D	3	57	173.0	- 208.0	189.2	11	346	- 416	379	740	- 1073	936
		D	4	8	170.0	- 210.0	196.0	N/Q	333	- 412	384	842	- 1086	987
520+		D	2	10	145.0	- 168.0	161.1	N/Q	315	- 350	340	845	- 995	950
	RS	D	2	10	125.0	- 125.0	125.0	-46	-	-	-	656	- 656	656
	DA	D	2	9	169.0	- 169.0	169.0	4	345	- 345	345	1049	- 1049	1049
	DA	D	3	9	186.0	- 186.0	186.0	N/Q	372	- 372	372	1265	- 1455	1307
	RS	D	3	5	194.0	- 194.0	194.0	N/Q	-	-	-	1141	- 1141	1141
		D	3	72	170.0	- 208.0	195.8	3	340	- 416	392	966	- 1256	1085
		D	4	118	200.0	- 222.0	212.9	2	392	- 435	419	1071	- 1697	1360
		D	5	2	155.0	- 212.0	183.5	N/Q	310	- 424	367	1000	- 1431	1215
				774	60.0	222.0			136	435		197	1697	
Bulls														
0-450		C	2	4	210.0	- 224.0	213.5	-9	382	- 407	388	784	- 920	886
450-600		C	2	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	979	- 979	979
				5	190.0	224.0			352	407		784	979	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.