

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Wagga

report date 03 Sep 2018

Yarding Change <sup>3800</sup>  
1440

comparison date 27/08/2018

Numbers increased with 3,890 head penned, 745 of those being cows. The vast majority of trade cattle weighed well under 300kg live weight and nearly all were in store condition. An additional interstate buyer provided a home for many of the very light calves and yearlings weighing 250kg and less. Feedlotters secured the bulk of the remaining yearlings as trade buyers struggled to find any finished yearlings. Trade cattle prices decreased as the sale progressed. The market for beef cows was dearer, lifting 6c/kg as exporters struggled to source significant numbers of heavy well shaped and conditioned beef cows.

Trade cattle prices had large price variations within each grade. However, selected lines of forward store conditioned Angus steers met stronger competition from feedlotters this week, lifting by several cents, with prices reaching 309c/kg. The vealers made to 256c/kg. Feeder steers over 280kg made from 230c to 302c/kg. Light weight steers to the paddock generally sold from 156c to 279c/kg. The C3 and C4 yearling heifers to the trade made from 230c to 296c/kg. Feeder heifers made from 158c to 270c/kg.

The 400-500kg feeder steers made from 240c to 309c/kg. There were a few finished grown steers and bullocks, with the 500-600kg steers reaching 300c and the over 600kg bullocks making to 280c/kg. Friesian steers reached 222c/kg. The heavy Friesian cows made from 178c to 195c/kg. The over 520kg, C4 and D4 beef cows made from 182c to 240c, averaging 227c/kg for the D4's. The plainer 400-520kg beef cows sold from 140c to 195c/kg.

| Category Weight      | Sale Prefix | Muscle Score | Fat Score | Head      | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |            |     |
|----------------------|-------------|--------------|-----------|-----------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|------------|-----|
|                      |             |              |           |           | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High       | Avg |
| <b>Calves</b>        |             |              |           |           |                  |              |       |        |                               |            |     |                   |            |     |
| 80+                  |             | D            | 1         | 1         | 70.0             | - 70.0       | 70.0  | N/Q    | 135                           | - 135      | 135 | 102               | - 102      | 102 |
|                      |             |              |           | <b>1</b>  | <b>70.0</b>      | <b>70.0</b>  |       |        | <b>135</b>                    | <b>135</b> |     | <b>102</b>        | <b>102</b> |     |
| <b>Vealer Steer</b>  |             |              |           |           |                  |              |       |        |                               |            |     |                   |            |     |
| 0-200                |             | C            | 1         | 2         | 120.0            | - 120.0      | 120.0 | N/Q    | 231                           | - 231      | 231 | 236               | - 236      | 236 |
|                      | RS          | D            | 1         | 11        | 182.0            | - 246.0      | 228.5 | N/Q    | -                             | -          | -   | 275               | - 455      | 406 |
| 200-280              | FD          | C            | 1         | 9         | 256.0            | - 256.0      | 256.0 | N/Q    | -                             | -          | -   | 707               | - 707      | 707 |
|                      |             | C            | 1         | 8         | 220.2            | - 244.0      | 229.1 | N/Q    | 432                           | - 478      | 449 | 592               | - 625      | 604 |
|                      | RS          | C            | 1         | 26        | 171.0            | - 246.0      | 213.7 | N/Q    | -                             | -          | -   | 424               | - 581      | 504 |
|                      | RS          | C            | 2         | 2         | 255.0            | - 255.0      | 255.0 | N/Q    | -                             | -          | -   | 561               | - 561      | 561 |
|                      |             | C            | 2         | 6         | 248.2            | - 248.2      | 248.2 | N/Q    | 473                           | - 473      | 473 | 596               | - 596      | 596 |
|                      | RS          | D            | 1         | 5         | 240.0            | - 240.0      | 240.0 | N/Q    | -                             | -          | -   | 528               | - 528      | 528 |
| 280-330              |             | B            | 1         | 3         | 256.0            | - 256.0      | 256.0 | N/Q    | 474                           | - 474      | 474 | 822               | - 822      | 822 |
|                      | FD          | C            | 2         | 7         | 230.0            | - 230.0      | 230.0 | N/Q    | -                             | -          | -   | 722               | - 722      | 722 |
|                      | RS          | C            | 2         | 10        | 226.0            | - 226.0      | 226.0 | N/Q    | -                             | -          | -   | 646               | - 646      | 646 |
|                      |             | C            | 3         | 2         | 240.0            | - 240.0      | 240.0 | N/Q    | 453                           | - 453      | 453 | 720               | - 720      | 720 |
|                      |             |              |           | <b>91</b> | <b>120.0</b>     | <b>256.0</b> |       |        | <b>231</b>                    | <b>478</b> |     | <b>236</b>        | <b>822</b> |     |
| <b>Vealer Heifer</b> |             |              |           |           |                  |              |       |        |                               |            |     |                   |            |     |
| 0-200                | RS          | D            | 1         | 44        | 170.2            | - 195.0      | 183.5 | N/Q    | -                             | -          | -   | 275               | - 357      | 321 |
| 200-280              | RS          | C            | 2         | 5         | 205.0            | - 205.0      | 205.0 | N/Q    | -                             | -          | -   | 412               | - 412      | 412 |
|                      |             | C            | 2         | 10        | 236.2            | - 236.2      | 236.2 | 56     | 463                           | - 463      | 463 | 621               | - 621      | 621 |
|                      | RS          | D            | 1         | 40        | 120.0            | - 228.0      | 209.1 | N/Q    | -                             | -          | -   | 280               | - 572      | 521 |
|                      | RS          | D            | 2         | 13        | 186.0            | - 186.0      | 186.0 | N/Q    | -                             | -          | -   | 430               | - 430      | 430 |
|                      | FD          | D            | 2         | 13        | 230.2            | - 230.2      | 230.2 | N/Q    | -                             | -          | -   | 624               | - 624      | 624 |
| 280-330              | FD          | C            | 1         | 14        | 195.0            | - 244.0      | 237.0 | N/Q    | -                             | -          | -   | 595               | - 739      | 719 |

| Category Weight        | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |      |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
|                        |             |              |           |            | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High        | Avg  |
|                        | FD          | C            | 2         | 10         | 230.0            | - 230.0      | 230.0 | N/Q    | -                             |            |     | 752               | - 752       | 752  |
|                        | FD          | C            | 3         | 10         | 230.0            | - 230.0      | 230.0 | N/Q    | -                             |            |     | 683               | - 683       | 683  |
|                        | FD          | D            | 2         | 33         | 223.0            | - 223.0      | 223.0 | N/Q    | -                             |            |     | 653               | - 653       | 653  |
|                        |             | D            | 3         | 4          | 200.0            | - 200.0      | 200.0 | N/Q    | 379                           | - 379      | 379 | 600               | - 600       | 600  |
|                        |             |              |           | <b>196</b> | <b>120.0</b>     | <b>244.0</b> |       |        | <b>379</b>                    | <b>463</b> |     | <b>275</b>        | <b>752</b>  |      |
| <b>Yearling Steer</b>  |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |      |
| 0-200                  | RS          | D            | 1         | 22         | 240.0            | - 240.0      | 240.0 | N/Q    | -                             |            |     | 418               | - 418       | 418  |
| 200-280                | RS          | C            | 1         | 61         | 246.0            | - 279.0      | 260.6 | N/Q    | -                             |            |     | 546               | - 689       | 619  |
|                        | FD          | C            | 1         | 7          | 254.0            | - 254.0      | 254.0 | N/Q    | -                             |            |     | 665               | - 665       | 665  |
|                        |             | C            | 1         | 6          | 194.2            | - 228.0      | 216.7 | N/Q    | 374                           | - 439      | 417 | 456               | - 611       | 559  |
|                        |             | C            | 2         | 3          | 222.0            | - 222.0      | 222.0 | N/Q    | 419                           | - 419      | 419 | 533               | - 533       | 533  |
|                        | RS          | C            | 2         | 6          | 289.0            | - 289.0      | 289.0 | 46     | -                             |            |     | 696               | - 696       | 696  |
|                        | RS          | D            | 1         | 103        | 198.2            | - 274.0      | 239.2 | N/Q    | -                             |            |     | 525               | - 663       | 569  |
|                        | FD          | D            | 1         | 64         | 233.0            | - 278.2      | 259.8 | N/Q    | -                             |            |     | 645               | - 757       | 711  |
|                        | RS          | D            | 2         | 11         | 225.0            | - 272.0      | 263.5 | N/Q    | -                             |            |     | 504               | - 677       | 646  |
|                        | DA          | E            | 1         | 4          | 125.0            | - 125.0      | 125.0 | N/Q    | 278                           | - 278      | 278 | 334               | - 334       | 334  |
|                        | RS          | E            | 1         | 1          | 80.0             | - 80.0       | 80.0  | N/Q    | -                             |            |     | 188               | - 188       | 188  |
| 280-330                | FD          | C            | 1         | 10         | 210.0            | - 265.0      | 250.9 | N/Q    | -                             |            |     | 630               | - 835       | 786  |
|                        | FD          | C            | 2         | 50         | 230.2            | - 288.2      | 258.3 | -10    | -                             |            |     | 661               | - 935       | 808  |
|                        | FD          | D            | 1         | 11         | 240.2            | - 272.0      | 263.3 | N/Q    | -                             |            |     | 733               | - 835       | 807  |
|                        | DA          | D            | 2         | 1          | 132.0            | - 132.0      | 132.0 | N/Q    | 264                           | - 264      | 264 | 403               | - 403       | 403  |
| 330-400                | FD          | C            | 1         | 21         | 255.0            | - 292.0      | 284.8 | N/Q    | -                             |            |     | 949               | - 1040      | 1028 |
|                        | FD          | C            | 2         | 21         | 266.0            | - 290.0      | 272.9 | -11    | -                             |            |     | 899               | - 1102      | 953  |
|                        | FD          | C            | 3         | 38         | 265.0            | - 302.0      | 284.8 | N/Q    | -                             |            |     | 936               | - 1151      | 1045 |
| 400+                   | FD          | C            | 1         | 12         | 292.0            | - 292.0      | 292.0 | N/Q    | -                             |            |     | 1177              | - 1177      | 1177 |
|                        | FD          | C            | 3         | 3          | 299.0            | - 299.0      | 299.0 | N/Q    | -                             |            |     | 1211              | - 1211      | 1211 |
|                        |             |              |           | <b>455</b> | <b>80.0</b>      | <b>302.0</b> |       |        | <b>264</b>                    | <b>439</b> |     | <b>188</b>        | <b>1211</b> |      |
| <b>Yearling Heifer</b> |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |      |
| 0-200                  | RS          | D            | 1         | 42         | 178.2            | - 209.2      | 200.0 | N/Q    | -                             |            |     | 287               | - 412       | 343  |
| 200-280                | RS          | C            | 1         | 8          | 212.0            | - 212.0      | 212.0 | N/Q    | -                             |            |     | 541               | - 541       | 541  |
|                        | DA          | D            | 1         | 28         | 60.0             | - 60.0       | 60.0  | N/Q    | 119                           | - 119      | 119 | 125               | - 125       | 125  |
|                        | RS          | D            | 1         | 105        | 150.0            | - 217.0      | 186.1 | N/Q    | -                             |            |     | 345               | - 558       | 460  |
|                        | RS          | D            | 2         | 4          | 186.2            | - 186.2      | 186.2 | 47     | -                             |            |     | 456               | - 456       | 456  |
|                        | FD          | D            | 3         | 14         | 227.0            | - 227.0      | 227.0 | N/Q    | -                             |            |     | 631               | - 631       | 631  |
|                        |             | D            | 3         | 18         | 210.0            | - 210.0      | 210.0 | N/Q    | 400                           | - 404      | 402 | 523               | - 575       | 546  |
|                        | DA          | E            | 1         | 7          | 48.2             | - 48.2       | 48.2  | N/Q    | 107                           | - 107      | 107 | 97                | - 97        | 97   |
| 280-330                | FD          | C            | 1         | 11         | 214.0            | - 214.0      | 214.0 | N/Q    | -                             |            |     | 612               | - 612       | 612  |
|                        | FD          | C            | 2         | 55         | 229.2            | - 269.0      | 253.4 | 28     | -                             |            |     | 665               | - 863       | 796  |
|                        |             | C            | 2         | 11         | 267.2            | - 267.2      | 267.2 | 10     | 509                           | - 509      | 509 | 802               | - 802       | 802  |
|                        |             | C            | 3         | 7          | 255.0            | - 255.0      | 255.0 | 1      | 481                           | - 481      | 481 | 752               | - 752       | 752  |
|                        | RS          | D            | 1         | 24         | 186.0            | - 214.2      | 194.2 | N/Q    | -                             |            |     | 569               | - 636       | 589  |
|                        | FD          | D            | 1         | 78         | 158.0            | - 226.2      | 204.1 | N/Q    | -                             |            |     | 493               | - 636       | 590  |
|                        | DA          | D            | 1         | 4          | 130.0            | - 130.0      | 130.0 | N/Q    | 260                           | - 260      | 260 | 385               | - 385       | 385  |
|                        | DA          | D            | 2         | 16         | 122.2            | - 122.2      | 122.2 | N/Q    | 240                           | - 240      | 240 | 360               | - 360       | 360  |
|                        | RS          | D            | 2         | 52         | 196.0            | - 220.0      | 216.1 | N/Q    | -                             |            |     | 559               | - 693       | 645  |

| Category Weight     | Sale Prefix | Muscle Score | Fat Score | Head        | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |      |
|---------------------|-------------|--------------|-----------|-------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
|                     |             |              |           |             | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High        | Avg  |
| 330-400             | FD          | D            | 2         | 81          | 199.0            | - 215.0      | 210.1 | N/Q    | -                             | -          | -   | 575               | - 703       | 659  |
|                     |             | D            | 2         | 20          | 200.0            | - 216.0      | 212.0 | N/Q    | 392                           | - 424      | 416 | 598               | - 700       | 674  |
|                     |             | D            | 3         | 46          | 194.0            | - 218.2      | 207.3 | N/Q    | 370                           | - 416      | 395 | 561               | - 703       | 656  |
|                     | FD          | D            | 3         | 15          | 180.0            | - 208.0      | 202.8 | N/Q    | -                             | -          | -   | 571               | - 669       | 647  |
|                     |             | D            | 4         | 3           | 250.0            | - 250.0      | 250.0 | N/Q    | 472                           | - 472      | 472 | 788               | - 788       | 788  |
|                     | RS          | E            | 1         | 14          | 188.2            | - 188.2      | 188.2 | N/Q    | -                             | -          | -   | 563               | - 563       | 563  |
|                     | FD          | C            | 2         | 23          | 198.0            | - 225.0      | 210.6 | -54    | -                             | -          | -   | 679               | - 758       | 729  |
|                     | FD          | C            | 3         | 41          | 248.0            | - 283.0      | 269.1 | N/Q    | -                             | -          | -   | 918               | - 1121      | 1032 |
|                     |             | C            | 3         | 73          | 226.2            | - 295.2      | 262.2 | -2     | 427                           | - 547      | 492 | 761               | - 1178      | 982  |
|                     |             | C            | 4         | 22          | 230.0            | - 282.0      | 266.5 | N/Q    | 434                           | - 522      | 496 | 858               | - 1103      | 1023 |
| 400+                | FD          | D            | 1         | 10          | 148.0            | - 190.0      | 185.8 | N/Q    | -                             | -          | -   | 577               | - 657       | 649  |
|                     | FD          | D            | 2         | 65          | 195.6            | - 264.0      | 216.9 | 63     | -                             | -          | -   | 679               | - 990       | 752  |
|                     |             | D            | 2         | 9           | 182.0            | - 182.0      | 182.0 | N/Q    | 357                           | - 357      | 357 | 613               | - 613       | 613  |
|                     |             | D            | 3         | 76          | 200.0            | - 270.2      | 255.8 | 29     | 392                           | - 510      | 484 | 722               | - 967       | 892  |
|                     | FD          | D            | 3         | 23          | 200.0            | - 255.0      | 250.4 | N/Q    | -                             | -          | -   | 720               | - 893       | 875  |
|                     |             | D            | 4         | 1           | 219.2            | - 219.2      | 219.2 | N/Q    | 414                           | - 414      | 414 | 855               | - 855       | 855  |
|                     |             | C            | 3         | 30          | 252.0            | - 296.2      | 266.1 | -4     | 476                           | - 549      | 500 | 1028              | - 1424      | 1175 |
|                     |             | C            | 4         | 42          | 262.0            | - 292.2      | 282.5 | 22     | 494                           | - 541      | 526 | 1195              | - 1531      | 1320 |
|                     | FD          | D            | 2         | 6           | 233.0            | - 233.0      | 233.0 | N/Q    | -                             | -          | -   | 955               | - 955       | 955  |
|                     | FD          | D            | 3         | 1           | 270.0            | - 270.0      | 270.0 | N/Q    | -                             | -          | -   | 1215              | - 1215      | 1215 |
|                     | D           | 3            | 24        | 210.0       | - 268.0          | 228.9        | N/Q   | 396    | - 506                         | 435        | 868 | - 1206            | 960         |      |
|                     |             |              |           | <b>1109</b> | <b>48.2</b>      | <b>296.2</b> |       |        | <b>107</b>                    | <b>549</b> |     | <b>97</b>         | <b>1531</b> |      |
| <b>Grown Steer</b>  |             |              |           |             |                  |              |       |        |                               |            |     |                   |             |      |
| 0-400               | FD          | C            | 1         | 25          | 282.0            | - 282.0      | 282.0 | N/Q    | -                             | -          | -   | 1024              | - 1024      | 1024 |
|                     | FD          | C            | 2         | 53          | 280.0            | - 302.2      | 296.4 | N/Q    | -                             | -          | -   | 840               | - 1188      | 1065 |
|                     | FD          | C            | 3         | 3           | 275.0            | - 275.0      | 275.0 | N/Q    | -                             | -          | -   | 1100              | - 1100      | 1100 |
|                     | FD          | D            | 1         | 10          | 220.0            | - 220.0      | 220.0 | N/Q    | -                             | -          | -   | 702               | - 702       | 702  |
|                     |             | D            | 3         | 1           | 209.2            | - 209.2      | 209.2 | N/Q    | 395                           | - 395      | 395 | 805               | - 805       | 805  |
| 400-500             | FD          | C            | 1         | 13          | 230.2            | - 296.0      | 245.4 | N/Q    | -                             | -          | -   | 946               | - 1356      | 1041 |
|                     | FD          | C            | 2         | 30          | 240.0            | - 304.0      | 292.5 | N/Q    | -                             | -          | -   | 1008              | - 1338      | 1256 |
|                     | FD          | C            | 3         | 61          | 285.0            | - 309.2      | 297.7 | N/Q    | -                             | -          | -   | 1245              | - 1422      | 1328 |
|                     |             | C            | 3         | 24          | 260.0            | - 301.2      | 293.0 | N/Q    | 491                           | - 563      | 549 | 1092              | - 1497      | 1413 |
|                     | FD          | D            | 2         | 1           | 270.0            | - 270.0      | 270.0 | N/Q    | -                             | -          | -   | 1148              | - 1148      | 1148 |
| 500-600             |             | C            | 3         | 14          | 276.0            | - 282.0      | 277.4 | -11    | 521                           | - 527      | 523 | 1402              | - 1626      | 1479 |
|                     |             | C            | 4         | 14          | 280.0            | - 300.0      | 294.2 | N/Q    | 519                           | - 556      | 545 | 1539              | - 1755      | 1630 |
| 600-750             |             | C            | 4         | 1           | 280.2            | - 280.2      | 280.2 | N/Q    | 519                           | - 519      | 519 | 1695              | - 1695      | 1695 |
|                     |             | D            | 4         | 3           | 253.2            | - 253.2      | 253.2 | N/Q    | 478                           | - 478      | 478 | 1788              | - 1788      | 1788 |
|                     |             |              |           | <b>253</b>  | <b>209.2</b>     | <b>309.2</b> |       |        | <b>395</b>                    | <b>563</b> |     | <b>702</b>        | <b>1788</b> |      |
| <b>Grown Heifer</b> |             |              |           |             |                  |              |       |        |                               |            |     |                   |             |      |
| 0-540               |             | C            | 3         | 8           | 266.0            | - 266.2      | 266.1 | 28     | 502                           | - 507      | 503 | 1210              | - 1291      | 1230 |
|                     |             | D            | 1         | 6           | 162.0            | - 222.0      | 182.0 | N/Q    | 338                           | - 440      | 372 | 666               | - 915       | 749  |
|                     | RS          | D            | 1         | 4           | 192.2            | - 192.2      | 192.2 | N/Q    | -                             | -          | -   | 667               | - 667       | 667  |
|                     |             | D            | 2         | 2           | 214.0            | - 214.0      | 214.0 | N/Q    | 437                           | - 437      | 437 | 882               | - 882       | 882  |
|                     |             | D            | 3         | 13          | 210.0            | - 270.2      | 241.3 | 41     | 404                           | - 512      | 464 | 893               | - 1272      | 1062 |

| Category Weight            | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |      |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
|                            |             |              |           |            | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High        | Avg  |
| 540+                       |             | E            | 1         | 12         | 146.2            | - 146.2      | 146.2 | N/Q    | 332                           | - 332      | 332 | 477               | - 477       | 477  |
|                            |             | C            | 2         | 2          | 262.0            | - 262.0      | 262.0 | N/Q    | 504                           | - 504      | 504 | 1577              | - 1577      | 1577 |
|                            |             | D            | 4         | 1          | 259.2            | - 259.2      | 259.2 | N/Q    | 489                           | - 489      | 489 | 1633              | - 1633      | 1633 |
|                            |             |              |           | <b>48</b>  | <b>146.2</b>     | <b>270.2</b> |       |        | <b>332</b>                    | <b>512</b> |     | <b>477</b>        | <b>1633</b> |      |
| <b>Manufacturing Steer</b> |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |      |
| 0-540                      | DA          | D            | 1         | 22         | 220.0            | - 222.2      | 221.5 | N/Q    | 436                           | - 440      | 437 | 1005              | - 1164      | 1114 |
|                            |             |              |           | <b>22</b>  | <b>220.0</b>     | <b>222.2</b> |       |        | <b>436</b>                    | <b>440</b> |     | <b>1005</b>       | <b>1164</b> |      |
| <b>Cows</b>                |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |      |
| 0-400                      | RS          | D            | 1         | 3          | 155.0            | - 155.0      | 155.0 | N/Q    | -                             | -          | -   | 589               | - 589       | 589  |
|                            | RS          | E            | 1         | 70         | 124.0            | - 143.2      | 140.8 | N/Q    | -                             | -          | -   | 430               | - 513       | 502  |
|                            |             | E            | 1         | 8          | 125.0            | - 125.0      | 125.0 | N/Q    | 278                           | - 278      | 278 | 483               | - 483       | 483  |
| 400-520                    |             | D            | 1         | 98         | 170.2            | - 190.0      | 179.6 | 54     | 362                           | - 404      | 382 | 760               | - 974       | 865  |
|                            | RS          | D            | 1         | 16         | 163.2            | - 178.2      | 176.3 | N/Q    | -                             | -          | -   | 718               | - 838       | 823  |
|                            | DA          | D            | 1         | 7          | 173.0            | - 173.0      | 173.0 | N/Q    | 376                           | - 376      | 376 | 874               | - 874       | 874  |
|                            |             | D            | 2         | 27         | 179.2            | - 211.0      | 193.5 | 46     | 371                           | - 440      | 401 | 842               | - 1044      | 935  |
|                            |             | D            | 3         | 22         | 174.2            | - 214.0      | 188.4 | 8      | 342                           | - 437      | 388 | 780               | - 1050      | 889  |
|                            |             | D            | 4         | 2          | 218.0            | - 218.0      | 218.0 | N/Q    | 428                           | - 428      | 428 | 1046              | - 1046      | 1046 |
|                            |             | E            | 1         | 21         | 140.2            | - 165.0      | 146.1 | N/Q    | 312                           | - 351      | 321 | 597               | - 772       | 639  |
|                            | RS          | E            | 1         | 4          | 156.0            | - 156.0      | 156.0 | N/Q    | -                             | -          | -   | 749               | - 749       | 749  |
| 520+                       |             | C            | 3         | 6          | 218.0            | - 228.0      | 221.3 | N/Q    | 415                           | - 439      | 423 | 1347              | - 1361      | 1352 |
|                            |             | C            | 4         | 23         | 220.0            | - 240.0      | 234.0 | N/Q    | 415                           | - 453      | 441 | 1320              | - 1932      | 1418 |
|                            |             | D            | 1         | 3          | 185.0            | - 185.0      | 185.0 | N/Q    | 402                           | - 402      | 402 | 1047              | - 1047      | 1047 |
|                            | DA          | D            | 1         | 5          | 178.2            | - 178.2      | 178.2 | N/Q    | 387                           | - 387      | 387 | 1108              | - 1108      | 1108 |
|                            | DA          | D            | 2         | 4          | 195.0            | - 195.0      | 195.0 | 18     | 415                           | - 415      | 415 | 1468              | - 1468      | 1468 |
|                            | RS          | D            | 2         | 7          | 182.2            | - 182.2      | 182.2 | N/Q    | -                             | -          | -   | 1019              | - 1019      | 1019 |
|                            |             | D            | 2         | 28         | 172.0            | - 197.0      | 189.1 | N/Q    | 365                           | - 410      | 397 | 903               | - 1042      | 999  |
|                            |             | D            | 3         | 85         | 182.0            | - 228.0      | 209.1 | 6      | 387                           | - 475      | 422 | 950               | - 1378      | 1172 |
|                            |             | D            | 4         | 43         | 212.0            | - 235.0      | 226.8 | 6      | 408                           | - 452      | 432 | 1241              | - 1550      | 1355 |
|                            |             | D            | 5         | 8          | 219.0            | - 225.6      | 221.7 | N/Q    | 409                           | - 426      | 417 | 1522              | - 1748      | 1625 |
|                            |             | E            | 1         | 5          | 166.0            | - 166.0      | 166.0 | N/Q    | 369                           | - 369      | 369 | 873               | - 873       | 873  |
|                            |             |              |           | <b>495</b> | <b>124.0</b>     | <b>240.0</b> |       |        | <b>278</b>                    | <b>475</b> |     | <b>430</b>        | <b>1932</b> |      |
| <b>Bulls</b>               |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |      |
| 0-450                      | DA          | D            | 1         | 2          | 150.0            | - 150.0      | 150.0 | N/Q    | 300                           | - 300      | 300 | 503               | - 503       | 503  |
|                            | DA          | E            | 1         | 47         | 30.0             | - 50.0       | 43.2  | N/Q    | 75                            | - 114      | 101 | 38                | - 88        | 70   |
| 450-600                    |             | C            | 1         | 1          | 190.0            | - 190.0      | 190.0 | N/Q    | 359                           | - 359      | 359 | 903               | - 903       | 903  |
|                            |             |              |           | <b>50</b>  | <b>30.0</b>      | <b>190.0</b> |       |        | <b>75</b>                     | <b>359</b> |     | <b>38</b>         | <b>903</b>  |      |

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.