

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 13 Nov 2018

Yarding Change 6663
-3637

comparison date 06/11/2018

The reduction in prices the previous sale combined with some very isolated falls of rain in parts of the supply area reduced the number of stock by 3,637 head to 6,663 at the Roma store sale. The overall quality of the young cattle was mixed, however there was a relatively small selection of good heavy grown steers and bullocks penned in the grown cattle section a long with some good heavy cows. A large panel of buyers was present and operating across all classes. Prices for light weight yearling steers returning to the paddock could not maintain the levels of the previous sale. Medium weight yearling steers to feed sold to a firm market. However, heavy weight yearling steers over 400kg to feed lifted in price by over 20c/kg. Light weight yearling heifers varied in price according to quality and medium weights met fair demand for the quality penned. Cows experienced some improvements in places following the losses of the previous sale.

Light weight yearling steers returning to the paddock made to 318.2c with most close to 308c, while the lesser quality lines averaged 279c/kg. Medium weight yearling steers to feed made to 328.2c to average 312c/kg. A fair sample of heavy weights to feed averaged 326c and made to 330.2c/kg in pen lots. Light weight yearling heifers returned to the paddock or background made to 286.2c to average 268c and the poorer quality lines averaged 226c/kg. Medium weight yearling heifers to feed made 292.2c to average 275c/kg.

Heavy grown steers to export slaughter made to 319.2c and the bullock portion made to 317.2c to average 316c/kg. Medium weight 2 score cows averaged 218c and made to 230.2c/kg. Good heavy cows mostly sold around 250c with some to 253.2c/kg. Heavy bulls made to 258.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	D	2	34	248.2	- 248.2	248.2	N/Q	-	-	-	434	- 434	434
				34	248.2	248.2			0	0		434	434	
Yearling Steer														
0-200	RS	C	2	41	310.2	- 310.2	310.2	1	-	-	-	574	- 574	574
	RS	D	1	19	238.2	- 238.2	238.2	N/Q	-	-	-	405	- 405	405
	RS	D	2	127	242.2	- 280.2	260.4	15	-	-	-	412	- 518	480
	RS	E	1	10	212.2	- 212.2	212.2	N/Q	-	-	-	371	- 371	371
200-280	RS	C	2	414	298.2	- 318.2	307.9	-5	-	-	-	611	- 875	780
	RS	D	1	27	276.2	- 286.2	281.4	N/Q	-	-	-	566	- 773	673
	RS	D	2	456	210.0	- 298.2	279.4	1	-	-	-	504	- 815	668
		D	2	15	254.2	- 254.2	254.2	30	462	- 462	462	686	- 686	686
	RS	E	2	16	204.2	- 216.2	210.2	N/Q	-	-	-	443	- 494	470
280-330	RS	C	2	88	310.0	- 328.2	318.5	-5	-	-	-	884	- 985	944
	FD	C	2	250	296.2	- 314.2	308.4	-6	-	-	-	874	- 974	934
	RS	D	2	54	270.2	- 296.2	294.3	8	-	-	-	770	- 889	881
	FD	D	2	6	294.2	- 294.2	294.2	9	-	-	-	883	- 883	883
330-400	FD	C	2	265	298.2	- 328.2	311.7	N/C	-	-	-	1005	- 1187	1080
	FD	D	2	97	258.2	- 300.2	293.8	1	-	-	-	986	- 1103	1028
400+	FD	C	2	250	298.2	- 330.2	326.4	21	-	-	-	1267	- 1486	1365
	FD	D	2	21	292.2	- 298.2	294.5	N/C	-	-	-	1242	- 1297	1263
				2156	204.2	330.2			462	462		371	1486	
Yearling Heifer														
0-200	RS	C	2	26	256.2	- 256.2	256.2	-49	-	-	-	448	- 448	448

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280	RS	D	1	6	232.2	- 232.2	232.2	N/Q	-			383	- 383	383
	RS	D	2	93	194.2	- 232.2	224.0	-1	-			320	- 418	396
	RS	C	2	696	250.0	- 286.2	268.0	9	-			542	- 787	670
		C	2	14	260.0	- 260.0	260.0	4	482	- 482	482	715	- 715	715
	RS	D	1	9	210.0	- 210.0	210.0	N/Q	-			494	- 494	494
280-330	RS	D	2	371	180.0	- 250.0	227.0	-13	-			383	- 645	528
		D	2	499	190.0	- 244.2	226.7	2	352	- 452	420	437	- 648	558
	RS	E	1	4	120.0	- 170.2	148.2	N/Q	-			276	- 374	329
	RS	C	2	30	278.2	- 278.2	278.2	7	-			793	- 793	793
	FD	C	2	143	260.0	- 286.2	271.4	3	-			741	- 816	780
330-400	RS	D	2	9	218.2	- 218.2	218.2	N/Q	-			633	- 633	633
	FD	D	2	234	218.2	- 250.2	238.7	-6	-			655	- 745	697
		D	2	3	240.0	- 240.0	240.0	N/Q	444	- 444	444	684	- 684	684
		C	2	5	252.2	- 252.2	252.2	-10	467	- 467	467	946	- 946	946
	FD	C	2	66	258.2	- 292.2	275.2	-18	-			865	- 1096	975
		C	3	30	254.2	- 268.2	265.4	N/Q	471	- 497	492	890	- 1006	983
	FD	C	3	17	283.2	- 283.2	283.2	N/Q	-			949	- 949	949
	FD	D	2	30	250.0	- 250.0	250.0	15	-			875	- 875	875
		D	2	32	230.0	- 245.0	240.2	26	426	- 454	445	771	- 891	842
		D	3	2	246.2	- 246.2	246.2	N/Q	456	- 456	456	862	- 862	862
400+	FD	C	3	3	270.0	- 270.0	270.0	N/Q	-			1148	- 1148	1148
	C	3	12	265.0	- 286.2	279.1	N/Q	491	- 530	517	1285	- 1331	1316	
				2334	120.0	292.2			352	530		276	1331	
Grown Steer														
0-400	RS	D	2	7	210.2	- 210.2	210.2	N/Q	-			799	- 799	799
400-500		C	3	10	290.2	- 310.2	306.2	N/Q	528	- 564	557	1436	- 1535	1516
		D	2	8	284.2	- 286.2	284.5	14	517	- 520	517	1322	- 1388	1330
500-600		C	2	8	289.2	- 289.2	289.2	-6	526	- 526	526	1547	- 1547	1547
		C	3	18	300.0	- 305.2	304.0	N/Q	536	- 555	551	1557	- 1723	1597
		C	4	21	319.2	- 319.2	319.2	N/Q	560	- 560	560	1781	- 1781	1781
600-750		C	4	23	309.2	- 317.2	316.2	N/Q	552	- 557	556	1913	- 2008	1972
				95	210.2	319.2			517	564		799	2008	
Grown Heifer														
0-540		C	2	20	250.2	- 250.2	250.2	-7	472	- 472	472	1051	- 1051	1051
		C	3	1	270.0	- 270.0	270.0	N/Q	509	- 509	509	1445	- 1445	1445
	RS	D	1	20	162.2	- 162.2	162.2	N/Q	-			543	- 543	543
	RS	D	2	3	176.2	- 214.2	201.5	N/Q	-			749	- 750	749
		D	2	28	210.0	- 226.2	219.6	1	438	- 471	458	873	- 893	885
		D	3	6	260.0	- 260.0	260.0	N/Q	491	- 491	491	1261	- 1261	1261
				78	162.2	270.0			438	509		543	1445	
Manufacturing Steer														
0-540		D	2	14	206.2	- 220.0	208.0	-28	375	- 400	378	876	- 1177	905
540+		C	3	7	286.2	- 293.2	291.2	N/Q	520	- 533	530	1745	- 1789	1757
		D	3	2	256.2	- 256.2	256.2	N/Q	466	- 466	466	1601	- 1601	1601
				23	206.2	293.2			375	533		876	1789	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Cows															
0-400	RS	D	1	30	160.2	- 192.2	177.0	N/Q	-			585	- 721	657	
		D	1	59	120.0	- 189.2	158.3	N/Q	273	- 430	360	438	- 691	609	
		D	2	51	165.0	- 210.0	191.5	11	359	- 457	416	635	- 809	740	
		E	1	5	66.2	- 108.2	74.6	N/Q	151	- 246	170	255	- 406	285	
400-520	RS	D	1	20	182.2	- 200.2	188.5	N/Q	-			783	- 851	807	
		D	1	68	160.0	- 198.2	185.1	N/Q	364	- 451	421	704	- 892	801	
		D	2	171	190.0	- 230.2	217.8	14	413	- 500	473	827	- 1116	985	
		D	3	27	233.2	- 242.2	237.2	-6	476	- 494	484	1094	- 1211	1173	
		D	4	1	244.2	- 244.2	244.2	N/Q	479	- 479	479	1221	- 1221	1221	
520+		D	2	17	231.2	- 233.2	232.3	8	503	- 507	505	1248	- 1358	1322	
		D	3	89	235.2	- 249.2	241.6	-4	471	- 509	492	1258	- 1483	1336	
		D	4	83	248.2	- 253.2	250.7	N/Q	487	- 497	492	1344	- 1688	1424	
				621	66.2	253.2		151	509		255	1688			
Bulls															
0-450		FD	C	2	74	242.2	- 298.2	257.7	-18	-		872	- 1267	985	
		LE	C	2	35	250.0	- 267.2	266.2	N/Q	455	- 486	484	802	- 1063	817
		RS	C	2	12	260.0	- 270.2	267.7	2	-		676	- 811	777	
		RS	D	1	17	220.2	- 232.2	227.3	N/Q	-		374	- 488	441	
		RS	D	2	32	194.2	- 250.0	213.4	N/Q	-		463	- 505	490	
		FD	D	2	23	223.2	- 223.2	223.2	32	-		737	- 737	737	
		LE	D	2	57	199.2	- 233.2	222.5	N/Q	362	- 424	405	598	- 606	604
		LE	E	1	16	181.2	- 181.2	181.2	N/Q	330	- 330	330	471	- 471	471
450-600		C	2	1	246.2	- 246.2	246.2	N/Q	448	- 448	448	1317	- 1317	1317	
		LE	D	2	2	220.0	- 220.0	220.0	N/Q	400	- 400	400	1023	- 1023	1023
600+	LE	C	2	5	240.2	- 246.2	243.6	N/Q	429	- 440	435	1561	- 1847	1731	
		C	2	35	229.2	- 258.2	246.5	-1	417	- 461	440	1433	- 2161	1788	
		C	3	1	258.2	- 258.2	258.2	N/Q	461	- 461	461	1937	- 1937	1937	
				310	181.2	298.2		330	486		374	2161			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.