

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 15 Nov 2018

Yarding Change 3610  
2155

comparison date 08/11/2018

It was a mixed yarding, with a large numbers of very plain young cattle and cows. There were also a few runs of top quality cows in good condition, along with some good lines of properly finished grown steers that had been supplementary fed. There was also a reasonably good selection of feeder cattle throughout.

The few trade cattle were close to firm, with prime yearlings making from 265c to 302c/kg. Feeder steers finished firm to 3c dearer, while the feeder heifers were dearer for the lighter weights and firm to 4c/kg cheaper for the heavier weights. Feeder steers sold from 240c to 328c, while the feeder heifers made from 236c to 289c/kg. Young cattle to the restockers were 20c to 30c/kg cheaper, with quality a factor. Young restocker steers sold from 180c to 290c, while the restocker heifers made from 160c to 249c/kg.

Grown steers were 3c dearer, with the prime medium and heavy weights making from 283c to 300c/kg. Grown heifers were firm, with the better types making from 240c to 280c/kg. Plain conditioned cows were 5c cheaper, while the properly finished heavy weights were 5c/kg dearer. 2 score cows sold from 151c to 193c, while the better 3 and 4 scores made from 170c up to 254c/kg for a C muscle cow. The prime heavy weight cows averaged 235c/kg. Bulls sold to 265c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	16	150.0	- 154.0	152.8	N/Q	300	- 308	306	108	- 113	109
	RS	C	2	48	140.0	- 256.0	167.8	-33	-	-	-	105	- 141	118
	RS	D	2	14	112.0	- 112.0	112.0	N/Q	-	-	-	84	- 84	84
80+		C	2	3	218.0	- 218.0	218.0	N/Q	436	- 436	436	207	- 207	207
	RS	C	2	47	202.0	- 250.0	232.2	-24	-	-	-	192	- 238	214
				<b>128</b>	<b>112.0</b>	<b>256.0</b>			<b>300</b>	<b>436</b>		<b>84</b>	<b>238</b>	
<b>Vealer Steer</b>														
0-200	RS	C	2	112	210.0	- 280.0	250.3	-64	-	-	-	185	- 467	345
200-280	RS	C	2	26	270.0	- 274.0	270.9	N/Q	-	-	-	589	- 635	624
		C	2	9	223.0	- 223.0	223.0	N/Q	437	- 437	437	479	- 479	479
	RS	D	2	18	194.0	- 194.0	194.0	N/Q	-	-	-	407	- 407	407
280-330	FD	C	2	14	280.0	- 280.0	280.0	N/Q	-	-	-	826	- 826	826
				<b>179</b>	<b>194.0</b>	<b>280.0</b>			<b>437</b>	<b>437</b>		<b>185</b>	<b>826</b>	
<b>Vealer Heifer</b>														
0-200	RS	C	2	66	176.0	- 234.0	215.7	-37	-	-	-	185	- 378	290
	RS	D	2	16	178.0	- 180.0	179.1	N/Q	-	-	-	225	- 276	247
	RS	D	3	3	160.0	- 160.0	160.0	N/Q	-	-	-	280	- 280	280
200-280	RS	C	2	1	186.0	- 186.0	186.0	N/Q	-	-	-	456	- 456	456
	FD	C	2	11	230.0	- 230.0	230.0	N/Q	-	-	-	610	- 610	610
		C	2	15	220.0	- 230.0	222.7	-22	440	- 460	445	495	- 583	559
	RS	D	2	12	185.0	- 185.0	185.0	N/Q	-	-	-	435	- 435	435
280-330		C	2	3	235.0	- 235.0	235.0	N/Q	470	- 470	470	740	- 740	740
				<b>127</b>	<b>160.0</b>	<b>235.0</b>			<b>440</b>	<b>470</b>		<b>185</b>	<b>740</b>	
<b>Yearling Steer</b>														
0-200	RS	C	2	23	188.0	- 266.0	226.2	N/Q	-	-	-	348	- 519	422
	RS	D	2	8	200.0	- 200.0	200.0	N/Q	-	-	-	390	- 390	390

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	3	17	180.0	- 228.0	208.2	N/Q	-			333	- 399	372
200-280	RS	C	2	162	221.0	- 290.0	250.9	-25	-			516	- 769	584
	FD	C	2	20	258.0	- 276.0	269.1	1	-			684	- 721	699
280-330	FD	C	2	98	240.0	- 303.0	273.3	5	-			718	- 985	824
	RS	C	2	31	228.0	- 274.0	256.2	-3	-			741	- 808	782
		C	2	1	246.0	- 246.0	246.0	N/Q	473	- 473	473	800	- 800	800
330-400	RS	C	2	37	245.0	- 245.0	245.0	N/Q	-			821	- 821	821
	FD	C	2	186	270.0	- 307.0	288.1	-2	-			938	- 1205	1020
		C	3	1	290.0	- 290.0	290.0	N/Q	527	- 527	527	1146	- 1146	1146
	FD	C	3	12	270.0	- 270.0	270.0	-30	-			1040	- 1040	1040
400+	FD	C	2	97	270.0	- 328.0	305.1	-6	-			1241	- 1458	1373
		C	3	5	281.0	- 302.0	288.2	-7	530	- 559	540	1222	- 1495	1325
	FD	C	3	77	295.0	- 323.0	309.5	3	-			1296	- 1525	1450
				<b>775</b>	<b>180.0</b>	<b>328.0</b>			<b>473</b>	<b>559</b>		<b>333</b>	<b>1525</b>	
<b>Yearling Heifer</b>														
0-200	RS	C	2	8	170.0	- 170.0	170.0	N/Q	-			298	- 298	298
	RS	D	2	8	175.0	- 175.0	175.0	35	-			306	- 306	306
200-280	RS	C	2	34	208.0	- 212.0	209.9	-14	-			477	- 551	526
	RS	D	2	15	192.0	- 203.0	199.3	N/Q	-			436	- 451	441
	RS	D	3	49	176.0	- 210.0	191.1	3	-			394	- 536	433
	FD	D	3	11	210.0	- 210.0	210.0	N/Q	-			494	- 494	494
280-330	FD	C	2	127	243.0	- 277.0	265.3	23	-			693	- 900	839
	RS	C	2	55	222.0	- 249.0	241.0	N/Q	-			698	- 784	735
	FD	D	3	12	212.0	- 212.0	212.0	N/Q	-			604	- 604	604
330-400	FD	C	2	86	250.0	- 277.0	260.0	-9	-			869	- 1066	958
	RS	C	3	9	237.0	- 237.0	237.0	N/Q	-			818	- 818	818
	FD	C	3	5	250.0	- 266.0	256.4	-29	-			913	- 971	936
	RS	D	3	5	196.0	- 196.0	196.0	N/Q	-			676	- 676	676
400+	FD	C	2	12	236.0	- 280.0	260.1	-27	-			1003	- 1190	1097
		C	3	3	264.0	- 265.0	264.7	3	500	- 528	509	1201	- 1259	1240
	FD	C	3	44	268.0	- 289.0	280.7	-7	-			1185	- 1325	1230
				<b>483</b>	<b>170.0</b>	<b>289.0</b>			<b>500</b>	<b>528</b>		<b>298</b>	<b>1325</b>	
<b>Grown Steer</b>														
0-400		C	4	4	280.0	- 280.0	280.0	N/Q	528	- 528	528	686	- 686	686
	RS	D	3	22	203.0	- 203.0	203.0	N/Q	-			579	- 579	579
400-500	FD	C	2	24	306.0	- 309.0	308.3	12	-			1313	- 1454	1348
	FD	C	3	20	321.0	- 321.0	321.0	33	-			1525	- 1525	1525
500-600	FD	C	3	28	286.0	- 310.0	302.9	N/Q	-			1502	- 1628	1590
		C	4	25	295.0	- 300.0	298.2	3	546	- 546	546	1726	- 1785	1764
600-750		C	4	27	291.0	- 297.0	294.6	N/Q	529	- 540	536	2034	- 2081	2053
750+		C	4	11	283.0	- 283.0	283.0	N/Q	515	- 515	515	2207	- 2207	2207
				<b>161</b>	<b>203.0</b>	<b>321.0</b>			<b>515</b>	<b>546</b>		<b>579</b>	<b>2207</b>	
<b>Grown Heifer</b>														
0-540		C	2	11	219.0	- 219.0	219.0	N/Q	438	- 438	438	843	- 843	843

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	51	214.0	- 256.0	248.0	50	-			690	- 803	747
	FD	C	2	18	231.0	- 263.0	242.3	-2	-			982	- 1170	1079
	FD	C	3	25	265.0	- 290.0	280.0	30	-			1126	- 1407	1294
		C	3	11	200.0	- 263.0	235.2	-9	385	- 526	465	950	- 1223	1110
		C	4	11	248.0	- 270.0	262.0	-3	468	- 509	494	1302	- 1418	1376
	RS	D	2	26	158.0	- 218.0	204.5	N/Q	-			455	- 608	524
	FD	D	3	7	244.0	- 244.0	244.0	12	-			915	- 915	915
		D	3	18	155.0	- 222.0	202.9	10	310	- 444	406	736	- 988	886
540+		C	4	14	240.0	- 280.0	261.4	-1	436	- 535	485	1452	- 1806	1514
				<b>192</b>	<b>155.0</b>	<b>290.0</b>			<b>310</b>	<b>535</b>		<b>455</b>	<b>1806</b>	
<b>Manufacturing Steer</b>														
540+		D	3	17	258.0	- 258.0	258.0	58	538	- 538	538	1742	- 1742	1742
				<b>17</b>	<b>258.0</b>	<b>258.0</b>			<b>538</b>	<b>538</b>		<b>1742</b>	<b>1742</b>	
<b>Cows</b>														
0-400		D	1	8	60.0	- 60.0	60.0	N/Q	143	- 143	143	171	- 171	171
	RS	D	2	55	158.0	- 165.0	160.6	-15	-			466	- 619	523
400-520	RS	D	2	94	176.0	- 197.0	185.2	-14	-			748	- 896	819
		D	2	53	151.0	- 193.0	176.8	-11	343	- 439	400	687	- 897	791
		D	3	107	170.0	- 225.0	200.9	-10	362	- 479	427	774	- 1091	962
	RS	D	3	12	189.0	- 189.0	189.0	N/Q	-			907	- 907	907
		D	4	11	220.0	- 220.0	220.0	N/Q	449	- 449	449	1045	- 1045	1045
520+		C	3	10	250.0	- 254.0	250.4	N/Q	479	- 481	481	1435	- 1463	1460
		D	3	76	204.0	- 226.0	214.8	-5	434	- 481	457	1087	- 1277	1203
		D	4	114	215.0	- 247.0	234.5	5	430	- 494	468	1129	- 1630	1441
				<b>540</b>	<b>60.0</b>	<b>254.0</b>			<b>143</b>	<b>494</b>		<b>171</b>	<b>1630</b>	
<b>Bulls</b>														
0-450		C	2	6	214.0	- 214.0	214.0	11	428	- 428	428	396	- 396	396
	RS	C	2	18	170.0	- 230.0	221.1	30	-			305	- 794	686
	RS	D	2	2	168.0	- 210.0	189.0	N/Q	-			445	- 473	459
	RS	D	3	6	198.0	- 215.0	203.7	N/Q	-			613	- 762	712
600+		B	2	36	218.0	- 265.0	237.3	-4	397	- 463	419	1729	- 2760	2257
		C	2	1	236.0	- 236.0	236.0	N/Q	445	- 445	445	1805	- 1805	1805
				<b>69</b>	<b>168.0</b>	<b>265.0</b>			<b>397</b>	<b>463</b>		<b>305</b>	<b>2760</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.