

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX Carcoar

report date 27 Nov 2018

Yarding Change ¹⁹⁸⁵/₄₀₀

comparison date 20/11/2018

It was a reasonably good quality yarding, once again with large numbers of cows along with a large line of very well finished heavy weight grown steers. There was a good selection of ideal feeder cattle as well as good numbers of younger calves to suit the restockers.

The few trade cattle were a little dearer, with heifer yearlings selling to 286c/kg. Light weight feeder heifers were 5c cheaper, while the heavier weight heifers and feeder steers were 5c to 9c/kg dearer. Feeder steers sold from 270c to 331c, while the feeder heifers made from 239c to 296c/kg. Young cattle to the restockers were 12c to 15c cheaper, with the young steers selling from 270c to 316c, while the young heifers to the restockers sold from 188c to 235c/kg.

Grown steers were 3c cheaper, with the prime heavy weights selling from 287c to 291c/kg. Grown heifers were also 3c cheaper, with the better types making from 245c to 285c/kg. Plainer conditioned cows were firm and the better conditioned heavier weight cows were 2c to 3c cheaper, as 2 score cows sold from 140c to 200c, while the better 3 and 4 cores made from 195c to 228c/kg. The prime heavy weights averaged 221c/kg. Bulls sold to 278c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|---------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Vealer Steer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 2 | 17 | 300.0 | - 300.0 | 300.0 | -8 | - | - | - | 450 | - 450 | 450 |
| 200-280 | RS | C | 2 | 40 | 270.0 | - 316.0 | 304.3 | 31 | - | - | - | 635 | - 780 | 750 |
| | FD | C | 2 | 2 | 270.0 | - 270.0 | 270.0 | N/Q | - | - | - | 567 | - 567 | 567 |
| 280-330 | | C | 3 | 1 | 290.0 | - 290.0 | 290.0 | N/Q | 547 | - 547 | 547 | 798 | - 798 | 798 |
| | RS | C | 2 | 2 | 300.0 | - 300.0 | 300.0 | N/Q | - | - | - | 855 | - 855 | 855 |
| | FD | C | 2 | 8 | 305.0 | - 305.0 | 305.0 | 55 | - | - | - | 869 | - 869 | 869 |
| | | | | 70 | 270.0 | 316.0 | | | 547 | 547 | | 450 | 869 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 0-200 | | C | 2 | 15 | 223.0 | - 250.0 | 241.0 | N/Q | 446 | - 500 | 482 | 363 | - 435 | 387 |
| | | RS | C | 2 | 6 | 188.0 | - 188.0 | 188.0 | -58 | - | - | 273 | - 273 | 273 |
| 200-280 | RS | C | 2 | 28 | 229.0 | - 235.0 | 234.6 | 1 | - | - | - | 492 | - 529 | 526 |
| | | C | 2 | 9 | 238.0 | - 238.0 | 238.0 | N/Q | 476 | - 476 | 476 | 607 | - 607 | 607 |
| | | C | 3 | 2 | 270.0 | - 270.0 | 270.0 | N/Q | 509 | - 509 | 509 | 716 | - 716 | 716 |
| | | | | 60 | 188.0 | 270.0 | | | 446 | 509 | | 273 | 716 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 280-330 | FD | C | 2 | 7 | 270.0 | - 304.0 | 289.4 | -10 | - | - | - | 851 | - 988 | 929 |
| | RS | C | 2 | 31 | 281.0 | - 295.0 | 283.4 | -19 | - | - | - | 801 | - 841 | 808 |
| 330-400 | RS | C | 2 | 22 | 299.0 | - 299.0 | 299.0 | N/Q | - | - | - | 1017 | - 1017 | 1017 |
| | FD | C | 2 | 104 | 297.0 | - 330.0 | 313.5 | 5 | - | - | - | 1035 | - 1271 | 1127 |
| 400+ | FD | C | 2 | 121 | 285.0 | - 331.0 | 308.2 | -4 | - | - | - | 1183 | - 1539 | 1360 |
| | FD | C | 3 | 39 | 286.0 | - 330.0 | 320.9 | 25 | - | - | - | 1387 | - 1452 | 1438 |
| | FD | C | 4 | 3 | 285.0 | - 285.0 | 285.0 | N/Q | - | - | - | 1382 | - 1382 | 1382 |
| | | | | 327 | 270.0 | 331.0 | | | 0 | 0 | | 801 | 1539 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 200-280 | | C | 2 | 7 | 230.0 | - 230.0 | 230.0 | 10 | 460 | - 460 | 460 | 633 | - 633 | 633 |
| | | RS | C | 2 | 37 | 215.0 | - 249.0 | 231.8 | -13 | - | - | 591 | - 672 | 622 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 280-330 | RS | D | 3 | 7 | 191.0 | - 191.0 | 191.0 | -29 | - | | | 449 | - 449 | 449 |
| | RS | C | 2 | 10 | 217.0 | - 217.0 | 217.0 | -13 | - | | | 618 | - 618 | 618 |
| | | C | 2 | 2 | 189.0 | - 189.0 | 189.0 | N/Q | 378 | - 378 | 378 | 539 | - 539 | 539 |
| | FD | C | 2 | 6 | 239.0 | - 239.0 | 239.0 | -30 | - | | | 777 | - 777 | 777 |
| 330-400 | RS | D | 3 | 4 | 186.0 | - 186.0 | 186.0 | N/Q | - | | | 530 | - 530 | 530 |
| | RS | C | 2 | 16 | 230.0 | - 230.0 | 230.0 | N/Q | - | | | 794 | - 794 | 794 |
| | FD | C | 2 | 103 | 250.0 | - 290.0 | 268.5 | -7 | - | | | 863 | - 1117 | 954 |
| 400+ | | C | 3 | 3 | 275.0 | - 288.0 | 283.7 | N/C | 519 | - 543 | 535 | 949 | - 1109 | 1055 |
| | FD | C | 2 | 84 | 250.0 | - 293.0 | 279.5 | 3 | - | | | 1100 | - 1310 | 1250 |
| | FD | C | 3 | 21 | 280.0 | - 296.0 | 292.2 | 16 | - | | | 1214 | - 1274 | 1228 |
| | | C | 3 | 4 | 286.0 | - 286.0 | 286.0 | 6 | 540 | - 540 | 540 | 1359 | - 1359 | 1359 |
| | | | | 304 | 186.0 | 296.0 | | | 378 | 543 | | 449 | 1359 | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | FD | C | 2 | 2 | 282.0 | - 282.0 | 282.0 | N/Q | - | | | 1340 | - 1340 | 1340 |
| 500-600 | FD | C | 3 | 1 | 262.0 | - 262.0 | 262.0 | N/Q | - | | | 1336 | - 1336 | 1336 |
| | | C | 3 | 2 | 249.0 | - 249.0 | 249.0 | N/Q | 498 | - 498 | 498 | 1270 | - 1270 | 1270 |
| | | C | 4 | 2 | 262.0 | - 284.0 | 273.0 | N/Q | 494 | - 526 | 510 | 1428 | - 1633 | 1530 |
| 600-750 | | C | 4 | 35 | 287.0 | - 291.0 | 290.0 | -3 | 522 | - 529 | 527 | 1880 | - 1993 | 1964 |
| | | | | 42 | 249.0 | 291.0 | | | 494 | 529 | | 1270 | 1993 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | | C | 2 | 6 | 195.0 | - 195.0 | 195.0 | -30 | 390 | - 390 | 390 | 887 | - 887 | 887 |
| | FD | C | 2 | 16 | 273.0 | - 277.0 | 273.5 | 32 | - | | | 1024 | - 1177 | 1043 |
| | RS | C | 2 | 5 | 210.0 | - 210.0 | 210.0 | N/Q | - | | | 956 | - 956 | 956 |
| | FD | C | 3 | 24 | 230.0 | - 282.0 | 256.6 | -9 | - | | | 1093 | - 1340 | 1211 |
| | | C | 3 | 60 | 225.0 | - 258.0 | 247.6 | 14 | 442 | - 506 | 485 | 1069 | - 1380 | 1254 |
| | FD | C | 4 | 8 | 282.0 | - 282.0 | 282.0 | 23 | - | | | 1368 | - 1368 | 1368 |
| | | C | 4 | 2 | 245.0 | - 285.0 | 265.0 | N/Q | 490 | - 518 | 504 | 1164 | - 1325 | 1245 |
| | | D | 2 | 4 | 170.0 | - 195.0 | 176.3 | N/Q | 354 | - 415 | 369 | 706 | - 907 | 756 |
| 540+ | RS | D | 3 | 12 | 210.0 | - 210.0 | 210.0 | N/Q | - | | | 746 | - 746 | 746 |
| | | C | 3 | 11 | 234.0 | - 250.0 | 242.5 | 8 | 459 | - 500 | 470 | 1357 | - 1413 | 1379 |
| | | C | 4 | 11 | 258.0 | - 281.0 | 263.6 | -3 | 487 | - 520 | 497 | 1463 | - 1925 | 1547 |
| | | | | 159 | 170.0 | 285.0 | | | 354 | 520 | | 706 | 1925 | |
| Manufacturing Steer | | | | | | | | | | | | | | |
| 0-540 | RS | D | 2 | 19 | 165.0 | - 165.0 | 165.0 | N/Q | - | | | 701 | - 701 | 701 |
| | | D | 3 | 1 | 190.0 | - 190.0 | 190.0 | N/Q | 404 | - 404 | 404 | 922 | - 922 | 922 |
| 540+ | | D | 3 | 17 | 212.0 | - 225.0 | 222.3 | -2 | 445 | - 469 | 464 | 1363 | - 1452 | 1412 |
| | | | | 37 | 165.0 | 225.0 | | | 404 | 469 | | 701 | 1452 | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | | D | 2 | 2 | 190.0 | - 190.0 | 190.0 | N/Q | 432 | - 432 | 432 | 732 | - 732 | 732 |
| 400-520 | | D | 2 | 53 | 140.0 | - 200.0 | 183.6 | -1 | 318 | - 455 | 417 | 574 | - 951 | 838 |
| | | D | 3 | 133 | 195.0 | - 215.0 | 205.3 | 1 | 415 | - 457 | 439 | 933 | - 1097 | 997 |
| 520+ | DA | D | 2 | 1 | 200.0 | - 200.0 | 200.0 | N/Q | 455 | - 455 | 455 | 1170 | - 1170 | 1170 |
| | | D | 3 | 187 | 200.0 | - 220.0 | 211.8 | -2 | 417 | - 468 | 451 | 1071 | - 1290 | 1133 |
| | | D | 4 | 115 | 206.0 | - 228.0 | 220.7 | -3 | 412 | - 456 | 441 | 1150 | - 1548 | 1366 |
| | | D | 5 | 1 | 206.0 | - 206.0 | 206.0 | N/Q | 412 | - 412 | 412 | 1133 | - 1133 | 1133 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| | | | | 492 | 140.0 | 228.0 | | | 318 | 468 | | 574 | 1548 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | | C | 2 | 9 | 200.0 | - 242.0 | 218.8 | 14 | 385 | - 465 | 432 | 690 | - 888 | 782 |
| | FD | C | 2 | 3 | 237.0 | - 237.0 | 237.0 | N/Q | | - | | 818 | - 818 | 818 |
| 450-600 | | B | 2 | 1 | 220.0 | - 220.0 | 220.0 | N/Q | 415 | - 415 | 415 | 1243 | - 1243 | 1243 |
| | | C | 2 | 6 | 184.0 | - 210.0 | 193.7 | -32 | 354 | - 404 | 370 | 874 | - 1187 | 1001 |
| 600+ | RS | B | 2 | 2 | 238.0 | - 274.0 | 256.0 | N/Q | | - | | 1797 | - 2699 | 2248 |
| | | B | 2 | 47 | 205.0 | - 278.0 | 231.9 | 1 | 377 | - 471 | 431 | 1432 | - 3075 | 1900 |
| | | C | 2 | 11 | 193.0 | - 220.0 | 210.7 | 11 | 364 | - 415 | 399 | 1322 | - 2415 | 1672 |
| | | | | 79 | 184.0 | 278.0 | | | 354 | 471 | | 690 | 3075 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.