

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 27 Nov 2018

Yarding Change ⁷⁹⁶⁹
1509

comparison date 20/11/2018

Cattle numbers rose by 1,509 head to 7,969 at the Roma Store Sale. Cattle were mostly drawn from the local supply area with some lines from Western Queensland NSW and South Australia also. The usual panel of buyers was present and operating. Heavier yearling steers were present in greater numbers this week and the yarding was dominated by steers and heifers. Quality was again mixed, however demand for the better quality lines of cattle remained strong. Light weight yearling steers 200-280kg to restockers fell by 5c/kg. Medium weight yearling steers to domestic feed fell by 3c and medium weight yearling steers to export feed also fell by 5c/kg. Heavy weight yearling steers to feed fell by 10c to 20c/kg. Light weight yearling heifers to restockers rose by 3c, however a large sample of yearling heifers 200-280kg to restockers fell by 5c/kg. Medium weight yearling heifers to feed saw no change. Medium weight 2 score cows rose by 3c, but the medium weight 3 score cows fell by 1c/kg.

A fair sample of yearling steers 200-280kg to restockers sold to 318.2c to average 311 c/kg. A good sample of medium weight yearling steers to domestic feed sold to 316.2c to average 308c/kg. Medium weight yearling steers to export feed made to 318.2c to average 308c/kg. A small sample of heavy weight yearling steers to feed sold to 320c to average 316c/kg. A large sample of yearling heifers 200-280kg sold to 272.2c to average 259c/kg. A fair sample of medium weight yearling heifers to feed sold to 282.2c to average 282c/kg. Heavy weight yearling heifers to slaughter sold to 278.2c to average 269c/kg.

Medium weight grown steers sold to 298.2c to average 295c, while heavy weight grown steers made to 314.2c to average 313 c/kg. Grown heifers sold to 277.2c to average 265c/kg. Medium weight 2 score cows sold to 229.2c to average 219c, while the 3 score medium weight cows made to 255.2c to average 239c/kg. Heavy weight cows made to 256.2c to average 243 c/kg. The best of the light weight bulls made to 300.2c to average 300c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-200	RS	C	2	97	302.2	- 320.2	305.7	-2	-	-	-	480	- 574	556
	RS	D	2	131	190.0	- 278.2	257.7	-28	-	-	-	340	- 525	465
200-280	RS	C	2	172	302.2	- 318.2	310.9	-7	-	-	-	745	- 875	814
	RS	D	2	410	200.0	- 296.2	275.5	-5	-	-	-	520	- 812	671
	FD	D	2	40	240.0	- 270.2	254.5	N/Q	-	-	-	576	- 743	693
280-330	FD	C	2	387	300.2	- 316.2	307.8	-3	-	-	-	873	- 1007	960
	RS	C	2	81	292.2	- 306.2	298.6	-16	-	-	-	847	- 965	899
	RS	D	2	24	245.0	- 296.2	282.2	-9	-	-	-	735	- 859	828
	FD	D	2	128	270.0	- 298.2	278.6	-12	-	-	-	776	- 984	865
330-400	FD	C	2	487	300.0	- 318.2	307.7	-5	-	-	-	1022	- 1209	1118
	RS	C	2	36	309.2	- 318.2	317.5	9	-	-	-	1225	- 1237	1226
	FD	C	3	24	307.2	- 307.2	307.2	N/Q	-	-	-	1213	- 1213	1213
	FD	D	2	77	200.0	- 299.2	275.5	-21	-	-	-	735	- 1102	956
400+	RS	D	2	2	298.2	- 298.2	298.2	N/Q	-	-	-	1163	- 1163	1163
	RS	C	2	13	322.2	- 322.2	322.2	N/Q	-	-	-	1563	- 1563	1563
	FD	C	2	120	302.2	- 312.2	307.2	-10	-	-	-	1236	- 1475	1326
	FD	C	3	46	306.2	- 320.0	316.1	N/Q	-	-	-	1360	- 1608	1430
		C	3	7	306.2	- 306.2	306.2	N/Q	567	- 567	567	1684	- 1684	1684
	FD	D	2	26	254.2	- 270.0	262.7	-20	-	-	-	1094	- 1207	1146
				2308	190.0	322.2			567	567		340	1684	

Yearling Heifer

0-200	RS	C	2	132	242.2	- 270.2	252.6	-3	-	-	-	388	- 500	458
-------	----	---	---	-----	-------	---------	-------	----	---	---	---	-----	-------	-----

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	124	172.2	- 224.2	210.3	2	319	- 415	389	276	- 426	391
	RS	D	2	111	210.2	- 238.2	227.2	3		-		333	- 476	396
200-280	FD	C	2	186	240.0	- 268.2	257.0	7		-		564	- 734	656
		C	2	33	240.0	- 244.2	242.0	1	444	- 452	448	600	- 659	632
	RS	C	2	624	240.0	- 272.2	259.3	-5		-		525	- 749	650
	FD	D	2	109	220.0	- 232.2	226.5	2		-		517	- 606	569
	RS	D	2	144	182.2	- 238.2	220.8	-7		-		408	- 596	493
		D	2	186	200.0	- 222.2	216.6	8	370	- 412	401	430	- 594	487
280-330	FD	C	2	242	244.2	- 270.2	262.2	-4		-		719	- 865	810
		C	2	16	240.0	- 255.0	245.6	6	444	- 472	455	780	- 829	798
	RS	C	2	106	240.2	- 270.2	260.8	-2		-		698	- 797	757
	RS	C	3	101	280.0	- 280.0	280.0	N/Q		-		868	- 868	868
		C	3	63	264.2	- 290.2	273.5	N/Q	489	- 537	507	859	- 871	865
	RS	D	2	12	234.2	- 234.2	234.2	N/Q		-		761	- 761	761
	FD	D	2	49	226.2	- 226.2	226.2	N/Q		-		645	- 645	645
330-400		C	2	2	258.2	- 258.2	258.2	N/Q	478	- 478	478	878	- 878	878
	FD	C	2	103	268.2	- 274.2	270.8	N/C		-		912	- 1028	955
	FD	C	3	106	280.2	- 282.2	281.9	N/Q		-		945	- 1051	962
		C	3	43	262.2	- 279.2	270.9	N/Q	486	- 517	502	983	- 1117	1043
400+		C	2	4	260.0	- 260.0	260.0	N/Q	482	- 482	482	1144	- 1144	1144
	FD	C	2	18	276.2	- 276.2	276.2	4		-		1215	- 1215	1215
	FD	C	3	14	276.2	- 276.2	276.2	N/Q		-		1146	- 1146	1146
		C	3	73	258.2	- 278.2	268.6	N/Q	478	- 515	497	1096	- 1252	1151
				2601	172.2	290.2			319	537		276	1252	
Grown Steer														
0-400	FD	C	2	10	302.2	- 302.2	302.2	N/Q		-		1148	- 1148	1148
		D	2	14	286.2	- 286.2	286.2	62	530	- 530	530	1030	- 1030	1030
400-500		C	2	39	282.2	- 298.2	295.3	N/Q	523	- 552	547	1312	- 1446	1422
		D	2	19	279.2	- 279.2	279.2	N/Q	517	- 517	517	1270	- 1270	1270
	RS	D	2	3	290.0	- 290.0	290.0	N/Q		-		1218	- 1218	1218
500-600		C	2	17	309.2	- 314.2	312.7	41	573	- 582	579	1577	- 1807	1742
		D	2	27	268.2	- 296.2	291.6	N/Q	497	- 549	540	1354	- 1599	1561
				129	268.2	314.2			497	582		1030	1807	
Grown Heifer														
0-540	FD	D	2	15	208.2	- 208.2	208.2	-10		-		729	- 729	729
		D	2	4	220.0	- 220.0	220.0	-2	415	- 415	415	869	- 869	869
	FD	D	3	53	240.0	- 270.0	263.9	N/Q		-		797	- 1237	1018
		D	3	39	240.0	- 277.2	265.1	N/Q	453	- 523	500	828	- 1340	1107
				111	208.2	277.2			415	523		729	1340	
Manufacturing Steer														
540+		C	2	23	274.2	- 300.0	275.3	N/Q	508	- 556	510	1522	- 2250	1553
				23	274.2	300.0			508	556		1522	2250	
Cows														
0-400		D	1	126	140.0	- 198.2	173.6	-13	318	- 451	395	469	- 765	619
	FD	D	1	112	180.0	- 198.2	190.4	N/Q		-		585	- 793	723

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	RS	D	1	26	198.2	- 198.2	198.2	10	-			753	- 753	753
		D	2	61	206.2	- 227.2	216.3	-1	448	- 494	470	735	- 897	841
		D	3	14	235.2	- 240.2	235.6	-12	480	- 490	481	576	- 925	601
		E	1	9	110.0	- 110.0	110.0	-48	250	- 250	250	369	- 369	369
		D	1	69	180.0	- 196.2	192.4	2	409	- 446	437	778	- 865	813
		RS	D	1	86	194.2	- 198.2	196.2	2	-		799	- 897	827
		FD	D	2	23	200.0	- 200.0	200.0	N/Q	-		820	- 820	820
			D	2	224	205.2	- 229.2	218.9	3	446	- 498	476	852	- 1112
520+		D	3	158	230.0	- 255.2	239.1	-1	469	- 521	488	1069	- 1327	1165
		D	3	133	234.2	- 256.2	243.3	-1	478	- 523	497	1262	- 1514	1344
				1041	110.0	256.2			250	523		369	1514	
Bulls														
0-450	LE	C	2	168	235.0	- 296.2	262.3	-11	427	- 539	477	545	- 1205	736
		C	2	7	209.1	- 240.0	231.4	N/Q	380	- 436	421	774	- 960	825
	FD	C	2	9	300.2	- 300.2	300.2	N/Q	-			961	- 961	961
	RS	C	2	76	240.0	- 286.2	255.1	-13	-			542	- 1010	648
	RS	D	2	36	176.2	- 185.0	182.8	-33	-			342	- 520	403
450-600		C	2	10	204.2	- 250.2	227.0	-12	371	- 455	413	1035	- 1270	1122
	LE	C	2	13	282.2	- 284.2	283.0	13	513	- 517	515	1340	- 1393	1361
600+	LE	C	2	1	278.2	- 278.2	278.2	N/Q	506	- 506	506	1864	- 1864	1864
		C	2	101	217.2	- 266.2	242.1	-14	395	- 484	440	1534	- 2422	1780
		D	2	4	200.0	- 200.0	200.0	-24	364	- 364	364	1340	- 1340	1340
				425	176.2	300.2			364	539		342	2422	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.