

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 17/04/2019

Yarding 3951
 Change -3664

comparison date 10/04/2019

Numbers almost halved the previous weeks level to 3,951 head. The usual panel of buyers was present and most were operating. Good quality light weight yearling steers returning to the paddock experienced very little change in price, however poor quality lines lost a further 11c/kg. Medium weight yearling steers to feed sold to firm demand, and heavy weight yearling steers to feed averaged 8c/kg better. Light weight yearling heifers continued to reduce in price with losses of over 20c/kg fairly common. However medium weight yearling heifers to feed lifted in price by 9c/kg. Cows experienced some improvements in price with good heavy cows 3c dearer while the medium weight 2 score cows averaged 14c/kg better.

Steer calves made to 306.2c to average 252c and mixed sex calves averaged 171c/kg. Light weight yearling steers sold to restockers at an average of 261c with sales to 288.2c, and poor quality lines averaged 193c/kg. Medium weight yearling steers to feed averaged 276c with sales to 296.2c/kg. Heavy weight yearling steers to feed made to a top of 294.2c with most close to 290c/kg. Lightweight yearling heifers averaged 176c with the occasional sale to 202.2c, and the lesser quality lines average 134c/kg. Medium weight yearling heifers to feed made to 260c to average 246c/kg.

A small selection of heavy grown steers and bullocks made to 279.2c to average in the mid-to high 270c/kg range. Medium weight poor condition cows averaged 140c, and medium weight 2 score cows averaged 182c with occasional sales to 195.2c/kg. Good heavy cows made to 235c with most around 221c/kg. Bulls made to 290.2c to average 255c/kg.

Category	Sale Weight	Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+	RS	C	2	94	200.0	306.2	252.4	20	-			350	527	445	
	RS	D	2	43	120.0	194.2	170.9	16	-			162	308	277	
				137	120.0	306.2			0	0		162	527		
Vealer Heifer															
280-330	FD	C	2	2	162.2	162.2	162.2	N/Q	-			462	462	462	
	PR	C	2	11	215.0	230.2	224.7	N/Q	398	426	416	613	656	640	
				13	162.2	230.2			398	426		462	656		
Yearling Steer															
200-280	FD	C	2	15	236.2	236.2	236.2	N/Q	-			626	626	626	
	RS	C	2	588	220.0	288.2	261.4	2	-			451	762	631	
	RS	D	2	229	136.2	220.0	193.1	-11	-			373	600	475	
	RS	E	1	4	125.2	125.2	125.2	N/Q	-			344	344	344	
280-330	FD	C	2	48	232.2	279.2	252.6	-31	-			697	829	752	
	FD	D	2	70	168.2	230.2	214.8	-8	-			479	691	633	
	RS	C	2	23	256.2	280.0	271.2	10	-			730	798	790	
	RS	D	2	25	180.0	216.2	199.8	3	-			540	616	575	
330-400	FD	C	2	178	240.0	295.2	275.8	-1	-			840	1137	999	
	FD	C	3	10	296.2	296.2	296.2	-13	-			1170	1170	1,170	
	FD	D	2	45	156.2	240.2	209.8	-14	-			601	901	741	
	RS	C	2	3	260.0	260.0	260.0	-6	-			910	910	910	
	RS	D	2	12	218.2	218.2	218.2	-8	-			742	742	742	
400+	FD	C	2	81	281.2	294.2	289.7	8	-			1195	1279	1,236	
	FD	C	3	3	283.2	283.2	283.2	-11	-			1232	1232	1,232	
	FD	D	2	5	268.2	268.2	268.2	28	-			1140	1140	1,140	
				1339	125.2	296.2			0	0		344	1279		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Heifer														
200-280	PR	D	2	5	118.2	118.2	118.2	-24	219	219	219	278	278	278
	RS	C	2	226	160.0	202.2	176.7	-28	-	-	-	360	493	414
	RS	D	2	213	94.2	166.2	134.7	-9	-	-	-	221	440	315
	RS	E	1	6	74.2	74.2	74.2	N/Q	-	-	-	174	174	174
	RS	E	2	7	43.2	43.2	43.2	N/Q	-	-	-	114	114	115
280-330	FD	C	2	22	178.2	190.2	184.7	-25	-	-	-	535	571	554
	FD	D	2	29	160.0	195.2	178.5	18	-	-	-	511	634	577
	PR	C	2	19	160.2	198.2	178.0	-25	297	367	330	481	595	528
	RS	C	2	111	160.2	198.2	189.2	-17	-	-	-	457	583	552
	RS	D	2	11	141.2	152.2	149.2	-33	-	-	-	424	457	448
	RS	E	1	2	83.2	83.2	83.2	N/Q	-	-	-	250	250	250
330-400	FD	C	2	107	228.2	260.0	246.1	9	-	-	-	785	1001	857
	FD	D	2	77	140.0	220.0	202.2	9	-	-	-	525	770	709
	PR	C	2	2	192.2	192.2	192.2	N/Q	356	356	356	740	740	740
	PR	D	2	5	172.2	172.2	172.2	-26	319	319	319	577	577	577
	RS	D	2	15	124.2	146.2	137.4	-51	-	-	-	416	490	460
400+	FD	C	2	16	220.0	220.0	220.0	N/C	-	-	-	935	990	975
	FD	C	3	14	208.2	208.2	208.2	-38	-	-	-	906	906	906
	FD	D	2	12	222.2	222.2	222.2	22	-	-	-	944	944	944
	PR	C	3	10	226.2	250.0	247.5	-6	419	463	458	1018	1088	1,080
				909	43.2	260.0			219	463		114	1088	
Grown Steer														
0-400	RS	D	2	14	156.2	174.2	167.8	N/Q	-	-	-	469	523	503
400-500	FD	C	2	12	268.2	268.2	268.2	30	-	-	-	1167	1167	1,167
	FD	D	2	4	214.2	250.2	241.2	35	-	-	-	1039	1063	1,057
	PR	C	3	2	260.0	260.0	260.0	N/Q	473	473	473	1287	1287	1,287
	PR	C	4	8	272.2	272.2	272.2	-16	486	486	486	1320	1320	1,320
	PR	D	2	9	224.2	228.2	226.0	11	408	415	411	953	1027	986
500-600	PR	C	4	14	277.2	279.2	278.2	-9	495	499	497	1441	1633	1,537
600-750	PR	C	3	1	261.2	261.2	261.2	6	475	475	475	1633	1633	1,633
	PR	C	4	19	256.2	279.2	273.9	-16	466	499	490	1601	1714	1,691
				83	156.2	279.2			408	499		469	1714	
Grown Heifer														
0-540	FD	D	2	28	184.2	190.2	187.6	12	-	-	-	783	808	797
	PR	C	4	12	240.2	250.0	244.3	-15	453	472	461	1117	1338	1,209
	PR	D	3	4	200.2	230.0	222.5	-6	385	434	422	971	978	976
	RS	D	1	12	128.2	128.2	128.2	-6	-	-	-	468	468	468
	RS	E	1	2	60.0	60.0	60.0	N/Q	-	-	-	210	210	210
540+	PR	C	4	1	282.2	282.2	282.2	15	532	532	532	1693	1693	1,693
				59	60.0	282.2			385	532		210	1693	
Manufacturing Steer														
540+	PR	C	3	1	226.2	226.2	226.2	N/Q	411	411	411	1697	1697	1,697

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
				1	226.2	226.2			411	411		1697	1697		
Cows															
0-400	PR	D	1	39	110.0	158.2	142.1	24	250	360	323	396	596	522	
	PR	D	2	26	140.0	192.2	178.3	N/Q	304	420	391	532	763	707	
	PR	E	1	19	30.0	80.0	67.9	-8	68	182	154	113	320	257	
	RS	D	1	6	108.2	108.2	108.2	-41	-	-	-	406	406	406	
	RS	E	1	5	70.0	70.2	70.2	N/Q	-	-	-	245	263	260	
400-520	PR	D	1	89	103.0	155.2	138.9	1	234	353	316	468	753	641	
	PR	D	2	128	162.2	195.2	182.1	14	353	424	396	706	941	840	
	PR	D	3	40	164.2	198.2	193.0	7	335	404	394	714	966	887	
	PR	D	4	15	208.2	212.2	209.3	12	408	416	410	1010	1041	1,036	
	PR	E	1	2	70.0	70.0	70.0	N/Q	159	159	159	326	326	326	
	RS	D	1	13	144.2	150.2	147.0	6	-	-	-	627	653	639	
520+	DA	D	3	1	198.2	198.2	198.2	N/Q	-	-	-	1189	1189	1,189	
	PR	D	1	11	154.2	172.2	160.7	N/Q	350	391	365	825	921	860	
	PR	D	2	28	179.2	194.2	188.7	7	390	422	410	959	1039	1,010	
	PR	D	3	17	203.2	211.2	208.6	15	415	431	426	1087	1154	1,127	
	PR	D	4	144	205.0	235.0	220.7	3	402	461	433	1135	1590	1,272	
	PR	D	6	1	140.0	140.0	140.0	N/Q	286	286	286	875	875	875	
				584	30.0	235.0			68	461		113	1590		
Bulls															
0-450	FD	C	2	13	228.2	256.2	240.5	-21	-	-	-	897	1144	1,032	
	FD	C	3	1	259.2	259.2	259.2	-1	-	-	-	1166	1166	1,166	
	FD	D	2	17	100.2	190.2	160.8	23	-	-	-	451	761	556	
	PR	D	2	1	172.2	172.2	172.2	N/Q	313	313	313	732	732	732	
	RS	C	2	3	228.2	238.2	231.5	3	-	-	-	536	679	584	
	RS	D	2	58	148.2	194.2	176.8	7	-	-	-	341	541	468	
450-600	PR	C	3	13	286.2	290.2	287.7	80	511	518	514	1645	1706	1,683	
	PR	D	2	11	156.2	200.2	188.9	N/Q	284	364	344	836	1131	1,009	
	RS	D	1	1	186.2	186.2	186.2	N/Q	-	-	-	1108	1108	1,108	
600+	PR	C	3	61	225.2	275.0	255.3	10	402	491	456	1526	2405	1,934	
				179	100.2	290.2			284	518		341	2405		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

