

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 13/06/2019

Yarding 3920

comparison date 06/06/2019

Change -1445

It was another plain quality yarding, with good numbers of cows in mostly plain condition, along with good numbers of young cattle showing the effects of the season. There were a few pens of well finished trade cattle coming off crops or grain and very few ideal feeder cattle. There were only a couple of pens of well finished grown steers yarded.

Young cattle to the trade were firm, with vealers making to 314c, as prime yearlings sold from 249c to 309c/kg. Feeder steers were firm for the better types, though up to 12c cheaper for most, while the feeder heifers were 4c/kg dearer. The feeder steers sold from 234c to 322c, while the feeder heifers sold from 230c to 286c/kg. Young steers to the restockers were close to firm, while the young heifers were up to 15c/kg dearer. Young restocker steers sold from 165c to 280c, while the young heifers received from 177c to 248c/kg.

Grown steers were 3c dearer, with the prime medium and heavy weights making from 280c to 310c/kg. Grown heifers were also dearer, making to 288c/kg. Plain conditioned cows were close to firm, while the properly finished cows were 4c/kg cheaper. 2 score cows sold from 135c to 173c, while the better 3 and 4 scores made from 150c to 230c, with the prime heavy weights averaging 206c/kg. Bulls sold to 252c/kg.

Category	Sale	Muscle	Fat	Head	Live Weight c/kg				Estimated Carcase			Estimated		
Weight	Prefix	Score	Score						Weight c/kg			\$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	PR	C	2	1	240.0	240.0	240.0	N/Q	480	480	480	180	180	180
	RS	C	2	2	198.0	198.0	198.0	N/Q	-	-	-	129	129	129
	RS	D	2	4	170.0	170.0	170.0	N/Q	-	-	-	111	111	111
				7	170.0	240.0			480	480		111	180	
Vealer Steer														
0-200	RS	C	2	68	211.0	256.0	235.9	5	-	-	-	278	459	371
200-280	FD	C	2	10	210.0	210.0	210.0	N/Q	-	-	-	515	515	515
	RS	C	2	121	165.0	280.0	252.8	-14	-	-	-	355	714	612
330+	FD	C	3	12	280.0	280.0	280.0	N/Q	-	-	-	966	966	966
	PR	C	3	8	310.0	314.0	310.5	N/Q	585	592	586	1083	1132	1,126
				219	165.0	314.0			585	592		278	1132	
Vealer Heifer														
0-200	RS	C	2	40	177.0	248.0	214.5	-9	-	-	-	269	484	319
200-280	FD	C	2	41	248.0	257.0	252.5	47	-	-	-	622	657	647
	PR	C	2	23	200.0	236.0	227.4	47	400	472	455	450	625	582
	RS	C	2	113	214.0	239.0	226.0	55	-	-	-	460	588	527
280-330	FD	C	2	1	230.0	230.0	230.0	4	-	-	-	656	656	656
	PR	C	3	1	305.0	305.0	305.0	45	565	565	565	991	991	991
	RS	C	2	6	211.0	211.0	211.0	-36	-	-	-	601	601	601
330+	FD	C	3	11	276.0	276.0	276.0	N/Q	-	-	-	952	952	952
	PR	C	3	1	307.0	307.0	307.0	N/Q	569	569	569	1121	1121	1,121
				237	177.0	307.0			400	569		269	1121	
Yearling Steer														
200-280	RS	C	2	42	185.0	259.0	228.5	-14	-	-	-	490	686	605
280-330	FD	C	2	87	240.0	295.0	265.1	-3	-	-	-	761	959	817
	PR	C	3	1	270.0	270.0	270.0	13	509	509	509	770	770	770
	PR	D	2	7	118.0	118.0	118.0	N/Q	236	236	236	336	336	336

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	40	233.0	- 282.0	277.1	4	-			664	- 917	824
	RS	D	3	5	188.0	- 188.0	188.0	N/Q	-			536	- 536	536
	FD	C	2	146	234.0	- 306.0	282.6	-14	-			863	- 1178	1,004
	FD	C	3	28	270.0	- 285.0	277.5	0	-			1040	- 1097	1,068
	PR	C	2	2	279.0	- 284.0	281.5	N/Q	537	- 568	552	963	- 980	971
	PR	C	3	30	286.0	- 309.0	291.6	-13	540	- 583	550	1044	- 1128	1,064
400+	RS	C	2	15	252.0	- 280.0	265.3	14	-			869	- 966	915
	FD	C	2	54	245.0	- 322.0	289.8	-14	-			1115	- 1369	1,240
	FD	C	3	9	291.0	- 307.0	305.2	18	-			1353	- 1428	1,419
	PR	C	3	64	249.0	- 303.0	297.6	-2	470	- 572	547	1058	- 1439	1,334
				530	118.0	322.0			236	583		336	1439	
Yearling Heifer														
200-280	FD	C	3	17	250.0	- 250.0	250.0	N/Q	-			663	- 663	663
	PR	C	2	8	230.0	- 230.0	230.0	N/Q	460	- 460	460	610	- 610	610
	RS	C	2	70	179.0	- 248.0	216.8	6	-			421	- 608	525
280-330	FD	C	2	72	230.0	- 262.0	242.9	5	-			656	- 852	745
	PR	C	2	9	255.0	- 265.0	263.9	54	490	- 510	507	727	- 755	752
	PR	C	3	7	265.0	- 281.0	277.7	N/Q	500	- 530	524	755	- 913	880
330-400	FD	C	2	102	249.0	- 281.0	263.2	4	-			834	- 1013	934
	PR	C	2	1	260.0	- 260.0	260.0	N/Q	491	- 491	491	949	- 949	949
	PR	C	3	81	260.0	- 294.0	274.3	2	491	- 555	518	897	- 1073	985
400+	RS	D	3	18	195.0	- 195.0	195.0	28	-			673	- 673	673
	FD	C	2	70	240.0	- 286.0	272.8	-4	-			1020	- 1301	1,168
	FD	C	3	32	269.0	- 279.0	274.7	-2	-			1182	- 1251	1,211
	PR	C	3	48	272.0	- 295.0	283.7	-2	517	- 558	541	1156	- 1372	1,257
				535	179.0	295.0			460	558		421	1372	
Grown Steer														
0-400	FD	C	2	6	240.0	- 240.0	240.0	N/Q	-			828	- 828	828
	RS	D	2	12	168.0	- 168.0	168.0	N/Q	-			479	- 479	479
400-500	FD	C	2	43	240.0	- 287.0	272.5	N/Q	-			1092	- 1330	1,203
	FD	C	3	11	318.0	- 318.0	318.0	N/Q	-			1479	- 1479	1,479
	PR	C	3	5	280.0	- 291.0	288.8	21	538	- 549	547	1237	- 1302	1,250
500-600	RS	C	2	11	200.0	- 200.0	200.0	N/Q	-			830	- 830	830
	FD	C	2	10	240.0	- 240.0	240.0	N/Q	-			1260	- 1260	1,260
	FD	C	3	12	314.0	- 314.0	314.0	N/Q	-			1774	- 1774	1,774
	PR	C	3	9	230.0	- 255.0	235.4	N/Q	434	- 481	444	1333	- 1441	1,351
600-750	PR	C	4	1	280.0	- 280.0	280.0	-7	519	- 519	519	1582	- 1582	1,582
	PR	C	3	1	225.0	- 225.0	225.0	N/Q	425	- 425	425	1406	- 1406	1,406
	PR	C	4	8	310.0	- 310.0	310.0	14	564	- 564	564	2000	- 2000	2,000
				129	168.0	318.0			425	564		479	2000	
Grown Heifer														
0-540	FD	C	2	29	219.0	- 258.0	248.2	-1	-			931	- 1037	980
	FD	C	3	23	221.0	- 253.0	244.0	-23	-			939	- 1252	1,165

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
540+	FD	D	2	16	180.0	-	201.0	195.8	N/Q	-			747	-	854	827	
	FD	D	3	14	251.0	-	251.0	251.0	52	-			966	-	966	966	
	PR	C	3	9	215.0	-	268.0	226.6	-21	413	-	506	438	914	-	1219	1,003
	PR	D	2	2	158.0	-	158.0	158.0	N/Q	351	-	351	351	656	-	656	656
	PR	D	3	18	155.0	-	180.0	159.4	N/Q	323	-	375	334	566	-	846	642
	RS	D	1	5	40.0	-	40.0	40.0	N/Q	-			78	-	78	78	
	RS	D	2	16	100.0	-	193.0	168.8	-16	-			265	-	791	627	
	RS	D	3	26	102.0	-	202.0	178.6	N/Q	-			393	-	713	625	
	FD	C	3	9	244.0	-	244.0	244.0	N/Q	-			1330	-	1330	1,330	
	PR	C	3	9	219.0	-	219.0	219.0	N/Q	429	-	429	429	1237	-	1237	1,237
	PR	C	4	6	288.0	-	288.0	288.0	31	533	-	533	533	1685	-	1685	1,685
					182	40.0		288.0			323	533		78		1685	
Manufacturing Steer																	
0-540	PR	D	2	2	220.0	-	220.0	220.0	N/Q	478	-	478	478	935	-	935	935
				2	220.0		220.0		478		478		935		935		
Cows																	
0-400	PR	D	1	1	76.0	-	76.0	76.0	N/Q	181	-	181	181	262	-	262	262
	PR	D	2	15	140.0	-	140.0	140.0	5	318	-	318	318	539	-	539	539
400-520	RS	D	1	43	60.0	-	128.0	109.5	12	-			225	-	403	358	
	RS	D	2	81	129.0	-	158.0	146.5	4	-			410	-	593	533	
	DA	D	2	12	142.0	-	142.0	142.0	N/Q	-			675	-	675	675	
	PR	D	2	64	135.0	-	173.0	154.3	13	307	-	393	351	560	-	804	671
	PR	D	3	159	150.0	-	194.0	178.1	-10	319	-	413	379	698	-	941	862
	RS	D	2	213	100.0	-	184.0	157.3	10	-			415	-	850	713	
520+	RS	D	3	52	176.0	-	183.0	180.2	-2	-			836	-	942	906	
	PR	D	3	400	170.0	-	202.0	191.4	12	362	-	430	407	919	-	1162	1,034
	PR	D	4	158	185.0	-	230.0	205.8	-4	370	-	460	412	1029	-	1553	1,170
	RS	D	3	36	185.0	-	194.0	190.1	10	-			971	-	1019	998	
					1234	60.0		230.0			181		460		225		1553
Bulls																	
0-450	PR	C	2	20	200.0	-	220.0	209.7	N/Q	377	-	423	404	590	-	869	759
	RS	C	2	9	201.0	-	230.0	207.4	1	-			426	-	553	525	
450-600	PR	D	3	2	214.0	-	214.0	214.0	N/Q	420	-	420	420	974	-	974	974
	RS	C	2	4	140.0	-	140.0	140.0	N/Q	-			756	-	756	756	
600+	PR	B	2	23	215.0	-	252.0	229.2	-5	384	-	467	416	1798	-	2310	2,092
	PR	C	2	6	168.0	-	215.0	195.2	-4	323	-	430	378	1151	-	1530	1,364
					64	140.0		252.0			323		467		426		2310

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

