

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 11/06/2019

Yarding 4010
 Change -580

comparison date 04/06/2019

Cattle numbers eased by 580 to 4,010 head at the Roma Store Sale. Cattle were drawn from the usual supply area and a good panel of buyers was present, however not all were operating. The overall quality of the yarding was good. Again, demand was strong in isolated patches for top of the line yearling cattle. Light weight yearling steers saw prices ease, while the heavy end of the yearling steers saw improvements. Heifers primarily increased overall, while medium weight cows improved slightly. The largest sample of light weight yearling steers under 280kg increased by 1c/kg. A fair sample of medium weight yearling steers under 330kg eased by 2c to 63c/kg. Medium weight yearling steers under 400kg to feed increased by 4c to 15c/kg. The largest number of light weight yearling heifers under 280kg remained unchanged. Medium weight yearling heifers under 330kg to restockers increased by 10c/kg. Medium weight 2 score cows increased by 6c and the medium weight 3 score cows sold 3c/kg dearer. Heavy weight 2 score cows were unchanged from last week, while the heavy weight 3 score cows eased by 9c/kg.

The largest sample of light weight yearling steers under 280kg sold to 328.2c to average 282c/kg. A fair sample of medium weight yearling steers under 330kg to restockers sold to 310.2c to average 290c/kg. The best of the medium weight yearling steers under 400kg to feed sold to 282.2c to average 273c, while heavy weight yearling steers over 400kg to feed made to 293.2c to average 286c/kg. A good sample of light weight yearling heifers under 280kg to restockers sold to 242.2c to average 229c/kg. Medium weight yearling heifers under 330kg to restockers made to 244.2c to average 238c/kg. A small sample of heavy weight yearling heifers under 400kg to feed sold to 252.2c to average 236c/kg.

There were limited numbers of grown steers yarded. The best of the grown heifers sold to 255c to average 229c/kg. Medium weight 2 score cows made to 186.2c to average 173c, while the medium weight 3 score cows sold to 206.2c to average 199c/kg. Heavy weight 2 score cows sold to 170c to average 167c and the heavy weight 3 score cows made to 211.2c to average 194c/kg. The best of the bulls over 600kg to live export made to 270.2c to average 263c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	D	2	114	108.2	278.2	206.1	6	-	-	-	141	551	362
	RS	D	3	26	224.2	224.2	224.2	N/Q	-	-	-	381	381	381
				140	108.2	278.2			0	0		141	551	
Yearling Steer														
0-200	RS	C	2	91	260.2	272.2	267.7	-25	-	-	-	390	517	489
	RS	D	2	67	170.0	240.0	210.5	-39	-	-	-	270	456	342
200-280	FD	C	2	15	268.2	268.2	268.2	-4	-	-	-	577	577	577
	FD	D	2	56	210.2	256.2	220.0	27	-	-	-	506	589	519
	PR	D	2	4	178.2	178.2	178.2	N/Q	330	330	330	472	472	472
	RS	C	2	684	260.2	328.2	282.3	1	-	-	-	533	903	670
	RS	D	2	103	210.0	245.0	227.1	14	-	-	-	525	686	614
280-330	FD	C	2	89	260.0	282.2	275.3	-63	-	-	-	823	903	852
	FD	D	2	45	210.0	240.0	231.4	-2	-	-	-	693	768	729
	RS	C	2	185	262.2	310.2	290.1	-16	-	-	-	747	945	873
	RS	D	2	66	228.2	258.2	243.2	12	-	-	-	673	813	732
330-400	FD	C	2	150	260.0	282.2	273.1	4	-	-	-	878	1002	953
	FD	D	2	40	230.0	258.2	255.3	15	-	-	-	828	994	936
	LE	C	2	11	266.2	286.2	269.8	N/Q	-	-	-	945	1130	979
	RS	D	2	17	235.0	256.2	248.1	N/Q	-	-	-	842	871	857
400+	FD	C	2	33	280.2	293.2	286.2	2	-	-	-	1191	1293	1,225
	FD	C	3	9	288.2	288.2	288.2	3	-	-	-	1282	1282	1,283

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	C	3	52	280.0	284.2	282.7	-3	519	526	524	1416	1680	1,561
				1717	170.0	328.2			330	526		270	1680	
Yearling Heifer														
0-200	FD	D	2	7	184.2	184.2	184.2	N/Q	-			368	368	368
	RS	C	2	40	238.2	240.2	238.8	N/Q	-			468	476	474
	RS	D	2	27	126.2	200.0	152.1	-46	-			252	390	294
200-280	FD	C	2	162	212.2	242.2	229.1	-1	-			477	630	576
	FD	D	2	68	200.0	210.0	202.0	20	-			441	541	521
	PR	C	2	25	216.2	216.2	216.2	N/Q	400	400	400	508	508	508
	PR	D	2	47	180.0	210.0	192.0	24	333	389	356	378	540	491
	RS	C	2	294	215.0	242.2	230.1	N/C	-			489	644	549
	RS	D	2	91	168.2	202.2	182.2	6	-			404	506	453
280-330	FD	C	2	83	216.2	240.0	225.2	-21	-			662	756	728
	FD	D	2	26	198.2	198.2	198.2	25	-			585	585	585
	PR	C	2	12	212.2	220.2	214.9	N/Q	393	408	398	615	694	643
	RS	C	2	183	218.2	244.2	237.9	10	-			633	781	714
	RS	C	3	36	228.2	228.2	228.2	N/Q	-			650	650	650
	RS	D	2	26	200.0	200.0	200.0	N/Q	-			590	590	590
330-400	FD	C	2	43	227.2	252.2	236.1	9	-			772	958	826
	PR	C	2	14	230.0	242.2	241.3	29	426	449	447	828	860	858
400+	FD	C	2	1	230.0	230.0	230.0	-10	-			966	966	966
	PR	C	3	1	248.2	248.2	248.2	-18	460	460	460	1167	1167	1,167
				1186	126.2	252.2			333	460		252	1167	
Grown Steer														
400-500	FD	C	2	1	259.2	259.2	259.2	-8	-			1140	1140	1,141
	PR	C	2	3	256.2	256.2	256.2	-20	474	474	474	1127	1127	1,127
500-600	PR	C	2	2	279.2	279.2	279.2	10	517	517	517	1550	1550	1,550
	PR	D	2	2	220.0	220.0	220.0	N/Q	407	407	407	1144	1144	1,144
600-750	PR	C	3	7	260.0	260.0	260.0	N/Q	481	481	481	1664	1664	1,664
				15	220.0	279.2			407	517		1127	1664	
Grown Heifer														
0-540	FD	D	3	10	210.0	248.2	226.6	N/Q	-			683	943	810
	PR	D	2	4	192.2	202.2	197.2	7	363	382	372	708	730	719
	PR	D	3	55	205.2	255.0	228.7	9	387	481	431	742	1258	1,082
540+	PR	D	3	16	210.2	241.2	227.6	9	397	455	430	1198	1351	1,284
				85	192.2	255.0			363	481		683	1351	
Manufacturing Steer														
0-540	PR	C	2	8	220.0	230.0	221.3	N/Q	407	426	410	1133	1196	1,141
540+	PR	C	2	3	220.0	241.2	227.1	N/Q	407	447	420	1309	1544	1,387
				11	220.0	241.2			407	447		1133	1544	
Cows														
0-400	PR	D	2	139	130.0	179.2	161.3	-3	283	390	351	384	717	588
	PR	D	3	3	190.2	190.2	190.2	N/Q	388	388	388	723	723	723

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	PR	E	1	29	74.2	- 117.2	105.6	6	169	- 266	240	263	- 416	368
	RS	E	1	11	114.2	- 114.2	114.2	-6	-	-	-	423	- 423	423
	FD	D	2	21	171.2	- 171.2	171.2	N/Q	-	-	-	847	- 847	847
	FD	D	3	19	190.2	- 190.2	190.2	N/Q	-	-	-	970	- 970	970
	PR	D	2	128	140.0	- 186.2	173.3	6	304	- 405	377	588	- 918	763
	PR	D	3	96	190.0	- 206.2	198.9	3	388	- 421	406	846	- 1057	950
520+	RS	E	1	13	95.2	- 95.2	95.2	N/Q	-	-	-	424	- 424	424
	PR	D	2	14	160.2	- 170.0	167.5	-0	348	- 370	364	852	- 918	901
	PR	D	3	89	181.2	- 211.2	194.0	-9	370	- 431	396	1024	- 1245	1,122
				562	74.2	211.2			169	431		263	1245	
Bulls														
0-450	FD	C	2	1	270.0	- 270.0	270.0	32	-	-	-	1107	- 1107	1,107
	LE	C	2	6	258.2	- 268.2	262.2	26	-	-	-	939	- 1144	1,048
	PR	D	2	4	188.2	- 188.2	188.2	N/Q	342	- 342	342	762	- 762	762
	RS	D	2	10	172.2	- 202.2	187.2	-25	-	-	-	465	- 667	566
450-600	FD	C	2	1	250.0	- 250.0	250.0	N/Q	-	-	-	1175	- 1175	1,175
	LE	C	2	4	240.0	- 240.2	240.1	-26	-	-	-	1332	- 1429	1,381
	PR	D	2	3	188.2	- 188.2	188.2	-18	342	- 342	342	932	- 932	932
600+	LE	C	2	9	262.2	- 270.2	263.1	6	-	-	-	1702	- 2098	2,054
	PR	C	2	7	228.2	- 248.2	238.2	-4	415	- 451	433	1597	- 2182	1,961
	PR	D	2	4	210.2	- 218.2	216.2	N/Q	382	- 397	393	1364	- 1534	1,406
				49	172.2	270.2			342	451		465	2182	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

