

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 04/07/2019

Yarding 4830
 Change -330

comparison date 27/06/2019

It was a mixed yarding with once again large numbers of cows and weaners in store condition. There were odd pens of ideal feeder cattle along with a fair selection of well finished trade cattle off crops or grain. There was a fair selection of grown heifers and very few grown steers yarded. Not all the buyers were present with some restockers not operating.

Young cattle to the trade were firm to 5c dearer with the prime steer yearlings selling from 285c to 320c while the prime heifer yearlings sold from 255c to 299c/kg. Feeder steers and heifers were up to 8c/kg dearer with quality a factor. The feeder steers sold from 280c to 333c while the feeder heifers sold from 220c to 288c/kg. Young steers to the restockers were 10c to 14c cheaper while the young restocker heifers were 15c/kg dearer. The young steers sold from 184c to 301c while the young restocker heifers sold from 154c to 255c/kg.

The few grown steers were close to firm with the prime medium and heavy weights selling from 266c to 308c/kg. Grown heifers were also firm with the better types selling from 255c to 288c/kg. Plain conditioned cows were 5c to 10c dearer while the properly finished cows were firm to 3c/kg dearer. The 1 and 2 score cows sold from 44c to 198c while the better 3 and 4 scores sold from 180c to 263c with the prime heavy weights averaging 241c/kg. Bulls sold to 250c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
0-80	RS	C	2	8	180.0	180.0	180.0	44	-	-	-	135	135	135	
80+	PR	C	2	10	260.0	260.0	260.0	N/Q	520	520	520	221	221	221	
	RS	C	2	29	168.0	220.0	202.1	22	-	-	-	145	250	182	
				47	168.0	260.0			520	520		135	250		
Vealer Steer															
0-200	RS	C	2	134	184.0	280.0	228.6	-11	-	-	-	265	518	399	
200-280	PR	C	2	3	238.0	238.0	238.0	N/Q	476	476	476	655	655	655	
	RS	C	2	144	238.0	266.0	245.9	-14	-	-	-	517	705	592	
280-330	RS	C	2	24	230.0	290.0	265.0	-10	-	-	-	656	827	755	
330+	PR	C	3	1	312.0	312.0	312.0	N/Q	567	567	567	1451	1451	1,451	
				306	184.0	312.0			476	567		265	1451		
Vealer Heifer															
0-200	PR	C	2	5	186.0	186.0	186.0	-14	372	372	372	344	344	344	
	RS	C	2	243	154.0	240.0	212.9	23	-	-	-	193	445	361	
	RS	D	2	46	180.0	198.0	189.4	41	-	-	-	233	363	261	
200-280	PR	C	2	32	200.0	260.0	248.3	24	400	520	495	450	637	609	
	RS	C	2	180	164.0	246.0	230.7	16	-	-	-	344	605	533	
280-330	PR	C	2	12	275.0	275.0	275.0	75	550	550	550	839	839	839	
	RS	C	2	15	220.0	220.0	220.0	N/Q	-	-	-	627	627	627	
	RS	C	3	2	255.0	255.0	255.0	N/Q	-	-	-	829	829	829	
330+	PR	C	3	7	250.0	270.0	258.6	N/Q	472	509	488	913	986	944	
				542	154.0	275.0			372	550		193	986		
Yearling Steer															
200-280	RS	C	2	147	222.0	280.0	248.2	-13	-	-	-	522	770	652	
280-330	FD	C	2	22	290.0	292.0	291.5	9	-	-	-	832	943	862	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	PR	C	3	15	330.0	330.0	330.0	48	611	611	611	1056	1056	1,056
	RS	C	2	126	227.0	301.0	257.1	-2	-	-	-	647	933	768
	FD	C	2	176	280.0	333.0	309.5	24	-	-	-	966	1240	1,146
	FD	C	3	15	306.0	306.0	306.0	32	-	-	-	1178	1178	1,178
400+	PR	C	3	46	285.0	320.0	300.5	-1	538	591	566	1012	1232	1,088
	FD	C	2	35	297.0	328.0	312.1	-2	-	-	-	1233	1394	1,322
	FD	C	3	12	329.0	329.0	329.0	19	-	-	-	1563	1563	1,563
	PR	C	3	4	310.0	315.0	312.5	10	574	583	579	1318	1559	1,438
				598	222.0	333.0			538	611		522	1563	
Yearling Heifer														
200-280	PR	C	2	8	235.0	235.0	235.0	N/Q	470	470	470	576	576	576
	RS	C	2	13	225.0	225.0	225.0	6	-	-	-	619	619	619
	RS	D	2	19	186.0	186.0	186.0	4	-	-	-	456	456	456
	RS	D	3	2	150.0	150.0	150.0	N/Q	-	-	-	368	368	368
280-330	FD	C	2	12	250.0	250.0	250.0	-1	-	-	-	813	813	813
	PR	C	2	3	230.0	230.0	230.0	N/Q	460	460	460	656	656	656
	PR	C	3	20	272.0	298.0	293.1	13	513	552	545	884	954	941
	RS	C	2	67	164.0	254.0	222.8	-3	-	-	-	484	725	647
330-400	FD	C	2	102	220.0	282.0	263.8	2	-	-	-	759	1082	937
	FD	C	3	6	234.0	234.0	234.0	-48	-	-	-	901	901	901
	PR	C	2	4	286.0	286.0	286.0	13	572	572	572	1101	1101	1,101
	PR	C	3	64	272.0	297.0	282.2	N/C	513	560	535	969	1102	1,039
400+	RS	C	2	24	224.0	237.0	232.7	N/Q	-	-	-	840	889	873
	FD	C	2	13	265.0	288.0	284.5	8	-	-	-	1126	1224	1,209
	FD	C	3	33	273.0	284.0	277.0	-9	-	-	-	1242	1264	1,250
	PR	C	3	37	255.0	299.0	286.1	-2	481	564	540	1084	1561	1,344
				427	150.0	299.0			460	572		368	1561	
Grown Steer														
0-400	FD	C	2	3	280.0	290.0	286.7	38	-	-	-	910	943	932
	PR	C	2	1	206.0	206.0	206.0	N/Q	412	412	412	773	773	773
	RS	C	2	5	200.0	200.0	200.0	N/Q	-	-	-	730	730	730
	RS	D	3	2	212.0	212.0	212.0	N/Q	-	-	-	668	668	668
400-500	FD	C	2	2	270.0	270.0	270.0	-5	-	-	-	1202	1202	1,202
	FD	C	3	11	282.0	282.0	282.0	-6	-	-	-	1396	1396	1,396
500-600	PR	C	3	11	230.0	290.0	276.4	N/Q	434	547	521	1208	1523	1,451
	PR	C	4	6	282.0	308.0	303.7	-6	532	570	564	1481	1740	1,697
750+	PR	C	4	1	266.0	266.0	266.0	N/Q	493	493	493	2328	2328	2,328
				42	200.0	308.0			412	570		668	2328	
Grown Heifer														
0-540	FD	D	3	8	213.0	213.0	213.0	N/Q	-	-	-	1033	1033	1,033
	PR	C	3	20	248.0	276.0	263.4	32	496	521	510	955	1173	1,075
	PR	C	4	31	270.0	288.0	278.4	18	500	524	513	1458	1541	1,484
	PR	D	3	3	170.0	170.0	170.0	-20	362	362	362	621	621	621

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
540+	RS	C	2	34	210.0	- 233.0	220.6	-8	-	-	-	725	-	990	832	
	RS	D	2	27	188.0	- 232.0	207.3	27	-	-	-	611	-	754	665	
	RS	D	3	25	190.0	- 237.0	221.0	-7	-	-	-	712	-	1126	863	
	PR	C	3	12	240.0	- 240.0	240.0	N/Q	462	-	462	462	1356	-	1356	1,356
	PR	C	4	36	255.0	- 276.0	266.1	-23	481	-	511	496	1441	-	1725	1,512
				196	170.0	288.0			362	524		611	1725			
Cows																
0-400	PR	D	1	2	91.0	- 91.0	91.0	N/Q	217	-	217	217	350	-	350	350
	PR	D	2	14	166.0	- 166.0	166.0	26	377	-	377	377	656	-	656	656
	RS	D	1	46	44.0	- 134.0	94.3	N/Q	-	-	-	125	-	436	320	
	RS	D	2	73	118.0	- 174.0	165.3	23	-	-	-	407	-	670	621	
400-520	FD	D	2	4	182.0	- 182.0	182.0	N/Q	-	-	-	846	-	846	846	
	FD	D	3	11	205.0	- 205.0	205.0	N/Q	-	-	-	1056	-	1056	1,056	
	PR	D	2	95	155.0	- 198.0	181.4	18	352	-	450	412	659	-	941	812
	PR	D	3	161	180.0	- 230.0	201.9	5	383	-	489	431	855	-	1143	974
	PR	D	4	1	220.0	- 220.0	220.0	-5	440	-	440	440	1067	-	1067	1,067
	RS	D	1	4	68.0	- 68.0	68.0	N/Q	-	-	-	279	-	279	279	
	RS	D	2	165	170.0	- 204.0	190.6	20	-	-	-	697	-	949	848	
	RS	D	3	18	189.0	- 196.0	193.7	16	-	-	-	803	-	1000	934	
520+	FD	D	3	2	200.0	- 200.0	200.0	N/Q	-	-	-	1050	-	1050	1,050	
	PR	D	2	10	186.0	- 186.0	186.0	N/Q	396	-	396	396	977	-	977	977
	PR	D	3	377	190.0	- 224.0	212.8	11	404	-	477	453	998	-	1259	1,130
	PR	D	4	400	218.0	- 263.0	241.1	3	436	-	526	481	1188	-	1885	1,432
	PR	D	5	2	210.0	- 210.0	210.0	N/Q	420	-	420	420	1586	-	1607	1,596
				1385	44.0	263.0			217	526		125	1885			
Bulls																
0-450	RS	C	2	15	236.0	- 236.0	236.0	N/Q	-	-	-	342	-	342	342	
450-600	PR	B	2	3	218.0	- 250.0	239.3	N/Q	411	-	446	435	1036	-	1213	1,154
	RS	C	2	26	201.0	- 225.0	217.7	43	-	-	-	935	-	1187	1,101	
600+	PR	B	2	33	210.0	- 243.0	229.2	13	382	-	434	408	1473	-	2988	1,923
				77	201.0	250.0			382	446		342	2988			

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

