

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 18/07/2019

Yarding 4990
 Change 710

comparison date 11/07/2019

It was a fair quality yarding with a pretty good selection of feeder cattle along with some well finished trade cattle off crops or grain. There were good numbers of cows though the quality was not to the standard of the previous sale. There were limited numbers of grown steers and heifers. All the regular buyers were present and operating along with additional southern restocker orders and the return of a southern processor operating on heavy steers and heifers.

Young cattle to the trade were firm with vealers selling to 323c and the prime steer yearlings sold from 300c to 323c while the prime heifer yearlings sold from 286c to 312c/kg. Feeder steers finished firm to 6c dearer while the feeder heifers were up to 12c/kg dearer. The feeder steers sold from 240c to 337c while the feeder heifers sold from 232c to 307c/kg. Young restocker cattle finished firm to 5c/kg dearer with the young steers selling from 190c to 312c while the young restocker heifers sold from 132c to 259c/kg.

The few grown steers were firm with the prime medium and heavy weights selling from 280c to 328c/kg. Grown heifers were dearer with the better types selling from 265c to 308c/kg. Cows were 6c dearer for the plainer lightweight cows and up to 15c dearer for the better finished cows. 2 score cows sold from 150c to 223c to the processors and 242c/kg to the restockers. The better 3 and 4 score cows sold from 224c to 276c with the prime heavy weights averaging 266c/kg. Bulls sold to 265c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	3	240.0	240.0	240.0	N/Q	-			324	324	324
				3	240.0	240.0			0	0		324	324	
Vealer Steer														
0-200	RS	C	2	17	220.0	266.0	247.1	8	-			429	492	466
200-280	RS	C	2	175	240.0	312.0	274.7	7	-			540	764	629
330+	PR	C	3	7	312.0	312.0	312.0	N/Q	578	578	578	1139	1139	1,139
				199	220.0	312.0			578	578		429	1139	
Vealer Heifer														
0-200	RS	C	2	132	193.0	234.0	215.7	16	-			319	433	378
	RS	D	2	11	190.0	190.0	190.0	N/Q	-			276	276	276
200-280	RS	C	2	125	170.0	240.0	223.7	-8	-			383	604	517
	RS	D	2	18	132.0	132.0	132.0	N/Q	-			277	277	277
280-330	PR	C	3	10	293.0	323.0	300.0	32	553	609	566	858	1050	951
	RS	C	2	14	232.0	232.0	232.0	N/Q	-			661	661	661
330+	PR	C	3	4	299.0	312.0	308.0	N/Q	554	583	573	1076	1128	1,093
				314	132.0	323.0			553	609		276	1128	
Yearling Steer														
0-200	RS	D	2	11	190.0	190.0	190.0	N/Q	-			276	276	276
200-280	RS	C	2	123	230.0	312.0	277.5	19	-			564	858	707
280-330	FD	C	2	102	275.0	316.0	304.5	15	-			852	1001	964
	FD	C	3	2	307.0	307.0	307.0	N/Q	-			998	998	998
	RS	C	2	147	260.0	300.0	285.8	11	-			741	975	875
330-400	FD	C	2	235	283.0	337.0	310.8	-1	-			976	1282	1,123
	FD	C	3	17	299.0	322.0	308.1	13	-			1091	1240	1,128
	PR	C	3	1	300.0	300.0	300.0	-22	556	556	556	1155	1155	1,155

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	12	301.0	- 301.0	301.0	25	-	-	-	1038	- 1038	1,038
	FD	C	2	141	240.0	- 337.0	313.9	-2	-	-	-	1068	- 1468	1,372
	FD	C	3	11	294.0	- 303.0	295.6	31	-	-	-	1288	- 1455	1,425
	PR	C	3	32	309.0	- 323.0	315.4	1	567	- 604	586	1318	- 1696	1,446
				834	190.0	337.0			556	604		276	1696	
Yearling Heifer														
0-200	RS	C	2	26	226.0	- 226.0	226.0	N/Q	-	-	-	418	- 418	418
200-280	PR	C	2	29	234.0	- 240.0	235.7	N/Q	468	- 480	471	588	- 644	628
	RS	C	2	130	173.0	- 241.0	215.5	-14	-	-	-	424	- 655	524
	RS	D	2	16	170.0	- 170.0	170.0	-62	-	-	-	400	- 400	400
280-330	FD	C	2	39	250.0	- 286.0	279.2	28	-	-	-	801	- 844	820
	PR	C	3	23	297.0	- 297.0	297.0	N/Q	594	- 594	594	965	- 965	965
	RS	C	2	69	218.0	- 259.0	243.2	22	-	-	-	621	- 842	737
330-400	FD	C	2	226	232.0	- 307.0	287.0	24	-	-	-	858	- 1182	1,039
	PR	C	2	4	285.0	- 285.0	285.0	45	570	- 570	570	1069	- 1069	1,069
	PR	C	3	77	286.0	- 312.0	294.3	2	530	- 600	563	1004	- 1139	1,071
	RS	D	3	11	248.0	- 248.0	248.0	N/Q	-	-	-	955	- 955	955
400+	FD	C	2	63	284.0	- 305.0	291.6	-7	-	-	-	1164	- 1347	1,260
	FD	C	3	37	294.0	- 310.0	303.9	37	-	-	-	1308	- 1442	1,383
	PR	C	3	4	298.0	- 305.0	301.3	1	553	- 575	563	1267	- 1479	1,349
	RS	C	2	5	235.0	- 235.0	235.0	N/Q	-	-	-	999	- 999	999
				759	170.0	312.0			468	600		400	1479	
Grown Steer														
0-400	FD	C	2	16	285.0	- 286.0	285.7	13	-	-	-	987	- 1097	1,021
	RS	C	2	16	261.0	- 261.0	261.0	12	-	-	-	692	- 692	692
400-500	FD	C	2	47	260.0	- 304.0	298.0	23	-	-	-	1105	- 1383	1,304
	FD	C	3	28	292.0	- 295.0	293.9	N/Q	-	-	-	1387	- 1460	1,434
	PR	C	3	7	255.0	- 277.0	273.9	-36	481	- 523	517	1160	- 1343	1,317
	PR	C	4	5	288.0	- 288.0	288.0	N/C	554	- 554	554	1282	- 1282	1,282
500-600	FD	C	3	13	328.0	- 328.0	328.0	N/Q	-	-	-	1788	- 1788	1,788
	PR	C	4	30	280.0	- 328.0	308.6	-1	528	- 596	575	1507	- 1853	1,682
600-750	PR	C	4	1	250.0	- 250.0	250.0	-34	455	- 455	455	1688	- 1688	1,688
750+	PR	C	4	11	324.0	- 324.0	324.0	N/Q	589	- 589	589	2543	- 2543	2,543
				174	250.0	328.0			455	596		692	2543	
Grown Heifer														
0-540	FD	C	2	45	265.0	- 294.0	284.0	N/Q	-	-	-	1020	- 1224	1,163
	PR	C	2	8	225.0	- 255.0	233.5	N/Q	441	- 510	461	1069	- 1135	1,087
	PR	C	3	9	245.0	- 275.0	264.4	27	471	- 530	522	1188	- 1259	1,247
	PR	C	4	3	304.0	- 308.0	305.3	40	574	- 581	576	1309	- 1505	1,440
	PR	D	3	12	226.0	- 226.0	226.0	-8	471	- 471	471	1096	- 1096	1,096
	RS	C	2	117	226.0	- 259.0	245.4	N/Q	-	-	-	586	- 989	845
	RS	D	2	27	140.0	- 200.0	155.2	-73	-	-	-	329	- 770	433
	RS	D	3	16	236.0	- 238.0	237.3	9	-	-	-	885	- 916	905

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	PR	C	4	9	265.0	287.0	274.6	-6	500	528	510	1497	1679	1,577
				246	140.0	308.0			441	581		329	1679	
Manufacturing Steer														
0-540	PR	D	2	6	180.0	180.0	180.0	N/Q	400	400	400	225	225	225
540+	PR	D	3	12	235.0	235.0	235.0	N/Q	500	500	500	2056	2056	2,056
				18	180.0	235.0			400	500		225	2056	
Cows														
0-400	PR	D	2	13	218.0	218.0	218.0	34	495	495	495	839	839	839
	RS	D	1	4	75.0	75.0	75.0	-15	-	-	-	214	214	214
	RS	D	2	40	179.0	205.0	187.5	N/Q	-	-	-	582	789	649
400-520	PR	D	2	205	150.0	223.0	202.0	6	341	507	457	638	1037	912
	PR	D	3	84	224.0	238.0	231.6	15	477	506	493	1042	1221	1,101
	RS	D	2	107	179.0	238.0	213.6	21	-	-	-	743	1107	937
	RS	D	3	58	228.0	242.0	236.9	25	-	-	-	1083	1164	1,104
520+	PR	C	3	2	284.0	284.0	284.0	N/Q	546	546	546	1832	1832	1,832
	PR	D	3	196	223.0	255.0	235.4	14	474	543	501	1171	1351	1,249
	PR	D	4	360	240.0	276.0	265.0	15	480	552	527	1356	2001	1,588
	RS	D	3	18	242.0	242.0	242.0	35	-	-	-	1271	1271	1,271
				1087	75.0	284.0			341	552		214	2001	
Bulls														
0-450	RS	C	2	42	215.0	276.0	237.5	30	-	-	-	538	939	844
450-600	PR	C	2	1	261.0	261.0	261.0	51	492	492	492	1188	1188	1,188
	RS	C	2	4	220.0	220.0	220.0	N/Q	-	-	-	1001	1001	1,001
	RS	D	2	4	188.0	188.0	188.0	N/Q	-	-	-	1015	1015	1,015
	RS	D	3	6	178.0	178.0	178.0	N/Q	-	-	-	1041	1041	1,041
600+	PR	B	2	13	226.0	265.0	241.8	-15	398	449	426	1613	3048	2,122
	PR	C	2	15	208.0	221.0	219.7	-21	392	411	408	1591	1669	1,660
	RS	C	2	3	235.0	235.0	235.0	N/Q	-	-	-	1586	1586	1,586
				88	178.0	276.0			392	492		538	3048	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

