

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 01/08/2019

Yarding 5745
 Change 395

comparison date 25/07/2019

It was a fair quality yarding with some good runs of well finished trade cattle and feeders coming off crop or grain. There were also some well finished grown steers and heifers along with good numbers of cows, both in top condition along with good numbers in plain condition. There are still many young cattle lacking finish throughout the yarding as the sell off continued. All the regular processor buyers were present however a couple of restocker orders and feeder orders were absent.

Young cattle to the trade were 8c cheaper, with prime vealers selling to 330c/kg. The prime steer yearlings sold from 288c to 326c, while the prime heifer yearlings sold from 255c to 312c/kg. Feeder steers were 3c cheaper, while the feeder heifers were 10c/kg dearer. The feeder steers sold from 252c to 338c, while the feeder heifers made from 244c to 317c/kg. Young cattle to the restockers were from 7c to 15c cheaper, with the young steers selling from 206c to 330c, while the young restocker heifers made from 120c to 269c/kg.

Grown steers were 17c dearer on quality, with the prime medium weights selling from 309c to 331c/kg. Grown heifers were also dearer with the better types selling from 278c to 315c/kg. Plain conditioned cows were 10c cheaper, while the better cows also eased from 1c to 4c/kg. 2 score cows sold from 110c to 210c, while the better 3 and 4 scores sold from 180c to 291c/kg for a single C muscle cow. The prime heavy weight cows averaged 257c, and bulls sold to 270c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
0-80	PR	C	2	2	200.0	230.0	215.0	N/Q	400	460	430	110	173	141	
	RS	C	2	11	160.0	200.0	174.5	N/Q	-	-	-	104	130	114	
	RS	D	2	3	160.0	160.0	160.0	N/Q	-	-	-	88	88	88	
80+	RS	C	2	6	200.0	200.0	200.0	N/Q	-	-	-	190	190	190	
				22	160.0	230.0			400	460		88	190		
Vealer Steer															
0-200	RS	C	2	115	206.0	318.0	255.8	-18	-	-	-	258	620	414	
200-280	FD	C	2	11	326.0	326.0	326.0	N/Q	-	-	-	766	766	766	
	RS	C	2	187	215.0	330.0	289.8	-7	-	-	-	483	877	724	
280-330	FD	C	2	1	310.0	310.0	310.0	-6	-	-	-	1008	1008	1,008	
	PR	C	3	1	311.0	311.0	311.0	26	587	587	587	917	917	918	
330+	PR	C	3	4	314.0	330.0	321.0	13	581	611	594	1083	1205	1,156	
				319	206.0	330.0			581	611		258	1205		
Vealer Heifer															
0-200	PR	C	2	29	180.0	235.0	183.3	-37	360	470	367	297	435	303	
	RS	C	2	204	150.0	260.0	192.2	-33	-	-	-	233	507	333	
	RS	D	3	2	120.0	120.0	120.0	N/Q	-	-	-	234	234	234	
200-280	PR	C	2	34	190.0	280.0	232.9	-27	380	560	466	447	770	563	
	RS	C	2	75	194.0	256.0	233.3	-23	-	-	-	456	678	591	
280-330	FD	C	2	28	308.0	308.0	308.0	42	-	-	-	878	878	878	
	PR	C	3	19	280.0	293.0	291.7	N/Q	528	553	550	798	835	831	
	RS	C	2	24	200.0	269.0	223.0	-17	-	-	-	570	767	636	
330+	PR	C	3	1	312.0	312.0	312.0	6	578	578	578	1139	1139	1,139	
	RS	C	2	16	230.0	230.0	230.0	N/Q	-	-	-	1070	1070	1,070	
				432	120.0	312.0			360	578		233	1139		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	15	274.0	- 274.0	274.0	N/Q	-			754	- 754	754
	RS	C	2	99	250.0	- 300.0	262.3	-18	-			613	- 825	694
280-330	FD	C	2	403	252.0	- 334.0	310.1	-3	-			718	- 1086	996
	PR	C	3	5	300.0	- 305.0	301.0	N/Q	565	- 566	566	855	- 991	882
	RS	C	2	56	240.0	- 325.0	285.1	3	-			684	- 926	819
330-400	FD	C	2	220	279.0	- 338.0	319.3	-3	-			963	- 1240	1,132
	FD	C	3	26	300.0	- 320.0	309.2	4	-			1035	- 1232	1,126
	PR	C	3	27	300.0	- 316.0	313.7	-12	556	- 596	592	1052	- 1225	1,191
400+	FD	C	2	109	297.0	- 334.0	317.9	4	-			1262	- 1553	1,405
	FD	C	3	28	315.0	- 331.0	329.8	-4	-			1307	- 1535	1,481
	PR	C	3	27	288.0	- 326.0	315.4	-13	543	- 604	578	1282	- 1567	1,453
				1015	240.0	338.0			543	604		613	1567	
Yearling Heifer														
200-280	RS	C	2	223	180.0	- 273.0	233.9	-21	-			441	- 696	586
280-330	FD	C	2	90	244.0	- 304.0	275.7	-5	-			713	- 988	854
	PR	C	2	12	229.0	- 263.0	242.7	N/Q	458	- 526	485	656	- 813	749
	PR	C	3	12	294.0	- 306.0	304.4	6	564	- 577	575	956	- 995	989
	RS	C	2	43	264.0	- 280.0	271.1	16	-			798	- 858	832
330-400	FD	C	2	174	255.0	- 317.0	293.8	10	-			880	- 1186	1,060
	FD	C	3	23	312.0	- 312.0	312.0	22	-			1139	- 1139	1,139
	PR	C	2	7	220.0	- 220.0	220.0	N/Q	440	- 440	440	803	- 803	803
	PR	C	3	32	255.0	- 310.0	294.2	-4	481	- 585	555	880	- 1132	1,072
	RS	C	2	73	212.0	- 286.0	251.7	-1	-			731	- 987	863
	RS	D	3	15	190.0	- 190.0	190.0	N/Q	-			732	- 732	732
400+	FD	C	2	11	306.0	- 306.0	306.0	25	-			1255	- 1255	1,255
	PR	C	3	133	265.0	- 312.0	298.6	-12	510	- 585	561	1126	- 1442	1,307
				848	180.0	317.0			440	585		441	1442	
Grown Steer														
0-400	FD	C	2	7	230.0	- 260.0	242.9	-41	-			794	- 897	838
	PR	C	2	10	210.0	- 210.0	210.0	N/Q	420	- 420	420	809	- 809	809
	PR	C	3	1	307.0	- 307.0	307.0	N/Q	579	- 579	579	1151	- 1151	1,151
	RS	C	2	9	230.0	- 244.0	242.4	-2	-			794	- 842	836
400-500	FD	C	2	25	250.0	- 300.0	286.0	-16	-			1063	- 1365	1,279
	FD	C	3	32	232.0	- 333.0	280.8	-29	-			1148	- 1615	1,356
	PR	C	3	5	276.0	- 276.0	276.0	-32	521	- 521	521	1283	- 1283	1,283
500-600	PR	C	3	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	1526	- 1526	1,526
	PR	C	4	51	309.0	- 331.0	323.0	21	583	- 602	596	1654	- 1936	1,807
600-750	PR	C	4	1	320.0	- 320.0	320.0	7	582	- 582	582	2000	- 2000	2,000
				142	210.0	333.0			420	602		794	2000	
Grown Heifer														
0-540	FD	C	2	54	244.0	- 273.0	270.9	-27	-			793	- 887	880
	PR	C	3	37	220.0	- 310.0	274.0	21	415	- 585	511	1001	- 1380	1,300

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	PR	D	3	28	192.0	203.0	193.2	-23	400	406	401	874	924	879
	RS	D	1	14	90.0	90.0	90.0	-16	-	-	-	167	167	167
	RS	D	2	10	132.0	132.0	132.0	-76	-	-	-	389	389	389
	RS	D	3	23	180.0	208.0	183.3	-47	-	-	-	585	853	611
	PR	C	3	19	278.0	278.0	278.0	N/Q	525	525	525	1599	1599	1,599
	PR	C	4	6	309.0	315.0	310.8	32	564	589	576	1700	1780	1,741
				191	90.0	315.0			400	589		167	1780	
Cows														
0-400	PR	D	2	7	110.0	155.0	134.7	N/Q	250	369	317	424	597	470
	RS	D	1	9	122.0	122.0	122.0	1	-	-	-	458	458	458
	RS	D	2	13	120.0	144.0	136.3	-34	-	-	-	450	539	503
400-520	FD	D	3	11	219.0	219.0	219.0	N/Q	-	-	-	1117	1117	1,117
	PR	D	2	164	160.0	210.0	190.9	-11	364	477	434	681	983	856
	PR	D	3	129	185.0	246.0	225.8	2	394	523	483	897	1267	1,113
	RS	D	2	204	137.0	200.0	179.9	-5	-	-	-	582	916	787
	RS	D	4	3	173.0	173.0	173.0	N/Q	-	-	-	804	804	805
520+	FD	D	3	65	224.0	230.0	227.3	N/Q	-	-	-	1176	1300	1,206
	PR	C	3	1	291.0	291.0	291.0	N/Q	549	549	549	1702	1702	1,702
	PR	D	3	326	180.0	246.0	224.6	-5	383	523	478	945	1340	1,210
	PR	D	4	304	232.0	278.0	257.3	-1	464	554	510	1218	1904	1,594
				1236	110.0	291.0			250	554		424	1904	
Bulls														
0-450	PR	C	2	14	180.0	236.0	193.6	-61	360	445	374	133	814	757
	RS	C	2	28	152.0	250.0	183.1	-41	-	-	-	220	713	498
450-600	PR	B	2	2	278.0	308.0	293.0	66	525	570	547	1293	1432	1,362
	PR	C	2	2	214.0	230.0	222.0	-4	428	442	435	1166	1346	1,256
600+	PR	B	2	31	230.0	270.0	260.5	18	421	498	457	1548	3105	2,571
	PR	C	2	1	220.0	220.0	220.0	-8	440	440	440	1375	1375	1,375
				78	152.0	308.0			360	570		133	3105	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

