

Detailed Saleyard Report - Cattle Market information provided by MLA's National Livestock Reporting Service

| Roma | Store | wert sures report date | 09/06/2020 |
|---------|-------|------------------------|------------|
| Yarding | 5542 | comparison date | 02/06/2020 |
| Change | -1758 | | |

Cattle numbers fell by 1,758 head to see a total yarding of 5,542 at the Roma Store Sale. Cattle were mostly drawn from the local supply area but the yarding continued to include a fair number from Western & North Western Queensland in a yarding where steers and heifers were present in similar numbers. The overall quality of the yarding was varied with increased numbers of older steers yarded, however lines of quality local young cattle continued to be well represented, especially heifers. A good buying panel was present and operating, including all regular processors, and had a continued southern and local restocker presence. Restockers and feedlots were operating to strong demand with prices reflective of quality. Medium and heavy weight feeder steers improved from 2c to 10c/kg. Medium weight yearling heifers under 330kg improved from 11c to 54c/kg. However prices for both heifers and cows were significantly stronger. Heavy weight cows improved in price by 12c/kg.

Light weight yearling steers under 200kg to restockers made to 454.2c to average 454c/kg. A large sample of light weight yearling steers under 280kg to restockers reached a top of 462.2c to average 434c/kg. Medium weight yearling steers under 330kg to restockers sold to 474.2c to average 424c/kg. Medium weight yearling steers under 400kg to feed made to 434.2c to average 405c/kg. Heavy weight yearling steers over 400kg to feed made to a top of 402.2c to average 391c/kg. Light weight yearling heifers under 200kg to restockers reached a top of 446.2c to average 406c/kg. A large sample of light weight yearling heifers under 280kg to restockers also made to 444.2c to average 410c/kg. Medium weight yearling heifers under 330kg to restockers sold to 428.2c to average 395c/kg. Medium weight yearling heifers under 400kg to feed made to 388.2c to average 358c/kg.

The best of the medium weight grown steers sold to 378.2c to average 363c/kg. Heavy weight grown heifers to slaughter reached a top of 320.2c to average 320c/kg. Medium weight 3 score cows sold to a top of 288c to average 281c/kg. Heavy weight 3 score cows made to a top of 286.2c to average 282c/kg. Heavy weight 4 score cows reached a top of 296.2c to average 289c/kg. The best of the heavy weight bulls made to 328.2c to average 310c/kg. A good number of cows and calves were yarded and reached a top of \$2400/unit.

| Category Weight | Sale Muscle Fat Head Prefix Score * Score* | | | | | Live Weig | ght c/kg | | | Estimated Carcase Estimated Weight c/kg* \$/Head | | | | | |
|--------------------|---|---|--------------|--------------|-------|-----------|----------|--------------|--------------|--|-----------|------|----------|------|-------|
| | /12 | | | | Low | High | Avg | Change | Low | High | Avg | Low | F | ligh | Avg |
| Calves 80+ | | | | | | | | | | | | | | | |
| | RS | D | 2 | 51 | 390.0 | - 426.0 | 394.2 | N/Q | - | | 0 | 596 | - 7 | 761 | 741 |
| | | | | 51 | 390.0 | 426.0 | | | 0 | 0 | | 596 | 7 | '61 | |
| Yearling S | Steer | | | | | | | | | | | | | | |
| 0-200 | RS | D | MEA 2 LIVEST | OCK AUSTRALI | 454.0 | - 454.0 | 454.0 | MEAT LIVESTO | CK AUSTRALI | | 0 | 840 | NETT 818 | 340 | 840 |
| 200-280 | | | | | | | | | | | | | | | |
| | FD | С | 2 | 32 | 436.0 | - 442.0 | 439.8 | 18 | - | | 0 | 1155 | - 1 | 216 | 1,193 |
| | FD | D | 2 | 15 | 342.0 | - 342.0 | 342.0 | -26 | - | | 0 | 923 | - 9 | 923 | 923 |
| | RS | C | 2 | 604 | 382.0 | - 462.0 | 434.3 | -6 | - | | 0 | 895 | - 1 | 232 | 1,080 |
| | RS | D | 2 | 2 | 360.0 | - 360.0 | 360.0 | 24 | - | | OAUSTRO | 972 | _ (| 972 | 972 |
| 280-330 | | | | | | | | | | | | | | | |
| | FD | С | 2 | 65 | 386.0 | - 396.2 | 390.7 | -20 | - | | 0 | 1248 | - 1 | 274 | 1,257 |
| | FD | D | 2 | 28 | 362.0 | - 362.0 | 362.0 | N/Q | | | 0 | 1177 | - 1 | 177 | 1,177 |
| | RS | С | 2 | 382 | 380.0 | - 474.0 | 423.9 | -7 | 13 - | | 0 | 1102 | - 1 | 351 | 1,246 |
| | RS | D | 2 | 43 | 330.0 | - 388.0 | 370.3 | 13 | CK AUSTRALIA | | 0 | 957 | - 1 | 216 | 1,121 |
| 330-400 | | | | | | | | | | | | | | | |
| | FD | С | 2 | 175 | 380.0 | - 434.2 | 404.8 | 10 | - | | 0 | 1332 | - 1 | 649 | 1,477 |
| | FD | D | 2 | 72 | 322.0 | - 378.0 | 362.2 | 4 | - | | 0 | 1111 | - 1 | 372 | 1,327 |
| | RS | С | 2 | 80 | 384.0 | - 402.0 | 393.1 | -4 | - | | 0 | 1325 | - 1 | 462 | 1,374 |
| | RS AUSTRAL | D | 2 | 32 | | - 370.0 | 361.9 | 2 | - | | ONUSTRALI | 1206 | - 1 | 240 | 1,212 |
| 400+ MEAT 84 | | | | | | | | | | | | | | | |
| | FD | С | 2 | 244 | 375.0 | - 402.0 | 391.5 | 2 | - | | 0 | 1602 | - 1 | 862 | 1,671 |

| Category Weight | y Sale Muscle Fat Head Prefix Score * Score* | | | Head | L | ive We | ight c/kg | l | | | ited Car ght c/k | | Estimated \$/Head | | | | |
|--------------------|---|---|---------------|---------------|---------|-----------|---------------|----------------|-----|---|---------------------|-----------------|----------------------|------|-------------|-------|--|
| | | | | | Low | High | Avg | Change | Low | | High | Avg | Low | | High | Avg | |
| | RS | D | 2 | 8 | 374.0 - | 374.0 | 374.0 | 68 | | - | | 0 | 1552 | - | 1552 | 1,552 | |
| | | | | 1786 | 322.0 | 474.0 | | | 0 | | 0 | | 840 | | 1862 | | |
| Yearling H | Heifer | | | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | | | | |
| | RS | D | 2 | 186 | 394.2 - | 446.0 | 405.9 | -15 | | - | | 0 | 591 | - | 790 | 654 | |
| 200-280 | | | | | | | | | | | | | | | | | |
| | FD | С | 2 | 273 | 345.0 - | 430.0 | 392.1 | 14 | | - | | 0 | 903 | -/ | 1156 | 1,031 | |
| | FD | D | MEA 2 LIVEST | 8 | 316.0 - | 316.0 | 316.0 | N/Q | | - | | 0 | 822 | MENT | 822 | 822 | |
| | RS | С | 2 | 756 | 340.0 - | 444.0 | 410.4 | 17 | | - | | 0 | 714 | - | 1183 | 1,015 | |
| 280-330 | | | | | | | | | | | | | | | | | |
| | FD | С | 2 | 72 | 334.0 - | 390.0 | 374.7 | 48 | | - | | 0 | 969 | - | 1203 | 1,113 | |
| | FD FRAME | D | 2 | 62 | 312.0 - | 325.0 | 322.0 | N/Q | | - | | O CRAMA | 959 | - | 1008 | 979 | |
| | PR | D | 2 | 29 | 306.0 - | 326.0 | 319.4 | 54 | 567 | - | 604 | 591 | 918 | - | 992 | 950 | |
| | RS | С | 2 | 324 | 356.0 - | 428.0 | 395.1 | 11 | | - | | 0 | 1055 | _ | 1230 | 1,178 | |
| | RS | D | 2 | 10 | 310.0 - | 310.0 | 310.0 | N/Q | | _ | | 0 | 915 | _ | 915 | 915 | |
| 330-400 | | | | | | | | | | | | | | | | | |
| | FD | С | 2 | 97 | 330.0 - | 388.0 | 357.8 | 6 | | - | | 0 | 1112 | _ | 1397 | 1,245 | |
| | FD | С | 3 | OCK AUSTRALIA | 372.0 - | 372.0 | 372.0 | 68 | | - | | 0 | 1246 | | 1246 | 1,246 | |
| | FD | D | MEAT & CO | 38 | 320.0 - | 326.0 | 322.5 | N/Q | | _ | | 0 | 1085 | MEAT | 1104 | 1,094 | |
| | RS | С | 2 | 69 | 338.0 - | | 375.4 | 19 | | _ | | 0 | | _ | 1316 | 1,299 | |
| 400+ | | | | | | | | | | | | | | | | , | |
| | FD | С | 2 | 14 | 320.0 - | 340.0 | 327.1 | 7 | | _ | | 0 | 1296 | _ | 1411 | 1,337 | |
| | PR _{CK} AUSTRALIA | С | 2 | 11 | 330.0 - | 338.0 | 331.5 | 51 | 611 | _ | 626 | 614 | 1386 | _ | 1504 | 1,462 | |
| | PR | С | 3 | 16 | 300.0 - | | 302.4 | N/Q | 556 | _ | 609 | 560 | 1260 | _ | 1535 | 1,288 | |
| | PR | D | 2 | 6 | 288.0 - | | 289.3 | N/Q | 533 | _ | 541 | 536 | 1282 | _ | 1387 | 1,317 | |
| | | _ | _ | 1988 | 288.0 | 446.0 | 207.0 | , 🗷 | 533 | | 626 | 000 | 591 | | 1535 | ., | |
| | | | | 1700 | 200.0 | 110.0 | | | 000 | | 020 | | 071 | | 1000 | | |
| Grown Ste | eer | | | | | | | | | | | | | | | | |
| 0-400 | ED. | 0 | MEAT & LIVEST | OCK AU | 2400 | 270.0 | 2/2/ | MEAT & LIVESTO | | | | 0 | 100/ | | 8 LIVESTOCK | 1 017 | |
| | FD | С | 2 | 16 | 360.0 - | | 363.4 | 23 | | - | | 0 | 1206 | 101- | 1266 | 1,217 | |
| | FD | D | 2 | 43 | 262.0 - | | 300.2 | N/Q | | - | | 0 | 786 | - | 1071 | 977 | |
| | PR | D | 2 | 8 | 308.0 - | | 308.0 | 60 | 570 | - | 570 | 570 | 1078 | - | 1078 | 1,078 | |
| | RS | D | 2 | 2 | 318.0 - | 318.0 | 318.0 | N/Q | | - | | 0 | 938 | - | 938 | 938 | |
| 400-500 | LIVESTOCK AUSTRAL | 0 | 2 | F.O. | 250.0 | NESTOCK A | ustrone 200 (| | | | | VESTOCK AUSTRAL | 1500 | | 1005 | 1 70/ | |
| | FD | C | 2 | 58 | 358.0 | | 380.6 | 62 | | - | MEAT | 0 | 1522 | - | 1805 | 1,736 | |
| | PR | D | 2 | 10 | 304.0 - | 304.0 | 304.0 | N/Q | 563 | - | 563 | 563 | 1338 | - | 1338 | 1,338 | |
| 500-600 | DD | 0 | 2 | - | 240.0 | 240.0 | 240.0 | 44 | /// | | | | 2010 | | 2010 | 2.010 | |
| | PR | С | 2 | 7 | 348.0 - | | 348.0 | 41 | 644 | - | 644 | 644 | 2018 | _ | 2018 | 2,018 | |
| | | | | 144 | 262.0 | 394.0 | | | 563 | | 644 | | 786 | | 2018 | | |
| Grown He | eifer | | | | | | | | | | | | | | | | |
| | FD | D | 2 | 4 | 248.0 - | 248.0 | 248.0 | 10 | | _ | | 0 | 831 | _ | 831 | 831 | |
| | FD | D | 3 | 12 | 310.0 - | 310.0 | 310.0 | -28 | | _ | | 0 | 992 | _ | 992 | 992 | |
| | PR SALIP | D | 2 | 34 | 240.0 - | | 266.1 | 34 | 453 | _ | 558 | 502 | 849 | _ | 1283 | 987 | |
| | PR | D | 3 | 6 | 300.0 - | | 302.3 | 31 | 566 | _ | 574 | 570 | 1003 | _ | 1555 | 1,345 | |
| | RS | D | | 10 | | | | N/Q | 550 | | WENT & | 0 | | | 1197 | | |
| | CN | D | 2 | 10 | 292.0 - | 272.0 | 292.0 | IV/U | | - | | U | 119/ | - | 1197 | 1,197 | |

| Category Weight | | | | Head | L | ive Wei | ght c/kg | l | | | ted Car ght c/ko | | [| Estimated \$/Head | b |
|--------------------|-------------|----|--------------|------|---------|---------|----------|---------------|-----|---|---------------------|-----|--------|----------------------|-------|
| | | | | | Low | High | Avg | Change | Low | | High | Avg | Low | High | Avg |
| 540+ | PR AUSTRAL | D | 4 | 3 | 320.0 - | 320.0 | 320.0 | N/Q | 604 | - | 604 | 604 | 1856 - | 1856 | 1,856 |
| | | | | 69 | 240.0 | 320.0 | | | 453 | | 604 | | 831 | 1856 | |
| Manufact 0-540 | uring Stee | er | | | | | | | | | | | | | |
| | PR | D | 2 | 5 | 252.0 - | 252.0 | 252.0 | N/Q | 467 | - | 467 | 467 | 1184 - | 1184 | 1,184 |
| 540+ | | | | | | | | | | | | | | | |
| | PR | С | MEA 2 LIVEST | 3 | 309.0 - | 309.0 | 309.0 | MEA 59 VESTON | 572 | - | 572 | 572 | 1730 | 1730 | 1,730 |
| | | | | 8 | 252.0 | 309.0 | | | 467 | | 572 | | 1184 | 1730 | |
| Cows 0-400 | | | | | | | | | | | | | | | |
| 0 400 | PR JUSTRALI | D | 2 | 57 | 219.0 - | 263.0 | 244.4 | 52 | 476 | - | 572 | 531 | 777 - | 971 | 869 |
| 400-520 | | | | | | | | | | | | | | | |
| | PR | D | 2 | 147 | 230.0 - | 269.0 | 255.3 | 13 | 500 | - | 585 | 555 | 1046 - | 1339 | 1,204 |
| | PR | D | 3 | 114 | 270.0 - | 288.0 | 280.9 | 15 | 540 | - | 583 | 565 | 1238 - | 1437 | 1,368 |
| | RS | D | 3 | 15 | 279.0 - | 279.0 | 279.0 | 24 | | - | | 0 | 1381 - | 1381 | 1,381 |
| 520+ | | | | | | | | | | | | | | | |
| | PR | D | 2 | 13 | 250.0 - | 250.0 | 250.0 | N/Q | 543 | - | 543 | 543 | 1413 - | 1413 | 1,413 |
| | PR | D | 3 | 154 | 272.0 - | 286.0 | 282.0 | 12 | 544 | - | 594 | 566 | 1454 - | 1741 | 1,512 |
| | PR | D | 4 | 79 | 287.0 - | 296.0 | 288.9 | 12 | 574 | - | 592 | 578 | 1507 - | 1921 | 1,719 |
| | | | | 579 | 219.0 | 296.0 | | | 476 | | 594 | | 777 | 1921 | |
| Bulls 0-450 | | | | | | | | | | | | | | | |
| MEAT & | RS | С | 2 | 9 | 372.0 - | 372.0 | 372.0 | -7 | | - | | 0 | 911 - | 911 | 911 |
| 600+ | | | | | | | | | | | | | | | |
| | PR | С | 2 | 18 | 270.0 - | | 310.4 | 46 | 491 | - | 596 | 564 | 1932 - | 2700 | 2,530 |
| | | | | 27 | 270.0 | 372.0 | | | 491 | | 596 | | 911 | 2968 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.









^{*} Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing