

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 01/07/2020

Yarding 4512
 Change 237

comparison date 24/06/2020

Numbers increased by 237 head to 4,512 for the first sale in the new financial year at Dalby. The large panel of export buyers included some Victorian export operators. The regular feeder buyers plus restockers were in attendance and operating. Buyers were selective on the young light weight cattle, however good quality lines were in demand. Medium and heavy weight yearling steers to feed averaged 4c to 7c/kg better. Yearling heifers experienced only quality related price changes. Medium weight 2 score cows received very little change in price, with good competition from restockers as well as processors. However the better condition cows averaged 4c to 9c/kg less, compared to a very good market the previous week.

Yearling steers under 200kg to restockers made to 476.2c to average 438c/kg. Yearling steers under 280kg also to restockers made to 456c to average 427c/kg. Yearling steers to feed for the domestic market made to 438c to average 407c, and medium weights made to 423c to average 395c/kg. Heavy weight yearling steers to feed made to 400c to average 387c/kg. A couple of B muscle classes to the trade made to 414.2c/kg. Yearling heifers under 200kg made to 448c to average 397c/kg. Yearling heifers under 280kg made to 426c, with a large sample averaging 393c/kg. Yearling heifers to feed for the domestic market made to 417c to average 391c/kg. Medium weight yearling heifers to feed averaged 358c with sales to 397c/kg. A handful of B muscle classes to local butchers made to 419.2c/kg.

A small selection of bullocks made to 340.2c, and heavy weight export heifers made to 345c/kg. Poor condition medium weight cows returned to the paddock at an average of 257c, and the better 2 scores averaged 267c/kg. Medium weight 2 scores to processors averaged 260c, and 3 scores 274c/kg. Heavy weight 3 score cows averaged 286c, and good heavy cows made to 310.2c, with a large sample averaging 302c/kg. Heavy bulls made to 337c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score *	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-200														
	RS	C	2	188	395.0	476.2	437.7	N/C	-	0	598	881	793	
	RS	D	2	11	322.0	350.0	336.9	-22	-	0	483	629	570	
200-280														
	PR	D	2	5	360.0	360.0	360.0	N/Q	655	655	954	954	954	
	RS	C	2	313	380.0	456.0	427.2	-3	-	0	898	1254	1,066	
	RS	D	2	52	330.0	368.0	348.4	8	-	0	726	985	929	
280-330														
	FD	C	2	292	363.0	438.0	406.6	2	-	0	1035	1285	1,196	
	FD	D	2	15	336.0	342.0	339.6	84	-	0	975	1020	1,015	
330-400														
	FD	C	2	261	364.0	423.0	395.1	4	-	0	1295	1580	1,471	
	FD	D	2	2	306.0	306.0	306.0	4	-	0	1071	1071	1,071	
400+														
	FD	C	2	332	358.0	400.0	387.4	7	-	0	1522	1892	1,719	
	FD	D	2	29	318.0	330.0	320.2	-11	-	0	1288	1403	1,308	
	PR	B	3	2	414.2	414.2	414.2	-6	690	690	1802	1802	1,802	
				1502	306.0	476.2			655	690	483	1892		
Yearling Heifer														
0-200														
	RS	C	2	49	386.0	448.0	396.7	-18	-	0	405	829	627	
	RS	D	2	4	330.0	330.0	330.0	-10	-	0	545	545	545	
200-280														

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	2	380.0	380.0	380.0	N/Q	-	0	1007	1007	1,007	
	PR	C	2	2	394.0	394.0	394.0	27	730	730	1044	1044	1,044	
	PR	D	2	4	300.0	300.0	300.0	-34	556	556	556	660	660	660
	RS	C	2	348	348.0	426.0	392.9	-3	-	0	832	1067	965	
	RS	D	2	11	278.0	315.0	299.9	-6	-	0	653	844	774	
330-400	FD	C	2	133	356.0	417.0	390.5	5	-	0	1055	1251	1,146	
	FD	D	2	30	321.0	330.0	325.5	N/Q	-	0	963	990	977	
	FD	D	3	15	298.0	298.0	298.0	N/Q	-	0	894	894	894	
400+	FD	C	2	115	326.0	396.0	358.0	-17	-	0	1108	1444	1,275	
	FD	C	3	56	331.0	397.0	375.3	-1	-	0	1125	1452	1,329	
	FD	D	2	29	220.0	312.0	298.5	9	-	0	748	1201	1,096	
	FD	D	3	20	300.0	300.0	300.0	N/Q	-	0	1020	1020	1,020	
	PR	B	3	8	419.0	419.2	419.1	N/Q	722	723	723	1467	1601	1,567
	PR	C	2	16	300.0	337.0	320.8	N/Q	556	624	594	1050	1146	1,104
	PR	C	3	76	343.0	369.0	355.3	-14	635	683	658	1201	1351	1,263
	PR	D	3	20	300.0	300.0	300.0	N/Q	556	556	556	1020	1020	1,020
Grown Steer	FD	C	2	30	324.0	380.0	360.1	12	-	0	1377	1615	1,533	
	FD	C	3	38	330.0	376.0	362.5	N/Q	-	0	1436	1692	1,584	
	FD	D	2	6	270.0	280.0	271.7	-58	-	0	1175	1190	1,177	
	PR	C	3	48	340.0	359.0	347.8	5	630	665	644	1469	1741	1,640
	PR	D	3	2	278.0	278.0	278.0	N/Q	515	515	515	1348	1348	1,348
				1062	220.0	448.0			515	730		405	1741	
400-500	FD	C	2	5	336.0	357.0	352.8	4	-	0	1428	1607	1,571	
	FD	C	3	36	312.0	359.0	335.9	-18	-	0	1513	1741	1,635	
	FD	D	2	2	292.0	292.0	292.0	-19	-	0	1445	1445	1,445	
	PR	C	3	1	354.0	354.0	354.0	N/Q	644	644	644	1505	1505	1,505
500-600	FD	C	3	3	340.0	340.0	340.0	-9	-	0	1921	1921	1,921	
	FD	D	2	7	318.0	318.0	318.0	N/Q	-	0	1860	1860	1,860	
	PR	C	3	51	320.0	336.0	325.3	13	582	611	592	1712	1966	1,797
	PR	D	2	6	280.0	280.0	280.0	N/Q	509	509	509	1596	1596	1,596
600-750	PR	C	4	14	339.0	340.0	339.6	-6	605	607	607	2060	2204	2,112
				125	280.0	359.0			509	644		1428	2204	
Grown Heifer	FD	C	3	9	276.0	341.0	333.8	28	-	0	1380	1688	1,654	
	FD	D	2	1	240.0	240.0	240.0	8	-	0	924	924	924	
	LE	C	3	4	318.0	318.0	318.0	N/Q	-	0	1352	1352	1,352	
	PR	C	3	32	295.0	305.0	296.3	-14	557	575	559	1431	1479	1,437

Category Weight	Sale Prefix	Muscle Score	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	PR	D	3	5	266.0	266.0	266.0	N/Q	512	512	512	1131	1131	1,131
	PR	C	4	6	329.0	345.0	336.2	25	621	651	634	1869	2284	2,018
				57	240.0	345.0			512	651		924	2284	
Manufacturing Steer														
540+	PR	C	3	1	300.0	300.0	300.0	-8	545	545	545	2250	2250	2,250
				1	300.0	300.0			545	545		2250	2250	
Cows														
0-400														
400-520	PR	D	1	28	180.0	233.0	221.4	20	409	530	503	702	897	862
	PR	E	1	4	150.0	150.0	150.0	N/Q	341	341	341	540	548	542
	PR	D	1	5	210.0	240.0	227.2	2	477	545	516	893	1044	980
	PR	D	2	137	243.0	268.0	260.4	-3	528	583	566	1084	1300	1,182
	PR	D	3	184	270.0	279.0	274.3	-4	551	569	560	1201	1390	1,333
	PR	D	4	35	284.0	296.0	293.7	-7	557	580	576	1269	1480	1,360
	RS	D	1	41	250.0	263.0	257.3	N/Q	-	-	0	1088	1144	1,119
	RS	D	2	31	261.0	277.0	267.3	9	-	-	0	1266	1322	1,284
520+	PR	D	2	22	260.0	274.0	266.4	N/Q	565	596	579	1391	1548	1,462
	PR	D	3	286	274.0	296.0	286.3	-5	559	604	584	1482	1831	1,659
	PR	D	4	250	292.0	310.2	302.5	-9	573	608	593	1621	1939	1,807
				1023	150.0	310.2			341	608		540	1939	
Bulls														
0-450														
	FD	C	2	11	306.0	310.0	308.5	-21	-	-	0	1178	1395	1,316
	FD	C	3	6	340.0	350.0	345.0	6	-	-	0	1445	1488	1,466
	FD	E	1	1	216.0	216.0	216.0	N/Q	-	-	0	864	864	864
	RS	C	2	49	306.0	358.0	336.4	-34	-	-	0	825	1059	975
450-600														
	FD	C	2	10	302.0	330.0	307.6	N/Q	-	-	0	1465	1601	1,492
	PR	C	2	8	301.0	301.0	301.0	41	547	547	547	1460	1460	1,460
	PR	D	2	1	251.0	251.0	251.0	N/Q	456	456	456	1343	1343	1,343
600+														
	PR	C	2	4	275.0	285.0	280.0	12	500	518	509	1719	1781	1,750
	PR	C	3	35	290.0	337.0	311.3	7	518	602	556	1831	3107	2,170
	PR	D	2	6	230.0	240.0	236.7	N/Q	418	436	430	1610	1680	1,657
				131	216.0	358.0			418	602		825	3107	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.



