

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

CQLX Gracemere

report date 05/08/2020

Yarding 3663
 Change 931

comparison date 29/07/2020

The yarding at CQLX Gracemere increased by 931 head to 3,663 head. It was a mixed offering drawn from across central Queensland and met with good competition. Prices varied with the quality on offer with some easing on the plain lines however it was a strong sale overall. The buying panel comprised the usual buyers.

Steer calves sold to 441c with mixed sex calf averages from 390c to 412c/kg. Vealer steers topped at 449c to average from 391c to 427c/kg for best bred pens. Vealer heifers sold to a 383c top to average from 360c to 375c/kg. 200 to 280kg yearling steers made to 451c with a large sample averaging from 381c to 399c/kg. Medium and heavy weight pens averaged from 350 to 390c/kg. Light yearling heifers sold to processors to top at 381c, averaging 371c whilst those to restockers averaged 334c to 359c/kg. Medium and heavy pens averaged from 325c to 349c/kg.

Grown steers to feed made to 367c with averages from 330c to 359c/kg recorded. Processors paid from 302c to 322c/kg for their grown steers. Grown heifers to the trade averaged from 291c to 322c/kg whilst feeders averaged from 315c to 335c/kg. Prime, heavy, 4 score cows made to 281c and averaged 276c, unchanged on last week. Heavy bulls averaged 270c/kg to processors. PTIC Cows sold to restockers between \$1,150 and \$1,500/head and cows and calves made from \$1,350 to \$2,050/unit for the majority offered.

Category	Sale Weight	Muscle Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+															
	RS	C	2	126	361.0	441.0	412.9	-14	-	0	542	860	752		
	RS	D	2	114	337.0	420.0	386.5	N/Q	-	0	599	749	682		
				240	337.0	441.0			0	0	542	860			
Vealer Steer															
0-200															
	RS	D	2	24	368.0	368.0	368.0	N/Q	-	0	570	570	570		
	RS	E	2	24	321.0	321.0	321.0	N/Q	-	0	626	626	626		
200-280															
	RS	C	2	388	369.0	449.0	426.3	3	-	0	806	1036	926		
	RS	D	2	121	340.0	427.0	390.7	-9	-	0	714	939	837		
				557	321.0	449.0			0	0	570	1036			
Vealer Heifer															
0-200															
	RS	C	2	12	361.0	361.0	361.0	N/Q	-	0	704	704	704		
	RS	D	2	5	357.0	360.0	358.2	N/Q	-	0	678	684	681		
200-280															
	PR	C	2	88	361.0	383.0	374.5	-10	694	737	720	776	918	861	
	PR	D	2	70	319.0	377.0	363.6	-4	613	725	699	718	905	828	
	RS	C	2	60	357.0	379.0	365.6	N/Q	-	0	738	880	826		
	RS	D	2	63	295.0	365.0	359.9	18	-	0	620	821	800		
				298	295.0	383.0			613	737	620	918			
Yearling Steer															
200-280															
	FD	D	2	6	291.0	343.0	334.3	N/Q	-	0	728	875	850		
	RS	C	2	138	341.0	427.0	398.9	2	-	0	801	1119	977		

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	D	2	117	287.0	451.0	381.2	31	-	0	775	1018	935	
	FD	C	2	23	300.0	375.0	349.0	23	-	0	870	1203	1,091	
	FD	D	2	52	321.0	363.0	350.0	1	-	0	1012	1113	1,033	
330-400	RS	C	2	43	361.0	403.0	375.1	11	-	0	1119	1254	1,192	
	FD	C	2	28	341.0	377.0	372.9	8	-	0	1142	1508	1,450	
	RS	C	2	69	379.0	393.0	390.9	16	-	0	1342	1497	1,374	
				476	287.0	451.0			0	0	728	1508		
Yearling Heifer														
200-280														
280-330	FD	D	2	21	317.0	346.0	321.4	N/Q	-	0	813	952	857	
	PR	C	2	119	317.0	381.0	370.5	-5	610	733	713	808	1007	931
	PR	D	2	58	300.0	375.0	340.3	16	577	721	654	750	1008	903
	RS	C	2	39	339.0	371.0	359.1	11	-	0	890	1015	928	
	RS	D	2	166	276.0	365.0	333.8	-10	-	0	677	904	773	
330-400	FD	C	2	6	337.0	347.0	343.7	-6	-	0	1024	1045	1,031	
	FD	D	2	20	303.0	327.0	324.6	-33	-	0	909	1030	1,018	
	PR	C	2	18	330.0	361.0	347.9	-36	635	694	669	941	1065	1,014
	PR	D	2	86	297.0	365.0	343.7	30	568	702	661	876	1125	1,015
	RS	C	2	39	341.0	354.0	346.3	-34	-	0	983	1151	1,059	
	RS	D	2	10	281.0	345.0	338.6	N/Q	-	0	815	1001	982	
400+	FD	D	2	39	335.0	349.0	343.2	-15	-	0	1162	1240	1,191	
	FD	C	3	9	337.0	339.0	337.7	N/Q	-	0	1365	1407	1,379	
				630	276.0	381.0			568	733	677	1407		
Grown Steer														
0-400														
400-500	FD	C	2	32	350.0	367.0	358.8	-3	-	0	1173	1468	1,358	
	FD	D	2	51	331.0	349.0	339.4	-7	-	0	1125	1292	1,227	
	FD	E	2	1	359.0	359.0	359.0	N/Q	-	0	1310	1310	1,310	
	RS	D	2	17	323.0	362.0	341.4	-16	-	0	937	977	956	
500-600	FD	C	2	8	361.0	367.0	362.5	20	-	0	1560	1606	1,595	
	FD	C	3	5	355.0	361.0	356.2	N/Q	-	0	1588	1651	1,638	
	FD	D	2	10	307.0	361.0	333.8	-6	-	0	1335	1552	1,404	
	FD	D	3	18	329.0	329.0	329.0	N/Q	-	0	1546	1546	1,546	
	PR	C	3	10	322.0	322.0	322.0	N/Q	608	608	608	1578	1578	1,578
	FD	D	3	20	343.0	347.0	344.4	N/Q	-	0	1752	1869	1,846	
	PR	D	3	26	294.0	315.0	303.3	N/Q	555	594	572	1661	1706	1,671
				198	294.0	367.0			555	608	937	1869		

Grown Heifer

Category Weight	Sale Prefix	Muscle Score	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540														
	FD	C	2	28	311.0	339.0	335.0	-16	-	0	1063	1237	1,214	
	FD	C	3	13	331.0	333.0	332.1	-7	-	0	1249	1605	1,413	
	FD	D	2	100	303.0	339.0	321.3	-7	-	0	884	1322	1,050	
	FD	D	3	17	300.0	337.0	315.8	-11	-	0	1125	1230	1,167	
	PR	C	3	27	295.0	337.0	315.0	-15	557	648	597	1197	1467	1,330
	PR	D	3	84	266.0	335.0	294.0	-1	502	644	556	972	1437	1,164
	PR	D	4	40	317.0	332.0	321.5	-7	593	615	600	1395	1594	1,457
	RS	C	2	1	333.0	333.0	333.0	-44	-	0	1149	1149	1,149	
	RS	D	2	21	269.0	307.0	297.1	-10	-	0	776	1030	882	
	RS	D	3	1	297.0	297.0	297.0	N/Q	-	0	1233	1233	1,233	
				332	266.0	339.0			502	648	776	1605		
Cows														
0-400														
	PR	D	2	44	191.0	244.0	231.1	-10	434	530	508	663	920	839
	PR	D	3	22	250.0	267.0	261.5	5	521	556	545	874	1002	985
	PR	E	3	14	249.0	249.0	249.0	6	519	519	519	996	996	996
	RS	D	1	18	160.0	209.0	181.8	-45	-	0	560	679	613	
	RS	D	2	60	210.0	251.0	232.2	35	-	0	767	948	876	
400-520														
	PR	D	2	48	219.0	251.0	242.0	-13	476	546	527	955	1225	1,064
	PR	D	3	133	236.0	264.0	256.8	-10	492	550	531	956	1254	1,161
	PR	D	4	156	247.0	282.0	270.6	-3	494	564	540	1124	1414	1,322
	RS	D	2	58	237.0	289.0	252.2	N/Q	-	0	996	1282	1,136	
520+														
	PR	D	4	98	268.0	281.0	275.6	N/C	536	554	542	1407	1686	1,501
	PR	E	3	2	232.0	232.0	232.0	N/Q	504	504	504	1264	1264	1,264
				653	160.0	289.0			434	564	560	1686		
Bulls														
0-450														
	FD	C	2	12	299.0	331.0	315.7	14	-	0	1037	1175	1,101	
	FD	C	3	5	319.0	319.0	319.0	N/Q	-	0	1388	1388	1,388	
	PR	C	2	7	375.0	375.0	375.0	12	721	721	721	900	900	900
	PR	E	3	4	230.0	230.0	230.0	N/Q	418	418	418	541	541	541
	RS	C	2	41	315.0	387.0	354.3	-11	-	0	768	1240	875	
	RS	D	2	23	307.0	361.0	331.1	12	-	0	632	863	754	
	RS	E	1	2	263.0	263.0	263.0	N/Q	-	0	421	421	421	
	RS	E	2	18	321.0	321.0	321.0	N/Q	-	0	722	722	722	
450-600														
	FD	C	2	5	191.0	280.0	244.4	N/Q	-	0	1012	1358	1,220	
	FD	C	3	9	270.0	289.0	282.6	N/Q	-	0	1283	1705	1,416	
	FD	D	3	8	343.0	343.0	343.0	N/Q	-	0	1869	1869	1,869	
	PR	C	3	2	295.0	295.0	295.0	10	536	536	536	1696	1696	1,696
	PR	D	2	10	231.0	231.0	231.0	N/Q	436	436	436	1097	1097	1,097
600+														

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
FD	C	3	6	240.0 - 267.0	258.0	N/Q	-	0	1536	-	1722	1,660		
FD	E	3	2	250.0 - 250.0	250.0	N/Q	-	0	1850	-	1850	1,850		
LE	C	3	2	281.0 - 281.0	281.0	N/Q	-	0	1953	-	1953	1,953		
PR	C	3	19	260.0 - 287.0	270.3	-19	473	-	522	491	1624	-	2444	1,967
PR	D	3	2	215.0 - 215.0	215.0	N/Q	391	-	391	391	1441	-	1441	1,441
PR	E	3	6	230.0 - 243.0	234.7	N/Q	418	-	442	427	1668	-	2236	1,963
RS	C	3	2	297.0 - 297.0	297.0	N/Q	-	-	0	2228	-	2228	2,228	
RS	E	3	2	265.0 - 265.0	265.0	N/Q	-	-	0	1948	-	1948	1,948	
			187	191.0	387.0			391	721		421	2444		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

