

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 08/12/2020

 Yarding 3642
 Change -964

comparison date 01/12/2020

Cattle numbers continued to fall at the second last Roma Store sale for 2020 with a total yarding of 3,642, down from the previous week by 964 head. Cattle were drawn from a wide supply area and the quality was mixed. Steers accounted for the majority of the yarding. A good buying panel was present and however not all processors were operating. Restocker competition for PTIC females was strong. Demand remained strong for quality cattle with price variations reflective of quality deviations. Light weight yearling steers to restockers improved by 9c to 28c/kg. Medium weight yearling steers improved by 7c to 14c/kg. Light weight yearling heifers to restockers fell by 29c to 31c, while medium weight yearling heifers to feed improved by 3c to 25c/kg. Medium weight cows to processors fell by 3c to 8c, while heavy weight 3 score cows remained unchanged.

Light weight yearling steers under 200kg to restockers sold to 620.2c to average 557c/kg. The largest sample of light weight yearling steers under 280kg to restockers made to 598.2c to average 516c/kg. Medium weight yearling steers under 330kg to feed sold to 466.2c to average 441c/kg. Medium weight yearling steers under 400kg to feed made to 474.2c to average 435c/kg. Heavy weight yearling steers over 400kg to feed reached a top of 430.2c to average 411c/kg. Light weight yearling heifers under 200kg to restockers reached a top of 514.2c to average 482c/kg. The largest sample of light weight yearling heifers under 280kg to restockers made to 478.2c to average 458c/kg. Medium weight yearling heifers under 330kg to restockers sold to 480.2c to average 452c/kg. Medium weight yearling heifers under 400kg to feed made to a top of 466.2c to average 437c/kg.

A large sample of light weight grown steers to feed made to 360.2c to average 341c/kg. Restocker demand was strong for PTIC females which saw grown heifers reach a top of 436.2c to average 380c/kg. Medium weight PTIC cows reached a top of 350.2c to average 342c/kg. Processor competition was reduced with heavy weight 3 score cows selling to 283.2c to average 280c/kg. Heavy weight 4 score cows reached a top of 290.2c to average 289c/kg. A good sample of light weight bulls to feed made to 340.2c to average 314c/kg. Cows and calves reached a top of \$1875/unit.

Category	Sale Weight	Muscle Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer															
0-200															
	RS	D	2	81	462.0	620.0	556.6	9	-	0	785	1022	938		
200-280															
	FD	C	2	123	430.0	558.0	522.6	69	-	0	1140	1378	1,314		
	FD	D	2	19	342.0	342.0	342.0	N/Q	-	0	923	923	923		
	RS	C	2	455	436.0	598.0	516.4	28	-	0	981	1341	1,253		
	RS	D	2	22	380.0	380.0	380.0	N/Q	-	0	874	874	874		
280-330															
	FD	C	2	29	426.0	466.0	441.0	7	-	0	1243	1351	1,283		
	FD	D	2	26	364.0	372.0	369.5	N/Q	-	0	1092	1116	1,109		
	RS	C	2	49	410.0	486.0	447.1	-1	-	0	1290	1438	1,334		
330-400															
	FD	C	2	277	400.0	474.0	435.5	14	-	0	1420	1683	1,503		
	FD	D	2	19	392.0	392.0	392.0	2	-	0	1392	1392	1,392		
400+															
	FD	C	2	96	396.0	430.0	411.5	1	-	0	1702	1892	1,745		
	FD	C	3	1	378.0	378.0	378.0	N/Q	-	0	1928	1928	1,928		
	FD	D	2	38	330.0	392.0	377.9	20	-	0	1527	1803	1,662		
				1235	330.0	620.0			0	0	785	1928			
Yearling Heifer															
0-200															
	FD	D	2	15	498.0	498.0	498.0	N/Q	-	0	996	996	996		

Category	Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280	RS	D	2	88	440.0	514.0	481.9	-31	-	0	792	959	872		
	FD	C	2	105	380.0	476.0	438.0	-29	-	0	988	1238	1,152		
	FD	D	2	35	338.0	348.0	344.0	N/Q	-	0	879	940	915		
	PR	C	2	36	410.0	420.0	415.6	-7	759	778	770	923	1092	1,029	
	PR	D	2	21	328.0	356.0	341.3	-1	607	659	632	754	926	836	
280-330	RS	C	2	231	404.0	478.0	457.9	-8	-	0	902	1242	1,113		
	FD	C	2	75	386.0	458.0	435.8	3	-	0	1158	1368	1,267		
	FD	D	2	50	364.0	375.0	368.9	9	-	0	1069	1201	1,095		
	PR	D	2	6	364.0	364.0	364.0	44	674	674	674	1056	1056	1,056	
	RS	C	2	131	380.0	480.0	451.6	7	-	0	1102	1495	1,367		
330-400	RS	D	2	17	368.0	368.0	368.0	-3	-	0	1104	1104	1,104		
	FD	C	2	34	382.0	466.0	437.5	25	-	0	1318	1561	1,492		
	PR	C	2	6	388.0	388.0	388.0	N/Q	719	719	719	1300	1300	1,300	
	PR	C	3	10	344.0	344.0	344.0	N/Q	637	637	637	1359	1359	1,359	
	PT	D	2	17	320.0	320.0	320.0	N/Q	-	0	1264	1264	1,264		
400+	RS	C	2	103	380.0	406.0	396.2	-28	-	0	1296	1393	1,357		
	RS	D	2	7	362.0	362.0	362.0	-11	-	0	1231	1231	1,231		
	FD	C	2	2	360.0	360.0	360.0	N/Q	-	0	1458	1458	1,458		
				989	320.0	514.0			607	778		754	1561		
Grown Steer															
0-400															
400-500	FD	C	2	108	322.0	360.0	341.4	-5	-	0	1026	1175	1,131		
	FD	C	2	22	346.0	400.0	367.9	15	-	0	1592	1800	1,690		
500-600	LE	C	2	42	321.0	330.0	327.8	-16	-	0	1443	1573	1,516		
	FD	C	2	2	344.0	344.0	344.0	6	-	0	1840	1840	1,840		
	PR	C	3	4	340.0	340.0	340.0	-14	630	630	630	1870	1870	1,870	
				178	321.0	400.0			630	630		1026	1870		
Grown Heifer															
0-540															
	FD	D	2	10	300.0	300.0	300.0	-31	-	0	1140	1140	1,140		
	FD	D	3	32	320.0	370.0	332.6	N/Q	-	0	1102	1328	1,223		
	PR	D	2	8	290.0	298.0	297.0	2	547	562	560	954	1537	1,101	
	PR	D	3	36	300.0	325.0	309.9	-25	566	613	585	1035	1685	1,287	
	PT	D	2	146	268.0	436.0	380.4	N/Q	-	0	657	2027	1,485		
	RS	D	2	18	236.0	294.0	258.6	-52	-	0	637	985	772		
				250	236.0	436.0			547	613		637	2027		
Cows															
0-400															
	FD	D	2	12	220.0	220.0	220.0	N/Q	-	0	825	825	825		

Category	Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	PR	D	2	28	240.0	262.0	253.9	N/Q	522	570	552	900	983	952	
	PT	D	2	31	250.0	304.0	298.8	N/Q	-	0	0	963	1094	1,082	
	FD	D	2	24	248.0	288.0	262.5	N/Q	-	0	0	1161	1411	1,273	
	FD	D	3	7	270.0	270.0	270.0	N/Q	-	0	0	1296	1296	1,296	
	PR	D	2	7	245.0	255.0	250.7	-8	533	554	545	1017	1097	1,062	
	PR	D	3	16	270.0	278.0	274.9	-3	550	579	566	1224	1311	1,272	
	PT	D	2	13	334.0	350.0	342.6	24	-	0	0	1486	1698	1,600	
520+	RS	D	2	7	245.0	264.0	253.1	-27	-	0	0	1017	1267	1,124	
	FD	D	2	8	273.0	273.0	273.0	N/Q	-	0	0	1447	1447	1,447	
	PR	D	2	16	258.0	260.0	258.9	-7	561	565	563	1391	1445	1,421	
	PR	D	3	30	277.0	283.0	280.3	N/C	566	585	576	1484	1624	1,558	
	PR	D	4	25	289.0	290.0	289.1	N/Q	580	602	599	1769	1879	1,865	
	PT	D	2	12	334.0	334.0	334.0	55	-	0	0	1854	1854	1,854	
					236	220.0	350.0			522	602		825	1879	
Bulls															
0-450															
450-600	FD	C	2	81	300.0	340.0	313.5	-33	-	0	0	780	1111	957	
	LE	C	2	7	330.0	330.0	330.0	N/Q	-	0	0	1254	1254	1,254	
	RS	C	2	52	366.0	428.0	390.2	-36	-	0	0	769	1254	986	
600+	LE	C	2	4	326.0	326.0	326.0	-3	-	0	0	1956	1956	1,956	
	LE	C	2	10	300.0	310.0	302.4	-20	-	0	0	1860	2340	2,092	
	LE	C	3	3	308.0	310.0	309.3	N/Q	-	0	0	2464	2542	2,516	
	LE	D	2	1	290.0	290.0	290.0	N/Q	-	0	0	2117	2117	2,117	
	PR	C	3	4	290.0	293.0	292.3	-50	527	533	531	3190	3370	3,325	
	PR	D	2	6	288.0	298.0	289.7	N/Q	524	542	527	1987	2650	2,340	
	RS	C	3	1	297.0	297.0	297.0	N/Q	-	0	0	2435	2435	2,435	
				169	288.0	428.0			524	542		769	3370		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

