

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 17/02/2021

 Yarding 4291
 Change -10

comparison date 10/02/2021

The supply of stock remained unchanged at 4,291 head. The regular panel of export buyers was present and operating, plus the usual feed and trade operators, along with local and interstate restockers. Light weight yearling steers and heifers returning to the paddock sold to very solid demand for the quality penned. Medium and heavy weight yearling steers to feed continued to sell to strong support, and the yearling heifers to feed followed a similar trend. Most classes of cows could not maintain the levels of the previous week and lost 4c to 6c/kg.

Light weight yearling steers under 200kg made to 700c to average 605c/kg. A large sample of yearling steers under 280kg averaged 519c and made to 646c/kg. Yearling steers to feed for the domestic market averaged from 469c to 487c, with the occasional sale to 542c/kg. Heavy weight yearling steers to feed averaged 442c and made to 468.2c/kg. Light weight yearling heifers under 200kg made to 650c to average 540c/kg. A large selection of light weight yearling heifers under 280kg averaged 486c and made to 542c/kg. Medium weight yearling heifers to feed averaged from 441c to 455c and sold to 472c/kg. Heavy weight yearling heifers to feed averaged 417c and made to 452c/kg.

A small selection of heavy grown steers and bullocks made to 380c to average 377c and 378c/kg respectively. Medium weight plain condition cows returning to the paddock made to 297c to average 282c/kg. Good heavy weight cows to export processors made to 306c to average 295c/kg. Heavy weight bulls made to 343c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+															
	RS	C	2	9	9	666.2	666.2	666.2	-98	-	0	919	919	919	
				9	9	666.2	666.2			0	0	919	919		
Yearling Steer															
0-200															
	RS	C	2	63	63	564.0	700.0	605.0	-25	-	0	767	1273	1,074	
	RS	D	2	46	46	468.0	540.0	496.8	N/Q	-	0	632	999	835	
200-280															
	RS	C	2	689	689	466.0	646.0	519.2	-11	-	0	1053	1518	1,282	
	RS	D	2	16	16	384.0	446.0	419.8	15	-	0	902	1182	1,069	
280-330															
	FD	C	2	154	154	406.0	542.0	487.0	-3	-	0	1218	1626	1,437	
	FD	D	3	4	4	388.2	388.2	388.2	N/Q	-	0	1091	1091	1,091	
	RS	D	2	2	2	300.0	300.0	300.0	N/Q	-	0	900	900	900	
330-400															
	FD	C	2	249	249	420.0	488.0	468.6	13	-	0	1541	1840	1,756	
	FD	D	2	17	17	362.0	380.0	370.5	-40	-	0	1343	1463	1,400	
	FD	D	3	17	17	384.2	384.2	384.2	N/Q	-	0	1329	1329	1,329	
400+															
	FD	C	2	380	380	400.0	468.2	442.1	-2	-	0	1734	2232	1,970	
	FD	D	2	11	11	340.0	340.0	340.0	-62	-	0	1428	1428	1,428	
	PR	C	3	6	6	435.0	435.0	435.0	15	791	791	791	2023	2023	2,023
	PR	D	3	9	9	370.0	373.0	371.3	N/Q	673	678	675	1610	1623	1,615
				1663	1663	300.0	700.0			673	791	632	2232		
Yearling Heifer															
0-200															
	RS	C	2	41	41	480.0	650.0	539.5	-69	-	0	840	1043	935	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280														
	PR	D	2	17	302.0	420.0	381.6	17	559	778	707	800	1106	1,002
	RS	C	2	616	438.0	542.0	486.3	-2	-	-	0	955	1491	1,202
	RS	D	2	28	252.0	420.0	358.5	-51	-	-	0	567	950	847
280-330														
	FD	C	2	149	400.0	472.0	454.8	15	-	-	0	1140	1489	1,317
	FD	D	2	8	362.0	362.0	362.0	N/Q	-	-	0	1032	1032	1,032
	PR	C	3	1	420.0	420.0	420.0	N/Q	778	778	778	1260	1260	1,260
	PR	D	2	7	372.0	372.0	372.0	N/Q	689	689	689	1116	1116	1,116
330-400														
	FD	C	2	16	402.0	424.0	417.1	1	-	-	0	1484	1548	1,504
	FD	C	3	88	420.0	472.0	441.0	-9	-	-	0	1504	1771	1,578
	FD	D	3	13	314.0	371.0	344.5	N/Q	-	-	0	1209	1428	1,311
	PR	D	2	5	345.0	345.0	345.0	N/Q	639	639	639	1328	1328	1,328
400+														
	FD	C	2	1	414.0	414.0	414.0	N/Q	-	-	0	1760	1760	1,760
	FD	C	3	82	380.0	452.0	416.8	-2	-	-	0	1653	1964	1,799
	FD	D	2	3	378.0	378.0	378.0	N/Q	-	-	0	1607	1607	1,607
	FD	D	3	5	350.0	371.0	358.4	N/Q	-	-	0	1488	1614	1,538
	PR	C	3	24	365.0	390.0	379.4	1	676	722	703	1551	1697	1,633
	PR	D	3	13	343.0	354.0	352.3	7	647	656	654	1458	1540	1,527
				1117	252.0	650.0			559	778		567	1964	
Grown Steer														
0-400														
	FD	D	2	7	320.0	320.0	320.0	-10	-	-	0	1232	1232	1,232
	RS	E	2	1	228.0	228.0	228.0	N/Q	-	-	0	684	684	684
400-500														
	FD	C	3	4	350.0	380.0	365.0	-23	-	-	0	1575	1767	1,671
500-600														
	FD	C	3	53	363.0	388.0	375.2	10	-	-	0	1947	2281	2,158
	PR	C	3	12	363.0	363.0	363.0	N/Q	660	660	660	1851	1851	1,851
	PR	C	4	14	371.0	378.2	376.7	-8	663	675	673	1921	2096	1,966
600-750														
	PR	C	3	14	339.0	360.0	355.5	-6	616	655	646	2170	2466	2,248
	PR	C	4	23	375.0	380.0	378.0	N/Q	670	679	675	2344	2436	2,400
750+														
	PR	C	3	1	339.0	339.0	339.0	N/Q	616	616	616	2576	2576	2,576
				129	228.0	388.0			616	679		684	2576	
Grown Heifer														
0-540														
	FD	C	3	25	350.0	370.0	362.0	-2	-	-	0	1488	1795	1,631
	FD	C	4	6	372.0	372.0	372.0	N/Q	-	-	0	1618	1618	1,618
	FD	D	2	2	280.0	284.0	282.0	-3	-	-	0	1218	1321	1,269
	PR	C	3	12	346.0	346.0	346.0	15	653	653	653	1505	1505	1,505
	PR	C	4	37	330.0	361.0	348.0	-22	623	681	657	1628	1931	1,758

Category	Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	PR	D	2	8	271.0	300.0	286.5	-25	565	625	597	1179	1485	1,359	
	PR	D	3	7	304.0	316.0	312.6	-17	574	596	590	1375	1505	1,412	
	PR	D	3	1	301.0	301.0	301.0	N/Q	568	568	568	1701	1701	1,701	
				98	271.0	372.0			565	681		1179	1931		
Cows															
0-400															
	PR	D	1	6	200.0	200.0	200.0	N/C	455	455	455	800	800	800	
	PR	D	2	9	245.0	245.0	245.0	N/Q	533	533	533	980	980	980	
	PR	E	1	1	156.0	156.0	156.0	6	355	355	355	624	624	624	
400-520	RS	D	1	9	210.0	210.0	210.0	N/Q	-	-	0	840	840	840	
	PR	D	1	2	230.0	230.0	230.0	N/Q	523	523	523	1070	1070	1,070	
	PR	D	2	17	251.0	268.0	265.8	9	546	583	578	1167	1242	1,215	
	PR	D	3	24	270.0	280.0	276.5	1	551	571	564	1256	1358	1,318	
	PR	D	4	24	284.0	291.0	287.4	-9	557	571	563	1353	1450	1,399	
	RS	D	1	4	238.0	244.0	242.0	-46	-	-	0	1035	1057	1,047	
	RS	D	2	102	240.0	297.0	281.8	1	-	-	0	1164	1411	1,313	
520+															
	PR	D	2	3	238.0	238.0	238.0	-33	517	517	517	1345	1345	1,345	
	PR	D	3	52	270.0	285.0	278.3	-4	551	582	568	1445	1775	1,613	
	PR	D	4	404	283.0	306.0	295.2	-6	555	600	579	1541	1976	1,720	
	RS	D	2	2	291.0	291.0	291.0	N/Q	-	-	0	1557	1557	1,557	
				659	156.0	306.0			355	600		624	1976		
Bulls															
0-450															
	FD	C	2	8	368.0	400.0	392.0	-20	-	-	0	1164	1700	1,533	
	FD	C	3	10	355.0	406.0	388.3	-8	-	-	0	1598	1800	1,697	
	FD	D	2	5	326.0	350.0	340.4	-42	-	-	0	1050	1190	1,106	
	PR	C	2	2	400.0	400.0	400.0	-30	727	727	727	1200	1200	1,200	
	RS	C	2	57	400.0	552.0	461.4	-20	-	-	0	900	1297	1,089	
	RS	D	2	3	330.0	330.0	330.0	-75	-	-	0	743	743	743	
	RS	E	2	1	256.0	256.0	256.0	N/Q	-	-	0	576	576	576	
600+															
	PR	C	2	6	268.0	290.0	286.3	N/Q	487	527	521	1813	2175	1,995	
	PR	C	3	73	302.0	343.0	324.1	4	539	613	579	1976	3040	2,660	
	PR	D	2	1	265.0	265.0	265.0	-3	482	482	482	1656	1656	1,656	
				166	256.0	552.0			482	727		576	3040		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

