

Detailed Saleyard Report - Cattle  
 Market information provided by MLA's National Livestock Reporting Service

**Dalby**

report date 07/04/2021

 Yarding 1040  
 Change -658

comparison date 31/03/2021

The return of some follow-up rain across the usual supply area reduced the number of stock down by 658 head to 1,040 at Dalby. Export buyer attendance was good, with the return of one major export processor. The regular feed and trade plus restockers were present and active. Most classes sold to a dearer trend with yearling steers to feed and restockers improving by 6c to 16c/kg. Yearling heifers also experienced some price improvements. However cows gained the most to regain the previous weeks losses to average 8c and up to 34c/kg better.

Light weight yearling steers under 200kg made to 696.2c to average 656c/kg. Yearling steers under 280kg made to 666c to average 565c/kg. Yearling steers to feed for the domestic market averaged from 471c to 520c with sales to . 534.2c/kg. Heavy weight yearling steers to feed averaged 452c and made to a top of 470.2c/kg. Light weight yearling heifers under 200kg averaged 583c and made to 620c/kg. Medium weight yearling heifers to feed averaged 466c and made to 472.2c/kg.

Medium weight plain condition cows returning to the paddock averaged 277c and made to 283c/kg. Medium weight 3 score cows to processors averaged 276c, and the better 4 scores averaged 294c/kg. Good heavy weight cows made to 317.2c with a fair sample averaging 312c/kg. Heavy weight bulls averaged 22c dearer and made to 321c/kg.

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Yearling Steer</b>														
<b>0-200</b>														
	RS	C	2	30	600.0	- 696.0	655.8	-38	-	0	1050	- 1288	1,199	
<b>200-280</b>														
	RS	C	2	154	472.0	- 666.0	565.0	9	-	0	1050	- 1565	1,400	
	RS	D	2	2	432.0	- 440.0	436.0	-2	-	0	1123	- 1144	1,134	
<b>280-330</b>														
	FD	C	2	11	456.0	- 534.2	520.0	51	-	0	1368	- 1683	1,626	
	FD	D	2	1	426.0	- 426.0	426.0	N/Q	-	0	1278	- 1278	1,278	
<b>330-400</b>														
	FD	C	2	141	430.0	- 520.0	470.8	6	-	0	1505	- 1913	1,762	
	FD	D	2	16	360.0	- 426.0	397.0	38	-	0	1404	- 1619	1,521	
<b>400+</b>														
	FD	C	2	40	428.0	- 470.2	451.7	16	-	0	1788	- 1962	1,926	
				395	360.0	- 696.0			0	0	1050	- 1962		
<b>Yearling Heifer</b>														
<b>0-200</b>														
	RS	C	2	27	562.0	- 620.0	583.5	24	-	0	1040	- 1147	1,079	
<b>200-280</b>														
	PR	D	2	3	410.0	- 410.0	410.0	N/Q	759	- 759	759	1128	- 1128	1,128
	RS	C	2	93	440.0	- 591.0	519.8	-2	-	0	1056	- 1625	1,355	
	RS	D	2	2	339.0	- 340.0	339.5	-38	-	0	814	- 816	815	
<b>280-330</b>														
	FD	C	2	59	450.0	- 472.2	465.7	4	-	0	1283	- 1525	1,405	
	FD	C	3	13	468.2	- 468.2	468.2	N/Q	-	0	1405	- 1405	1,405	
	RS	C	2	29	496.0	- 496.0	496.0	N/Q	-	0	1488	- 1488	1,488	
<b>330-400</b>														
	FD	C	2	5	466.2	- 466.2	466.2	50	-	0	1562	- 1562	1,562	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	10	410.0	450.0	436.8	-5	-	0	1441	1688	1,625	
	FD	D	2	3	350.0	350.0	350.0	6	-	0	1278	1278	1,278	
	FD	D	3	2	380.0	380.0	380.0	N/Q	-	0	1387	1387	1,387	
	PR	C	2	4	396.0	396.0	396.0	8	733	733	1445	1445	1,445	
	FD	C	2	4	380.0	380.0	380.0	N/Q	-	0	1615	1615	1,615	
	FD	C	3	2	390.0	400.0	395.0	-22	-	0	1740	1755	1,748	
	FD	D	3	3	346.0	360.0	350.7	-1	-	0	1471	1674	1,538	
	PR	C	4	1	380.0	380.0	380.0	N/Q	704	704	2147	2147	2,147	
	PR	D	3	18	330.0	358.0	354.9	N/Q	611	663	657	1403	1557	1,540
					278	330.0	620.0			611	759	814	2147	
Grown Steer														
400-500														
	FD	C	2	2	333.0	333.0	333.0	-13	-	0	1499	1499	1,499	
	FD	C	3	4	346.0	398.0	369.5	-41	-	0	1557	1930	1,712	
500-600														
	FD	C	3	1	340.0	340.0	340.0	-16	-	0	1819	1819	1,819	
600-750														
	PR	C	4	1	359.2	359.2	359.2	N/Q	641	641	641	2263	2263	2,263
				8	333.0	398.0			641	641	1499	2263		
Grown Heifer														
0-540														
	FD	C	2	3	330.0	330.0	330.0	N/Q	-	0	1271	1271	1,271	
	FD	C	3	9	340.0	360.0	344.0	-6	-	0	1649	1800	1,690	
	PR	C	3	9	330.0	370.0	344.3	4	623	698	650	1403	1658	1,606
	PR	D	2	2	270.0	270.0	270.0	-19	563	563	563	1148	1148	1,148
	PT	D	3	5	310.0	310.0	310.0	N/Q	-	0	1504	1504	1,504	
540+														
	PR	C	4	2	347.2	347.2	347.2	N/Q	655	655	655	2177	2177	2,177
				30	270.0	370.0			563	698	1148	2177		
Manufacturing Steer														
540+														
	PR	C	3	1	322.0	322.0	322.0	N/Q	585	585	585	2013	2013	2,013
				1	322.0	322.0			585	585	2013	2013		
Cows														
0-400														
	PR	D	2	3	260.0	260.0	260.0	N/Q	565	565	565	988	988	988
	PR	E	1	4	186.0	186.0	186.0	N/Q	423	423	423	679	679	679
400-520														
	PR	D	1	3	256.0	256.0	256.0	N/Q	582	582	582	1088	1088	1,088
	PR	D	2	5	270.0	271.0	270.8	13	587	589	589	1175	1220	1,211
	PR	D	3	10	276.0	276.0	276.0	8	563	563	563	1242	1242	1,242
	PR	D	4	21	294.0	297.0	294.5	21	576	582	577	1426	1485	1,464
	RS	D	1	4	261.0	266.0	262.3	12	-	0	1109	1157	1,121	
	RS	D	2	18	270.0	283.0	276.7	5	-	0	1156	1373	1,272	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	PR	D	3	1	290.0	290.0	290.0	19	592	592	592	1552	1552	1,552
	PR	D	4	87	294.0	317.0	311.8	34	576	622	611	1600	2013	1,819
				156	186.0	317.0			423	622		679	2013	
Bulls														
0-450	FD	C	2	2	398.0	398.0	398.0	17	-	-	0	1134	1134	1,134
	FD	C	3	3	398.0	424.0	406.7	27	-	-	0	1433	1632	1,499
	RS	C	2	7	440.0	456.0	446.9	-6	-	-	0	1053	1166	1,107
450-600	FD	C	3	6	346.0	364.0	358.3	15	-	-	0	1693	1851	1,724
	PR	C	3	2	299.0	309.0	304.0	24	544	562	553	1600	1653	1,626
600+	PR	C	2	3	265.0	282.0	273.3	3	482	513	497	1723	1833	1,777
	PR	C	3	10	290.0	321.0	307.9	22	518	573	550	1931	2333	2,174
				33	265.0	456.0			482	573		1053	2333	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

\* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

