

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 08/06/2021

 Yarding 4749
 Change -1745

comparison date 01/06/2021

Cattle numbers fell to 4,749 head this week, down by 1,745 at the Roma Store Sale. Cattle continue to be drawn from a wide supply area. The overall quality of the yarding was mixed and included good numbers of heavy steers and quality local weaners with steers and heifers presented in similar numbers. A smaller but competitive buying panel was present and operating, with an increase in feedlot activity, and despite all regular processors being present, one did not operate. Prices improved for medium to heavy weight steers along with most heifer categories. Heavy bulls continued to fall in price off the back of the decreased processor competition, while heavy weight cows held firm remaining unchanged from the previous week. Light weight steers to restockers fell by 3c to 6c/kg. Medium weight steers to feed rose by 10c to 15c/kg. Medium weight steers under 400kg to restockers improved by 10c, while heavy weight steers to feed rose by 23c/kg. A large run of local heifers sold to strong competition with light weight heifers to restockers improving by 91c to 113c/kg, and topping the sale. Medium weight heifers under 330kg to feed improved by 39c, while medium weight heifers under 400kg to feed fell by 23c/kg.

Light weight yearling steers under 200kg remain present in limited numbers, and sold to a top of 600.2c to average 580c/kg. Yearling steers under 280kg to restockers made to 603.2c to average 550c/kg. Medium weight yearling steers under 330kg to restockers sold to 562.2c to average 509c/kg. Yearling steers under 400kg to restockers made to 546.2c to average 498c/kg. Heavy weight yearling steers over 400kg to feed reached a top of 481.2c to average 431c/kg. Light weight yearling heifers under 200kg to restockers reached a sale topping 654.2c to average 614c/kg. Yearling heifers under 280kg to restockers made to 640.2c to average 569c/kg. Medium weight yearling heifers under 330kg to restockers sold to 552.2c to average 481c/kg. Yearling heifers under 400kg to feed reached a top of 488.2c to average 445c/kg.

The best of the grown steers sold to 360.2c to average 360c/kg. The largest sample of grown heifers sold to a top of 352.2c to average 341c/kg. A run of PTIC heifers sold on a dollars per head basis to a top of \$2,025/head. Cows were present in decreased numbers and restocker demand remained firm with medium weight cows selling to 290.2c to average 285c/kg. Heavy weight 3 score cows made to 300.2c to average 292c/kg. Light weight bulls to restockers sold to a top of 622.2c to average 570c/kg. The best of the small number of heavy weight bulls to processors made to 281.2c to average 274c/kg. Cows and calves reached a top of \$2180/unit.

MARKET REPORTER: Sherrill Stivano

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|------|-------------------|-------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | RS | D | 2 | 40 | 560.0 | 600.0 | 580.1 | -6 | - | 0 | 1047 | 1140 | 1,102 | |
| 200-280 | | | | | | | | | | | | | | |
| | FD | C | 2 | 77 | 450.0 | 544.0 | 506.6 | N/Q | - | 0 | 1170 | 1496 | 1,342 | |
| | RS | C | 2 | 425 | 436.0 | 603.0 | 549.9 | -3 | - | 0 | 1013 | 1544 | 1,372 | |
| 280-330 | | | | | | | | | | | | | | |
| | FD | C | 2 | 159 | 440.0 | 533.0 | 498.5 | 15 | - | 0 | 1298 | 1732 | 1,544 | |
| | RS | C | 2 | 270 | 456.0 | 562.0 | 508.8 | -9 | - | 0 | 1300 | 1720 | 1,559 | |
| | RS | D | 2 | 5 | 428.0 | 428.0 | 428.0 | N/Q | - | 0 | 1327 | 1327 | 1,327 | |
| 330-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 69 | 452.0 | 522.0 | 499.2 | 10 | - | 0 | 1695 | 1809 | 1,767 | |
| | FD | D | 2 | 36 | 400.0 | 428.0 | 412.2 | 6 | - | 0 | 1435 | 1605 | 1,516 | |
| | RS | C | 2 | 144 | 450.0 | 546.0 | 498.0 | 11 | - | 0 | 1564 | 1965 | 1,787 | |
| 400+ | | | | | | | | | | | | | | |
| | FD | C | 2 | 407 | 370.0 | 481.0 | 431.5 | 23 | - | 0 | 1684 | 2285 | 1,928 | |
| | PR | C | 3 | 48 | 360.0 | 385.0 | 373.2 | -12 | 667 | 713 | 691 | 1998 | 2063 | 2,050 |
| | RS | C | 2 | 62 | 363.0 | 434.0 | 421.5 | -8 | - | 0 | 1789 | 1975 | 1,892 | |
| | | | | 1742 | 360.0 | 603.0 | | | 667 | 713 | | 1013 | 2285 | |

Yearling Heifer

0-200

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 200-280 | PR | D | 2 | 4 | 400.0 | 400.0 | 400.0 | N/Q | 741 | 741 | 741 | 780 | 780 | 780 |
| | RS | D | 2 | 244 | 390.0 | 654.0 | 613.7 | 113 | - | 0 | 0 | 761 | 1275 | 1,148 |
| | FD | C | 2 | 84 | 426.0 | 530.0 | 488.1 | 37 | - | 0 | 0 | 937 | 1377 | 1,284 |
| 280-330 | PR | D | 2 | 99 | 320.0 | 392.0 | 378.9 | -9 | 593 | 726 | 702 | 784 | 921 | 905 |
| | RS | C | 2 | 540 | 402.0 | 640.0 | 568.6 | 91 | - | 0 | 0 | 1039 | 1622 | 1,362 |
| | FD | C | 2 | 172 | 460.0 | 516.0 | 498.5 | 39 | - | 0 | 0 | 1369 | 1607 | 1,502 |
| 330-400 | PR | D | 2 | 65 | 346.0 | 384.0 | 354.5 | -2 | 641 | 711 | 656 | 1055 | 1171 | 1,111 |
| | RS | C | 2 | 84 | 400.0 | 552.0 | 481.2 | 6 | - | 0 | 0 | 1140 | 1628 | 1,424 |
| | FD | C | 2 | 49 | 404.0 | 488.0 | 444.7 | -23 | - | 0 | 0 | 1394 | 1888 | 1,583 |
| 400+ | FD | D | 2 | 41 | 362.0 | 384.0 | 367.9 | 7 | - | 0 | 0 | 1213 | 1363 | 1,253 |
| | PR | C | 3 | 2 | 330.0 | 330.0 | 330.0 | N/Q | 611 | 611 | 611 | 1254 | 1254 | 1,254 |
| | RS | C | 2 | 108 | 402.0 | 454.0 | 419.0 | -23 | - | 0 | 0 | 1470 | 1793 | 1,529 |
| | FD | C | 2 | 5 | 395.0 | 395.0 | 395.0 | 10 | - | 0 | 0 | 1778 | 1778 | 1,778 |
| | FD | D | 2 | 9 | 364.0 | 364.0 | 364.0 | N/Q | - | 0 | 0 | 1547 | 1547 | 1,547 |
| | PR | C | 2 | 7 | 398.0 | 398.0 | 398.0 | N/Q | 737 | 737 | 737 | 1891 | 1891 | 1,891 |
| Grown Steer | PR | C | 3 | 3 | 360.0 | 360.0 | 360.0 | -28 | 667 | 667 | 667 | 1674 | 1674 | 1,674 |
| | RS | C | 2 | 2 | 444.0 | 444.0 | 444.0 | 38 | - | 0 | 0 | 1820 | 1820 | 1,820 |
| | | | | 1518 | 320.0 | 654.0 | | | 593 | 741 | | 761 | 1891 | |
| 400-500 | PR | C | 2 | 14 | 350.0 | 350.0 | 350.0 | 18 | 648 | 648 | 648 | 1505 | 1505 | 1,505 |
| 500-600 | PR | C | 2 | 5 | 360.0 | 360.0 | 360.0 | 50 | 667 | 667 | 667 | 1926 | 1926 | 1,926 |
| 600-750 | PR | C | 2 | 1 | 310.0 | 310.0 | 310.0 | N/Q | 574 | 574 | 574 | 1953 | 1953 | 1,953 |
| | PR | C | 3 | 13 | 340.0 | 346.0 | 345.1 | -13 | 630 | 641 | 639 | 2108 | 2318 | 2,226 |
| | | | | 33 | 310.0 | 360.0 | | | 574 | 667 | | 1505 | 2318 | |
| Grown Heifer | FD | D | 2 | 37 | 280.0 | 340.0 | 323.6 | N/Q | - | 0 | 0 | 1064 | 1437 | 1,320 |
| | PR | D | 2 | 16 | 314.0 | 314.0 | 314.0 | N/Q | 592 | 592 | 592 | 1005 | 1005 | 1,005 |
| | PR | D | 3 | 100 | 285.0 | 352.0 | 341.0 | 17 | 538 | 664 | 643 | 1088 | 1596 | 1,234 |
| | RS | D | 2 | 37 | 348.0 | 348.0 | 348.0 | N/Q | - | 0 | 0 | 1218 | 1218 | 1,218 |
| 540+ | PR | D | 3 | 2 | 310.0 | 310.0 | 310.0 | -19 | 585 | 585 | 585 | 1721 | 1721 | 1,721 |
| | RS | D | 2 | 3 | 342.0 | 342.0 | 342.0 | N/Q | - | 0 | 0 | 1864 | 1864 | 1,864 |
| | | | | 195 | 280.0 | 352.0 | | | 538 | 664 | | 1005 | 1864 | |
| Cows | RS | D | 2 | 21 | 288.0 | 298.0 | 293.5 | 18 | - | 0 | 0 | 1008 | 1132 | 1,091 |

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 400-520 | PR | D | 2 | 55 | 252.0 | 276.0 | 269.9 | 9 | 548 | 600 | 581 | 1109 | 1391 | 1,221 |
| | PR | D | 3 | 40 | 280.0 | 290.0 | 285.0 | -7 | 568 | 583 | 575 | 1288 | 1468 | 1,369 |
| | RS | D | 2 | 43 | 272.0 | 296.0 | 285.1 | -1 | - | 0 | | 1165 | 1360 | 1,236 |
| 520+ | PR | D | 2 | 5 | 270.0 | 270.0 | 270.0 | -6 | 587 | 587 | 587 | 1418 | 1418 | 1,418 |
| | PR | D | 3 | 225 | 280.0 | 300.0 | 291.9 | N/C | 564 | 615 | 587 | 1496 | 1873 | 1,601 |
| | | | | 389 | 252.0 | 300.0 | | | 548 | 615 | | 1008 | 1873 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | FD | C | 2 | 1 | 316.0 | 316.0 | 316.0 | N/Q | - | 0 | | 1201 | 1201 | 1,201 |
| | FD | D | 2 | 11 | 532.0 | 532.0 | 532.0 | N/Q | - | 0 | | 1011 | 1011 | 1,011 |
| | RS | C | 2 | 126 | 400.0 | 542.0 | 464.7 | 10 | - | 0 | | 1058 | 1460 | 1,239 |
| | RS | D | 2 | 70 | 496.0 | 622.0 | 570.4 | -2 | - | 0 | | 967 | 1144 | 1,059 |
| 450-600 | LE | C | 2 | 1 | 310.0 | 310.0 | 310.0 | -42 | - | 0 | | 1612 | 1612 | 1,612 |
| | PR | C | 2 | 1 | 230.0 | 230.0 | 230.0 | N/Q | 418 | 418 | 418 | 1380 | 1380 | 1,380 |
| 600+ | FD | C | 2 | 2 | 348.0 | 348.0 | 348.0 | N/Q | - | 0 | | 2366 | 2366 | 2,366 |
| | LE | C | 2 | 6 | 283.0 | 308.0 | 298.0 | -1 | - | 0 | | 1953 | 2265 | 2,169 |
| | PR | C | 2 | 15 | 266.0 | 281.0 | 274.0 | -7 | 484 | 511 | 498 | 1942 | 2484 | 2,242 |
| | RS | C | 2 | 2 | 210.0 | 210.0 | 210.0 | N/Q | - | 0 | | 1680 | 1680 | 1,680 |
| | | | | 235 | 210.0 | 622.0 | | | 418 | 511 | | 967 | 2484 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

