

Detailed Saleyard Report - Cattle Market information provided by MLA's National Livestock Reporting Service

Roma S	Store	wert sures report date	14/09/2021
Yarding	6475	comparison date	07/09/2021
Change	1792		

Numbers rose by 1,792 head to see a total yarding of 6,475 at the Roma Store sale with heifers and cows accounting for over half of the yarding. The overall quality of the yarding was mixed and included numbers from Western and North-West Queensland. A good buying panel was present and operating, including all regular processors. Steers yarded included oats finished heavy weights through to store condition steers with quality lines selling to strong competition. Heifers included numbers drawn from North and Western Queensland with a large run of PTIC heifers yarded. Oats finished cows were also yarded in good numbers. Competition remained strong for quality cattle with steers and cows mostly improving, while heifers eased in places. Light weight steers eased by 19c to 78c, while medium weight steers improved by 12c to 63c/kg. Light weight heifers under 280 kg to restockers improved by 19c/kg. Medium weight heifers to restockers eased by 24c/kg. Medium weight heifers under 400kg to feed improved by 41c/kg. Heavy weight prime cows were yarded in increased numbers and improved by 2c to 3c/kg.

Light weight yearling steers under 200kg sold to a top of 672.2c to average 580c/kg. Yearling steers under 280kg to restockers were the largest sample of steers for the day, and made to 698.2c to average 619c/kg. Medium weight yearling steers under 330kg to restockers sold to 634.2c to average 604c/kg. Yearling steers under 400kg to feed made to a top of 560.2c to average 527c/kg. Heavy weight yearling steers over 400kg to feed reached a top of 502.2c to average 462c/kg. Light weight yearling heifers under 200kg to restockers reached a top of 648.2c to average 544c/kg. Yearling heifers under 280kg to restockers made to 664.2c to average 543c/kg. Medium weight yearling heifers under 330kg to restockers sold to 556.2c to average 469c, while yearling heifers under 400kg to feed reached a top of 543.2c to average 519c/kg. Heavy weight yearling heifers over 400kg to feed made to a top of 466.2c to average 460c/kg.

The best of the grown steers made to 412.2c to average 392c/kg. The best of the grown heifers sold to a top of 405.2c to average 384c/kg. A large consignment of PTIC grown heifers was again present, selling at open auction with the best of the red tags reaching \$2200/head. Heavy weight 3 score cows reached a top of 368.2c to average 361c/kg. Heavy weight 4 score prime cows made to a top of 385.2c to average 377c/kg. The best of the heavy weight bulls reached a top of 386.2c to average 364c/kg. Cows and calves made to a top of \$2020/unit.

MARKET REPORTER: Sherrill Stivano

Click here to view the new and improved Prime Cattle Market Reports

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head		Live Wei	ght c/kg		Estima		Carcase c/kg*	Weight			stimated \$/Head	I
					Low	High	Avg	Change	Low		High	Avg	Low		High	Avg
Yearling St	eer															
0-200																
	RS	D	2	240	524.0 -	672.0	579.6	-78		-		0	678	_/	1310	984
200-280																
	FD	С	2	22	602.0 -	650.0	641.3	63		-		0	1656	-	1781	1,758
	RS	С	2	580	500.0 -	698.0	618.9	-19		-		0	1087	-	1712	1,506
280-330																
	FD	C	2	126	510.0 -	622.0	566.8	15		-		0	1607	-	1846	1,767
	RS	C	2	250	550.0 -	634.0	604.0	63		_		STO O AUSTRAL	1568	_	1928	1,753
330-400																
	FD	С	2	107	482.0 -	560.0	526.9	12		_		0	1725	_	2052	1,893
	RS	С	2	57	500.0 -	552.0	542.2	32		_		0	1849	_	1950	1,906
400+																
4001	FD	С	2	69	406.0 -	502.0	462.1	-34		_		0	1726		2294	1,947
	PR	С	MEA 3 LIVEST	125	406.0 -		422.8	MEAT & LIVESTO	752	_	798	783	2133		2550	2,354
	RS	С	2	48	494.0 -		520.8	N/Q	752		770	0	2100	_	2228	2,161
	KS	C	2				520.8	N/Q		-		U		-		2,101
				1624	406.0	698.0			752		798		678		2550	
Yearling H	eifer															
	PR	D	2	173	440.0	480.0	441.8	N/Q	815	-	889	818	726	_	936	738
	RS	D	2	144	426.0 -	648.0	544.3	-75				0	610	_	1231	990

© 2021 Meat and Livestock Australia Limited

Click here to view the new and improved Prime Cattle Market Reports

TO C 2 147 480.0 - 590.0 509.7 - 20	Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head		Live Wei	ight c/kg		Estima	ated	l Carcase c/kg*	e Weight			stimate \$/Head	
TD C 2 47 480.0 - \$30.0 599.7 - 20		/4	2			Low	High	Avg	Change	Low		High	Avg	Low		High	Avg
PR	200-280																
RS C 2 2 854 400.0 - 664.0 543.2 19 - 0 0 860 - 1640 1.34 RS D 2 11 398.0 - 398.0 N/Q - 0 0 1075 - 1075 1.07 RS D 2 111 398.0 - 398.0 N/Q - 0 0 1075 - 1075 1.07 RD D 2 14 450.0 - 450.0 N/Q - 0 0 1395 - 1395 1.39 RR C 2 2 21 406.0 - 418.0 16.3 - 8 752 - 774 771 1191 - 1299 1.20 RR C 2 2 13 388.0 388.0 388.0 21 719 719 719 719 1164 1.164 1.164 RS C 2 2 286 414.0 - 556.0 469.4 -24 - 0 1 180 1779 1.42 RS D D 2 11 450.0 - 450.0 N/Q - 0 0 1283 - 1795 1.28 RS D D 2 21 450.0 - 450.0 N/Q - 0 0 1283 - 1795 1.28 RS D D 2 13 388.0 388.0 318.0 N/Q - 0 0 1283 - 1799 1.42 RS D D 2 13 388.0 388.0 318.0 N/Q - 0 0 1283 - 1799 1.42 RS D D 2 14 450.0 - 450.0 N/Q - 1 0 1800 1779 1.42 RS D D 2 15 420.0 - 420.0 420.0 4 778 778 778 778 1407 - 1407 1.40 PR C 3 111 384.0 - 384.0 384.0 324 778 778 778 1407 - 1407 1.40 PR C 3 113 384.0 384.0 384.0 324 778 778 778 778 1407 - 1407 1.40 RS C 2 16 420.0 500.0 480.0 63 - 0 0 1407 - 1700 1.62 RS C 2 16 420.0 500.0 480.0 63 - 0 0 1407 - 1700 1.62 RS C 2 111 394.0 - 420.0 400.0 63 - 0 0 1407 - 1700 1.62 RS C 2 111 394.0 - 420.0 400.2 12 730 - 778 778 778 778 778 778 778 778 778 7		FD	С	2	47	480.0	530.0	509.7	-20		-		O O	1248	-	1325	1,301
R8-30		PR	С	2	143	400.0 -	520.0	445.9	-13	741	-	963	826	946	-	1269	1,046
Ren D C 2 131 476.0 - 543.0 523.7 20 - 0 1491 - 1656 1.57 1.59 1.39 1.39 1.39 1.39 1.39 1.39 1.39 1.3		RS	С	2	854	400.0 -	664.0	543.2	19		-		0	860	-	1640	1,343
FD C 2 111 498.0 543.0 523.7 20		RS	D	2	11	398.0 -	398.0	398.0	N/Q		-		0	1075	-	1075	1,075
FD	280-330																
PR C 2 2 11 406.0 - 418.0 416.3 -8 752 - 774 771 1191 - 1299 1.20 PR D 2 10 388.0 - 388.0 388.0 21 719 - 719 719 1164 - 1164 1.16 RS C 2 2 286 414.0 - 556.0 469.4 - 24 - 0 1180 - 1779 1.42 RS D 2 1 1 450.0 - 450.0 450.0 N/Q - 0 1283 - 1283 1.28 330-400 FD C 2 131 476.0 - 543.0 519.3 41 - 0 0 1595 - 1997 1.81 PR C 2 5 420.0 420.0 420.0 4 778 - 778 778 1407 - 1407 1.40 PR C 3 11 384.0 - 384.0 384.0 - 22 711 - 711 711 711 517 - 1517 1.51 PR D 2 8 356.0 - 356.0 356.0 - 60 659 - 659 659 1317 - 1317 1.31 RS C 2 1 16 420.0 500.0 480.0 63 - 0 0 1407 - 1700 1.62 100+ FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1.87 PR C 3 10 400.0 408.0 403.2 1 741 - 778 741 1596 - 2004 1.87 PR C 3 3 8 370.0 - 370.0 450.0 N/Q 685 - 685 685 1795 - 1795 1.79 300-600 PR C 3 3 8 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1.79 500-600 PR C 3 2 36.0 - 410.0 392.5 N/Q 715 - 763 727 2007 - 2287 2.07 PR C 3 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 741 749 2.99 - 3000 2.91 500-750 PR C 3 2 370.0 450.0 450.0 N/Q 685 - 763 727 2007 - 2287 2.07 PR C 3 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 741 749 2.99 - 3000 2.91 500-750 PR C 3 2 370.0 450.0 500.0 383.5 -3 675 - 764 724 1139 - 2074 1.59 RS D 2 62 362.0 - 396.0 386.0 N/Q - 0 0 1853 - 1853 1.85 PR D 3 93 358.0 405.0 380.0 N/Q 685 763 736 736 2165 - 2165 2.16 159 358.0 405.0 390.0 390.0 390.0 16 736 - 736 736 2165 - 2165 2.16 40-44-44-44-44-44-44-44-44-44-44-44-44-4		FD	С	MEAT & LIVES	111	498.0 -	543.0	523.7	20 ES		-		0	1491	MEAT	1656	1,571
PR D 2 10 388.0 - 388.0 21 719 - 719 719 1164 - 1164 1.16 RS C 2 286 414.0 - 556.0 469.4 - 24		FD	D	2	14	450.0 -	450.0	450.0	N/Q		-		0	1395	-	1395	1,395
RS C 2 286 414 0 556.0 469.4 -24 - 0 1180 - 1779 1.42 RS D 2 21 450.0 - 450.0 450.0 N/O - 0 1283 - 1283 1.28 FD C 2 131 476.0 - 543.0 519.3 41 - 0 1595 - 1797 1.81 PR C 2 5 420.0 - 420.0 420.0 4 778 - 778 778 1407 - 1407 1.40 PR C 3 11 384 0 384.0 384.0 -22 711 - 711 711 1517 - 1517 1.51 PR D 2 8 356.0 - 356.0 356.0 -60 659 - 659 659 1317 - 1317 1.31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1.62 1000 FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1.87 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2.03 2043 356.0 664.0 - 659 963 610 2200 FD C 3 38 370.0 370.0 370.0 N/O - 0 1980 - 1980 1.98 PR C 3 38 370.0 370.0 370.0 N/O 685 - 685 685 1795 1795 1795 1000-500 PR C 3 38 411.0 - 411.0 411.0 N/O 761 761 761 761 2445 2445 2.44 2007-750 PR C 3 393 358.0 405.0 386.0 N/O - 764 1139 2.05 FD D 3 2 390.0 - 390.0 390.0 -16 736 - 764 7199 2.00 1177 - 1287 1.23 4004-44044 PR D 3 2 390.0 - 390.0 390.0 -16 736 - 764 7199 2.00 1177 - 1287 1.23 4004-44044 4004-4404 PR D 3 2 390.0 - 390.0 390.0 -16 736 - 764 736 2165 - 2165 2.16 4004-4404-4404 4004-4404-4404 4004-4404 4005-4404 4006-4404 4007-5404 4007-750 PR D 3 2 390.0 - 390.0 390.0 -16 736 - 764 736 2165 - 2165 2.16 4004-4404-4404 4004-4404-4404 4004-4404-4404 4004-44		PR	С	2	21	406.0 -	418.0	416.3	-8	752	-	774	771	1191	-	1299	1,207
RS D 2 2 11 450 0 - 450.0 450.0 N/O - 0 1283 - 1283 1,28 330.400 FD C 2 131 476.0 - 543.0 519.3 41 - 0 0 1595 - 1997 1,81 PR C 2 5 420.0 - 420.0 420.0 4 778 - 778 778 1407 - 1407 1,40 PR C 3 11 384.0 384.0 384.0 -22 711 - 711 711 517 - 1517 1,51 PR D 2 8 356.0 - 356.0 356.0 -60 659 - 659 659 1317 - 1317 1,31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1,62 FD C 2 16 460.0 - 466.0 460.4 N/C - 0 186.3 - 2004 1,87 PR C 2 11 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 STOWN Steer 100-500 FD C 2 15 450.0 - 450.0 450.0 N/O - 756 685 685 1795 - 1795 1,79 500-600 PR C 3 3 8 411.0 - 411.0 411.0 N/O 685 - 685 685 1795 - 1795 1,79 500-750 PR C 3 2 370.0 450.0 - 411.0 411.0 N/O 698 - 761 761 761 2445 - 2445 2,44 500-750 PR C 3 93 358.0 465.0 386.0 N/O - 764 711 199 2,790 300.0 2,91 TOWN Helfer 150 D 3 2 390.0 - 390.0 390.0 -16 736 - 764 711 199 2,207 1,216 740 FD D 3 2 390.0 - 390.0 390.0 -16 736 - 764 711 199 2,206 1139 2165 MANULACUTING Steer MAINULACUTING Steer MAINULACUTING Steer MAINULACUTING Steer MAINULACUTING Steer MAINULACUTING Steer		PR	D	2	10	388.0 -	388.0	388.0	21	719	-	719	719	1164	-	1164	1,164
FD C 2 11 340 476 0 - 543 0 519 3 41 - 0 0 1595 - 1997 1,81 PR C 2 5 5 420 0 - 420 0 420 0 4 778 - 778 778 778 1407 - 1407 1,40 PR C 3 11 384 0 - 384 0 384 0 - 22 711 - 711 711 1517 - 1517 1,51 PR D 2 8 356 0 - 356 0 356 0 - 60 659 - 659 659 1317 - 1317 1,31 RS C 2 16 420 0 - 500 0 480 0 63 - 0 1407 - 1700 1,62 100+ FD C 2 16 460 0 - 466 0 460 4 N/C - 0 1863 - 2004 1,87 PR C 3 10 400 0 - 480 0 403 2 1 741 - 756 747 1960 - 2142 2,03 100+ PR C 3 10 400 0 - 466 0 460 0 403 2 1 741 - 756 747 1960 - 2142 2,03 100- FD C 3 38 370 0 - 370 0 370 0 N/O 685 - 685 685 1795 - 1795 1,79 100-500 PR C 3 8 360 0 - 412 0 392 5 N/O 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411 0 - 411 0 411 0 N/O 761 - 761 761 761 2445 - 2445 2,44 100-750 PR C 3 8 360 0 386 0 386 0 N/O 761 - 761 761 761 2445 - 2445 2,44 100-750 PR C 3 93 358 0 405 0 383 5 - 3 675 - 764 724 1139 - 2074 1,59 100-750 PR D 3 93 358 0 405 0 383 5 - 3 675 - 764 724 1139 - 2074 1,59 100-750 PR D 3 93 358 0 405 0 380 0 378 5 22 - 0 1177 - 1287 1,23 100-750 PR D 3 93 358 0 405 0 390 390 0 16 736 - 736 736 736 2165 - 2165 2,16 150-600 PR D 3 2 300 0 390 0 390 0 300 0 16 736 - 736 736 736 2165 - 2165 2,16 150-600 PR D D 3 2 300 0 390 0 390 0 300 0 16 736 - 736 736 736 2165 - 2165 2,16 150-600 PR D D 3 2 300 0 390 0 390 0 390 0 16 736 - 736 736 736 2165 - 2165 2,16 150-600		RS	C	2	286	414.0 -	556.0	469.4	-24		-		0	1180	-	1779	1,421
FD C 2 131 476.0 - 543.0 519.3 41 0 1595 - 1997 1,81 PR C 2 5 420.0 - 420.0 420.0 4 778 - 778 778 1407 - 1407 1,40 PR C 3 111 384.0 - 384.0 384.0 22 711 - 711 711 1517 - 1517 1,51 PR D 2 8 356.0 - 356.0 36.0 - 60 659 - 659 659 659 1317 - 1317 1,31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1,62 HED C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1,87 PR C 2 111 394.0 - 420.0 400.2 - 12 730 - 778 741 1596 - 200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 Scrown Steer 100-500 PR C 3 3 8 370.0 - 370.0 370.0 N/O 885 - 685 685 1795 - 1795 1,79 S00-600 PR C 3 8 36.0 - 412.0 392.5 N/O 715 - 763 727 2007 - 2287 2,07 PR C 3 8 38.0 411.0 - 411.0 411.0 N/O 761 - 761 761 761 2445 - 2445 2,44 S00-750 PR C 3 93 93 358.0 450.0 386.0 N/O 0 1853 - 1853 1,85 RS D 2 62 320.0 396.0 396.0 N/O 0 1853 - 1853 1,85 RS D 2 62 362.0 - 396.0 396.0 N/O 0 1177 - 1287 1,23 S40+ PR D 3 93 358.0 405.0 - 390.0 390.0 - 16 736 - 736 736 736 2165 - 2165 2,16 Manufacturing Steer		RS	D	2	21	450.0 -	450.0	450.0	N/Q		-		IVESTO O AUSTRO	1283	-	1283	1,283
PR C 2 5 420.0 - 420.0 420.0 4 778 - 778 778 1407 - 1407 1,400 PR C 3 111 384.0 - 384.0 384.0 -22 711 - 711 711 1517 - 1517 1,51 PR D 2 8 356.0 - 356.0 356.0 -60 659 - 659 659 1317 - 1317 1,31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1,62 100+ FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1,87 PR C 2 111 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 2043 356.0 664.0 - 659 963 610 2200 300-600 FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1,98 PR C 3 3 8 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 983 388 0 450.0 450.0 N/Q - 0 0 1853 - 1853 1,85 PR D 3 983 358.0 450.0 386.0 N/Q - 0 0 1853 - 1853 1,85 RS D 2 62 362.0 396.0 385.5 3 675 764 724 1139 2 2074 1,59 RS D 3 93 358.0 405.0 385.5 3 675 764 724 1139 2 2074 1,59 RS D 3 93 358.0 405.0 385.5 22 - 0 1177 - 1287 1,23 400-400-400-400-400-400-400-400-400-40	330-400																
PR C 3 11 384.0 - 384.0 384.0 -22 711 - 711 711 1517 - 1517 1.51 PR D 2 8 356.0 - 356.0 356.0 -60 659 - 659 659 659 1317 - 1317 1.31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1.62 FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1.87 PR C 2 11 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2000 1.99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2.03 2043 356.0 664.0 - 659 963 - 610 2200 Grown Steer 100-500 FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1.98 PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1.79 500-600 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 2445 2.445 500-750 PR C 3 2 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 3000 2.91 123 370.0 450.0 450.0 N/Q - 0 1853 1853 1.85 PR D 3 93 358.0 405.0 386.0 N/Q - 0 1853 1853 1.85 PR D 3 93 358.0 405.0 370.0 370.0 170 764 1139 2165 40autracturing Steer		FD	С	2	131	476.0 -	543.0	519.3	41		-		0	1595	-	1997	1,819
PR D 2 8 356.0 - 356.0 356.0 - 60 659 - 659 659 1317 - 1317 1.31 RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 1700 1.62 FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 2004 1.87 PR C 2 111 394.0 - 420.0 400.2 -12 730 - 778 741 1596 2200 1.99 PR C 3 100 400.0 - 408.0 403.2 1 741 - 756 747 1960 2142 2.03 Grown Steer 100-500 FD C 2 15 450.0 - 450.0 450.0 N/O - 0 0 1863 1795 1795 1795 PR C 3 3 8 370.0 - 370.0 370.0 N/O 685 - 685 685 1795 1795 1795 1795 PR C 3 8 411.0 - 411.0 411.0 N/O 761 - 761 761 2445 2445 2.44 500-750 PR C 3 2 377.0 - 411.0 404.4 N/O 698 - 761 749 2790 3000 2.91 STOWN Helfer 1-540 PR D 3 93 358.0 405.0 386.0 N/O - 761 764 724 1139 2074 1.596 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 1287 1.23 540+ PR D 3 2 390.0 - 390.0 370.0 370.0 1-6 736 - 736 736 2165 2165 2.165 540- CMANUfacturing Steer 440+		PR	С	2	5	420.0 -	420.0	420.0	4	778	-	778	778	1407	-	1407	1,407
RS C 2 16 420.0 - 500.0 480.0 63 - 0 1407 - 1700 1,62 100+ FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1,87 PR C 2 111 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 2043 356.0 664.0 - 659 963 610 2200 3		PR	С	3	11	384.0 -	384.0	384.0	-22	711	-	711	711	1517	_	1517	1,517
FD C 2 11 394.0 - 466.0 460.4 N/C - 0 1863 - 2004 1,877 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 2043 356.0 664.0 - 659 963 610 2200 Grown Steer 100-500 FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1,98 PR C 3 38 370.0 - 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 761 2445 - 2445 2,44 500-750 PR C 3 322 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 - 685 763 1795 3000 FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 685 763 1795 3000 FD D 3 93 358.0 - 405.0 383.5 -3 675 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 Manufacturing Steer 400-4004 Manufacturing Steer		PR	D	2	TOCK A 8 TRALIA	356.0 -	356.0	356.0	-60	659	-	659	659	1317	-	1317	1,317
FD C 2 16 460.0 - 466.0 460.4 N/C - 0 1863 - 2004 1,87 PR C 2 11 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 Grown Steer 100-500 FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1,98 PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 3 88 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 FD D 3 2 386.0 - 450.0 450.0 N/Q 685 - 763 1795 3000 FD D 3 93 358.0 - 450.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 450.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 238.0 405.0 - 675 764 1139 2165		RS	С	MEAT & LIVE	16	420.0 -	500.0	480.0	63		-		0	1407	MEAT	1700	1,627
PR C 2 11 394.0 - 420.0 400.2 -12 730 - 778 741 1596 - 2200 1,99 PR C 3 10 400.0 - 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 2043 356.0 664.0	400+																
PR C 3 10 400.0 408.0 403.2 1 741 - 756 747 1960 - 2142 2,03 Grown Steer 100-500 FD C 2 15 450.0 450.0 370.0 N/Q - 0 1980 - 1980 1,98 PR C 3 38 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 - 3675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 386.0 N/Q - 766 736 736 736 2165 - 2165 2,16 Manufacturing Steer 40-44-44-44-44-44-44-44-44-44-44-44-44-4		FD	С	2	16	460.0 -	466.0	460.4	N/C		-		0	1863	-	2004	1,872
Grown Steer (100-500) FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1.98 (100-500) PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1.79 (100-500) PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2.07 PR C 3 8 411.0 - 411.0 N/Q 761 - 761 761 2445 - 2445 2.44 (100-750) PR C 3 2 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2.91 123 370.0 450.0 685 763 1795 3000 Grown Heifer 0-540 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1.59 RS D 2 62 362.0 - 390.0 378.5 22 - 0 1177 - 1287 1.23 (140-404-404-404-404-404-404-404-404-404-		PR	С	2	11	394.0 -	420.0	400.2	-12	730	-	778	741	1596	-	2200	1,996
From Steer (100-500) FD C 2 15 450.0 - 450.0 450.0 N/Q - 0 1980 - 1980 1.98 PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1.79 500-600 PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 Srown Heifer 0-540 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 358.0 405.0 - 360.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer		PR	TRALIA C	3	10	400.0 -	408.0	403.2	1	741	-	756	747 STRAU	1960	-	2142	2,033
FD C 2 15 450.0 - 450.0 N/Q - 0 1980 - 1980 1,98 PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 Grown Heifer 0-540 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer					2043	356.0	664.0			659		963		610		2200	
FD C 2 15 450.0 - 450.0 N/Q - 0 1980 - 1980 1,98 PR C 3 38 370.0 - 370.0 370.0 N/Q 685 - 685 685 1795 - 1795 1,79 500-600 PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 Grown Heifer 0-540 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer	Crown Sto	or															
FD C 2 15 450.0 - 450.0 450.0 N/O - 0 1980 - 1980 1,98 PR C 3 38 370.0 - 370.0 370.0 N/O 685 - 685 685 1795 - 1795 1,79 500-600 PR C 2 40 386.0 - 412.0 392.5 N/O 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 - 411.0 411.0 N/O 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/O 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 Grown Heifer 0-540 PR D 3 93 358.0 - 405.0 386.0 N/O - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,165 Manufacturing Steer		eı															
FD D 3 2 386.0 - 386.0 386.0 N/Q - 761 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 Manufacturing Steer 540+ Manufacturing Steer 540+		FD	С	2	15	450.0 -	450.0	450.0	N/Q		_		0	1980	_	1980	1,980
FD D 3 2 386.0 - 386.0 386.0 N/Q - 761 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 Manufacturing Steer 540+ Manufacturing Steer 540+		PR	С	3	38	370.0 -	370.0	370.0	N/Q	685	_	685	685	1795	_/	1795	1,795
PR C 2 40 386.0 - 412.0 392.5 N/Q 715 - 763 727 2007 - 2287 2,07 PR C 3 8 411.0 - 411.0 411.0 N/Q 761 - 761 761 2445 - 2445 2,44 500-750 PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 CGrown Heifer D-540 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 Manufacturing Steer 540+	500-600																
PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 Grown Heifer 0-540 FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer		PR	С	2	40	386.0 -	412.0	392.5	N/Q	715	-	763	727	2007	-	2287	2,077
PR C 3 22 377.0 - 411.0 404.4 N/Q 698 - 761 749 2790 - 3000 2,91 123 370.0 450.0 685 763 1795 3000 From Heifer D-540 FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165		PR	С	3	8	411.0 -	411.0	411.0	N/Q	761	_	761	761	2445	_	2445	2,445
FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 405.0 388.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer	600-750																
FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165		PR	RALLA C	3	22	377.0 -	411.0	404.4	N/Q	698	-	761	749	2790	-	3000	2,917
PR D 3 2 390.0 - 390.0 390.0 -16 736 - 764 1139 2165 Manufacturing Steer 640+ FD D 3 2 386.0 - 386.0 N/Q - 0 1853 - 1853 1,85 RS D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer					123	370.0	450.0			685		763		1795		3000	
PR D 3 2 390.0 - 390.0 390.0 -16 736 - 764 1139 2165 Manufacturing Steer 640+ FD D 3 2 386.0 - 386.0 N/Q - 0 1853 - 1853 1,85 RS D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 Manufacturing Steer	Consum Half	c															
FD D 3 2 386.0 - 386.0 386.0 N/Q - 0 1853 - 1853 1,85 PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 540+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165 Wanufacturing Steer		rer															
PR D 3 93 358.0 - 405.0 383.5 -3 675 - 764 724 1139 - 2074 1,59 RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 640+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165 Manufacturing Steer	0-540	FD	D	3	2	386.0 -	386.0	386.0	N/Q		_		0	1853	_	1853	1,853
RS D 2 62 362.0 - 396.0 378.5 22 - 0 1177 - 1287 1,23 1,23 1,40+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165 Manufacturing Steer 540+										675	_	764					1,593
540+ PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165 Manufacturing Steer										TOCK AUSTRALIA	_	, , ,					
PR D 3 2 390.0 - 390.0 390.0 -16 736 - 736 736 2165 - 2165 2,16 159 358.0 405.0 675 764 1139 2165 Manufacturing Steer 1540+	540±		5	MEATE	02	55 <u>2</u> .0 -	5,0.0	5,5.5	MEAT				Ü	, ,	MEAT	. 201	1,230
159 358.0 405.0 675 764 1139 2165 Manufacturing Steer 19	5 10 1	PR	D	3	2	390.0 -	390.0	390.0	-16	736	_	736	736	2165	_	2165	2,165
Manufacturing Steer 19 540+ MENT & LIVESTOCK AUSTRALIA MENT & LIVESTOCK AUSTRALIA				-					-								,
540+ WEAT & LIVESTOCK AD.					,		.55.0			2,0				,		50	
		ring Stee	TALIA														
rn C 3 3 336.U - 30U.U 338./ -23 063 - 06/ 064 252U - 2864 2,/4	540+	TIMES	C	2	2	SEO O	340 0	250.7	22	4/2		MEAT & I	Y Y A	2520		2074	2.740
		rĸ	C	3	3	ააგ.ს -	300.0	აეგ./	-23	003	-	00/	004	∠520	-	∠ŏ04	2,749

Click here to view the new and improved Prime Cattle Market Reports

Cows O-400 PR D 2 8 300.0 - 300.0 300.0 -25 652 - 652 652 1185 - 1185 7	Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head		Live Wei	ight c/kg		Estimated Carcase Weight c/kg*					Estimated \$/Head			
Cows O-400 PR D 2 8 300.0 - 300.0 300.0 -25 652 - 652 652 1185 - 1185 - 1348 -		/4.	2			Low	High	Avg	Change	Low		High	Avg	Low	H	ligh	Avg	
O-400 PR D 2 8 30.0 - 300.0 300.0 -25 652 - 652 652 1185 - 1185 688 689 692 1185 - 1185 689 692 693 693 692 693 692 693 693 693 693 693 693 693 693 693 693					3	358.0	360.0			663		667		2520	2	864		
PT D 2 6 350.0 - 350.0 350.0 N/Q - 0 1348 - 1348 - 1348 A00-520 PR D 2 15 312.0 - 330.0 322.8 13 678 - 717 702 1337 - 1373 - 1373 - 1450-600 PR D 3 100 344.0 - 367.0 355.0 3 690 - 763 721 1535 - 1830 - 717 PT D 2 103 348.0 348.0 N/Q - 763 721 1535 - 1830 - 717 PT D 2 103 348.0 348.0 N/Q - 763 721 1535 - 1831 - 1871 PT D 2 10 348.0 348.0 N/Q - 763 721 1535 - 1831 - 1871 PT D 2 10 348.0 348.0 N/Q - 764 744 - 756 750 1711 - 1871 PT D 2 10 348.0 348.0 N/Q - 0 1618 - 1618 PT D 2 10 348.0 348.0 N/Q - 0 1359 - 1846 PT D 3 2 15 310.0 - 355.0 31.0 N/Q 674 - 674 674 1643 - 1643 - 1643 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 - 1643 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 - 1643 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 PT D 3 2 15 310.0 PT D 3 2 15 310.0 - 355.0 310.0 N/Q 674 - 674 674 1643 - 1643 PT D 3 2 15 310.0 PT D 3 2 15 31																		
RS D 2 35 310.0 - 330.0 316.7 3 - 0 1132 - 1254 400-520 PR D 2 15 312.0 - 330.0 322.8 13 678 - 717 702 1337 - 1373 - 374.0 87.0 87.0 87.0 87.0 87.0 87.0 87.0 87		PR	D	2	8	300.0	300.0	300.0	-25	652	-	652	652	1185	- 1	185	1,185	
400-520 PR		PT	D	2	6	350.0	350.0	350.0	N/Q		-		0	1348	- 1	348	1,348	
PR D 2 15 312.0 - 330.0 322.8 13 678 - 717 702 1337 - 1373 PR D 3 100 344.0 - 367.0 355.0 3 690 - 763 721 1535 - 1830 PR D 4 21 372.0 - 378.0 374.9 N/Q 744 - 756 750 1711 - 1871 PT D 2 10 348.0 - 348.0 348.0 N/Q 0 1618 - 1618 PR D 2 46 316.0 - 355.0 341.7 9 - 0 1359 - 1846 PR D 3 212 338.0 - 368.0 360.9 3 692 - 765 730 1775 - 2471 PR PR D 4 261 370.0 - 385.0 377.0 2 740 - 779 754 1985 - 2695 PR PR D 3 8 356.0 - 356.0 328.0 N/Q 0 1738 - 1738 PR PR D 3 8 356.0 - 356.0 385.0 N/Q 0 1738 - 1738 PR PR D 3 8 356.0 - 356.0 356.0 N/Q 0 1738 - 1738 PR PR PR D 3 8 356.0 - 356.0 356.0 N/Q 0 1738 - 1738 PR		RS	D	_2	35	310.0	330.0	316.7	_3		-		0	1132	- 1	254	1,209	
PR D 3 100 344.0 - 367.0 355.0 3 690 - 763 721 1535 - 1830 PR D 4 21 372.0 - 378.0 374.9 N/Q 744 - 756 750 1711 - 1871 - 1871 PT D 2 10 348.0 - 348.0 348.0 N/Q 0 1618 - 1618 PR D 2 46 316.0 - 355.0 341.7 9 - 0 1359 - 1846 PR D 3 212 338.0 - 368.0 360.9 3 692 - 765 730 1775 - 2471 - 2771 PR PR D 4 261 370.0 - 385.0 377.0 2 740 - 779 754 1985 - 2695 PR PR D 3 8 356.0 - 356.0 377.0 2 740 - 779 754 1985 - 2695 PR PR D 3 8 356.0 - 356.0 356.0 N/Q 0 1738 - 1738 PR PR PR D 3 8 356.0 - 356.0 356.0 N/Q 0 1738 - 1738 PR	400-520																	
PR D 4 21 372.0 - 378.0 374.9 N/Q 744 - 756 750 1711 - 1871 7 1618 7 161		PR	D	2	15	312.0	330.0	322.8	13	678	-	717	702	1337	- 1	373	1,351	
PT D 2 10 348.0 - 348.0 348.0 N/Q - 0 1618 - 1618 7 RS D 2 46 316.0 - 355.0 341.7 9 - 0 1359 - 1846 7 520+ PR D 2 5 310.0 - 310.0 310.0 N/Q 674 - 674 674 1643 - 1643 7 PR D 3 212 338.0 - 368.0 360.9 3 692 - 765 730 1775 - 2471 2 RS D 2 7 328.0 - 328.0 328.0 N/Q - 779 754 1985 - 2695 2 RS D 3 8 356.0 - 356.0 356.0 N/Q - 0 0 1738 - 1738 7 RS D 3 8 356.0 - 356.0 356.0 N/Q - 0 0 1738 - 1738 7 Bulls 0-450 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 7 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 0 1908 - 1908 7 600+		PR	D	3	100	344.0	367.0	355.0	3	690	-	763	721	1535	- 1	830	1,699	
RS D 2 46 316.0 - 355.0 341.7 9 - 0 1359 - 1846 2520+ PR D 2 5 310.0 - 310.0 310.0 N/Q 674 - 674 674 1643 - 1643 - 1643 2 1643		PR	D	4	21	372.0	378.0	374.9	N/Q	744	-	756	750	1711	- 1	871	1,787	
FD C 2 24 374.0 - 374.0 374.0 N/Q 0 1608 - 1608 - 1608 1608		PT	TRALIA D	2	10	348.0	348.0	348.0	N/Q		-		O AUSTRAL	1618	- 1	618	1,618	
PR D 2 5 310.0 - 310.0 310.0 N/Q 674 - 674 674 1643 - 1643 - 1643 PR D 3 212 338.0 - 368.0 360.9 3 692 - 765 730 1775 - 2471 2 2 2 4 374.0 - 328.0 328.0 N/Q - 779 754 1985 - 2695 2 2 2 4 374.0 - 356.0 356.0 N/Q - 0 1738 - 1738 2 2 2 2 2 4 374.0 - 363.0 356.0 N/Q - 0 1608 - 1608 2 2 2 4 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 2 2 2 4 374.0 - 632.0 525.5 -9 - 0 1197 - 1473 2 4 5 0 6 0 0 +		RS	D	2	46	316.0	355.0	341.7	9		-		UVESTOCK 0	1359	- 1	846	1,627	
PR D 3 212 338.0 - 368.0 360.9 3 692 - 765 730 1775 - 2471 2 PR D 4 261 370.0 - 385.0 377.0 2 740 - 779 754 1985 - 2695 2 RS D 2 7 328.0 - 328.0 328.0 N/Q - 0 1738 - 1738 7 RS D 3 8 356.0 - 356.0 356.0 N/Q - 0 2278 - 2278 2 734 300.0 385.0 - 652 779 1132 2695 Bulls 0-450 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 7 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 7 600+	520+																	
PR D 4 261 370.0 - 385.0 377.0 2 740 - 779 754 1985 - 2695 2 7 328.0 328.0 N/Q - 0 1738 - 1738 2 7 328.0 328.0 N/Q - 0 1738 - 1738 2 7 327.0 356.0 356.0 N/Q - 0 2278 - 2278 2 7 328.0 356.0 N/Q - 0 1132 2695 2 7 7 1132 2695 2 7 7 1132 2695 2 7 7 1132 2695 2 7 7 1132 2695 2 7 7 1132 2695 2 7 7 1132 2695 2 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			D	2		310.0	310.0	310.0	N/Q		-		674	1643	- 1	643	1,643	
RS D 2 7 328.0 - 328.0 328.0 N/Q - 0 1738 - 1738 2 RS D 3 8 356.0 - 356.0 356.0 N/Q - 0 2278 - 2278 2 2695 Bulls 0-450 RS C 2 24 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 2 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 2 600+			D	3				360.9	3		-	765	730		- 2	471	2,055	
RS D 3 8 356.0 - 356.0 356.0 N/Q - 0 2278 - 2278 2 734 300.0 385.0 - 652 779 1132 2695 Bulls 0-450 FD C 2 24 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 2 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 2 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 2 600+		PR	D	4	261	370.0	385.0	377.0	2	740	-	779	754	1985	- 2	2695	2,254	
Bulls 0-450 FD C 2 24 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 4 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1908 - 1908 600+		RS	D	2 LIVES	TOCK AU	328.0	328.0	328.0	N/Q		-		0	1738	- 1	738	1,738	
Bulls 0-450 FD C 2 24 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 - 450-600 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 - 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 - 600+		RS	D	3	8	356.0	356.0	356.0	N/Q		-		0	2278	- 2	278	2,278	
0-450 FD C 2 24 374.0 - 374.0 374.0 N/Q - 0 1608 - 1608 7 RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 7 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 7					734	300.0	385.0			652		779		1132	2	695		
RS C 2 49 454.0 - 632.0 525.5 -9 - 0 1197 - 1473 7 450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 600+																		
450-600 LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 600+		IN FDCK AUS	С	2	24	374.0	374.0	374.0	N/Q		-		LIVESTO O AUSTR	1608	- 1	608	1,608	
LE C 2 26 360.0 - 360.0 360.0 24 - 0 1908 - 1908 600+		RS	С	2	49	454.0	632.0	525.5	-9		-		0	1197	- 1	473	1,306	
600+	450-600																	
		LE	С	2	26	360.0	360.0	360.0	24		-		0	1908	- 1	908	1,908	
DD C 2 31 350.0 386.0 363.0 16 636 702 662 2240 3520	600+																	
		PR	С	_2	TOCK 31 RALL	350.0	386.0	363.9	-16	636	-	702	662	2240	- 3	520	2,719	
		PR	С	MEA 3		364.0	377.0	372.7	MEAT -6	662	-		678		EAT & 3	3770	3,751	
133 350.0 632.0 636 702 1197 3770					133	350.0	632.0			636		702		1197	3	3770		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.









© 2021 Meat and Livestock Australia Limited