

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 28/09/2021

 Yarding 4906
 Change -2146

comparison date 21/09/2021

Numbers fell by 2,145 head to see a total yarding of 4,906 at the Roma Store sale with storms looming in the local area. Heifers and cows accounted for over half of the yarding and the overall quality of the yarding was mixed with numbers from Western and North-West Queensland again yarded. A good buying panel was present and operating, including all regular processors. The market remained strong with buyers competing on quality cattle and seeking frame over condition. Light weight steers under 280kg reached the \$7 mark and improved by 32c to 42c/kg. Medium weight steers were yarded in reduced numbers and fell by 38c to 75c/kg, reflective of quality. Heavy weight steers to feed improved by 33c/kg. Light weight heifers to restockers fell by 28c to 62c, while medium weight heifers to restockers improved by 16c to 18c/kg. Limited numbers of quality prime heavy weight cows were yarded, which saw prices ease by 7c to 9c/kg.

Light weight yearling steers under 200kg sold to a top of 684.2c to average 621c/kg. Light weight yearling steers under 280kg to restockers were the largest sample of steers for the day and made to 706.2c to average 659c/kg. Medium weight yearling steers under 330kg to restockers sold to 650.2c to average 583c/kg. Yearling steers under 400kg to feed made to a top of 580.2c to average 540c/kg. Heavy weight yearling steers over 400kg to feed reached a top of 550.2c to average 480c/kg. Light weight yearling heifers under 200kg to restockers reached a top of 670.2c to average 507c/kg. Yearling heifers under 280kg to restockers made to 658.2c to average 545c/kg. Medium weight yearling heifers under 330kg to restockers sold to 578.2c to average 522c/kg. Yearling heifers under 400kg to restockers reached a top of 506.2c to average 498c/kg. Heavy weight yearling heifers over 400kg to restockers made to a top of 482.2c to average 482c/kg.

The best of the grown steers made to 478.2c to average 428c/kg. Grown heifers to processors sold to a top of 378.2c to average 373c/kg. PTIC grown heifers sold at open auction with the best of the red tags reaching \$2250/head, while the best of the open auction PTIC cows made \$1650/head. Heavy weight 3 score cows reached a top of 369.2c to average 361c/kg. Heavy weight 4 score prime cows made to a top of 377.2c to average 372c/kg. The best of the heavy weight bulls reached a top of 374.2c to average 358c/kg. Cows and calves made to a top of \$2140/unit.

MARKET REPORTER: Sherrill Stivano

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|------------------------|-------------|----------------|------------|------|------------------|---------|-------|--------|--------------------------------|-------|------|-------------------|--------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | RS | D | 2 | 96 | 512.0 | - 684.0 | 621.4 | -1 | - | 0 | 998 | - 1300 | 1,197 | |
| 200-280 | | | | | | | | | | | | | | |
| | FD | C | 2 | 57 | 636.0 | - 660.0 | 649.5 | 32 | - | 0 | 1526 | - 1683 | 1,624 | |
| | RS | C | 2 | 506 | 564.0 | - 706.0 | 659.3 | 42 | - | 0 | 1373 | - 1749 | 1,573 | |
| 280-330 | | | | | | | | | | | | | | |
| | FD | C | 2 | 46 | 498.0 | - 586.0 | 563.0 | -38 | - | 0 | 1594 | - 1808 | 1,723 | |
| | RS | C | 2 | 189 | 472.0 | - 650.0 | 583.4 | -41 | - | 0 | 1510 | - 1950 | 1,753 | |
| 330-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 52 | 518.0 | - 580.0 | 540.4 | -51 | - | 0 | 1749 | - 1974 | 1,835 | |
| | RS | C | 2 | 42 | 442.0 | - 512.0 | 479.7 | -75 | - | 0 | 1525 | - 1766 | 1,639 | |
| 400+ | | | | | | | | | | | | | | |
| | FD | C | 2 | 409 | 384.0 | - 550.0 | 480.5 | 33 | - | 0 | 1594 | - 2470 | 2,166 | |
| | FD | C | 3 | 30 | 422.0 | - 448.0 | 446.3 | 33 | - | 0 | 1859 | - 2110 | 1,876 | |
| | PR | C | 2 | 4 | 380.0 | - 418.2 | 408.7 | 19 | 704 | - 774 | 757 | 2318 | - 2572 | 2,508 |
| | PR | C | 3 | 37 | 422.0 | - 422.0 | 422.0 | -40 | 781 | - 781 | 781 | 2089 | - 2089 | 2,089 |
| | | | | 1468 | 380.0 | 706.0 | | | 704 | 781 | | 998 | 2572 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | PR | D | 2 | 54 | 430.0 | - 432.0 | 430.8 | 31 | 796 | - 800 | 798 | 821 | - 839 | 832 |

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|---------------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|------|-------------------|-------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 200-280 | RS | D | 2 | 307 | 442.0 | 670.0 | 507.4 | -62 | - | 0 | 799 | 1307 | 916 | |
| | FD | C | 2 | 30 | 414.0 | 564.0 | 463.6 | -51 | - | 0 | 1139 | 1352 | 1,200 | |
| | FD | D | 2 | 6 | 380.0 | 380.0 | 380.0 | N/Q | - | 0 | 969 | 969 | 969 | |
| | PR | C | 2 | 118 | 430.0 | 480.0 | 437.3 | -2 | 796 | 889 | 810 | 1032 | 1200 | 1,084 |
| 280-330 | RS | C | 2 | 592 | 424.0 | 658.0 | 544.7 | -28 | - | 0 | 949 | 1661 | 1,320 | |
| | FD | C | 2 | 61 | 418.0 | 536.0 | 470.6 | -45 | - | 0 | 1233 | 1663 | 1,440 | |
| | RS | C | 2 | 208 | 430.0 | 578.0 | 521.9 | 18 | - | 0 | 1226 | 1801 | 1,588 | |
| 330-400 | RS | D | 2 | 1 | 398.0 | 398.0 | 398.0 | N/Q | - | 0 | 1134 | 1134 | 1,134 | |
| | FD | C | 2 | 191 | 418.0 | 500.0 | 482.5 | 61 | - | 0 | 1400 | 1825 | 1,743 | |
| | PR | D | 2 | 7 | 370.0 | 370.0 | 370.0 | -29 | 685 | 685 | 685 | 1240 | 1240 | 1,240 |
| 400+ | RS | C | 2 | 56 | 478.0 | 506.0 | 497.9 | 16 | - | 0 | 1725 | 1816 | 1,756 | |
| | FD | C | 2 | 11 | 385.0 | 388.0 | 385.3 | -11 | - | 0 | 1688 | 1810 | 1,798 | |
| | PR | C | 3 | 14 | 390.0 | 390.0 | 390.0 | 2 | 722 | 722 | 722 | 1814 | 1814 | 1,814 |
| | RS | C | 2 | 19 | 482.0 | 482.0 | 482.0 | 89 | - | 0 | 2145 | 2145 | 2,145 | |
| | | | | 1675 | 370.0 | 670.0 | | | 685 | 889 | 799 | 2145 | | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | FD | C | 2 | 4 | 458.0 | 458.0 | 458.0 | 87 | - | 0 | 2221 | 2221 | 2,221 | |
| | 500-600 | | | | | | | | | | | | | |
| | FD | C | 2 | 27 | 390.0 | 390.0 | 390.0 | N/Q | - | 0 | 1989 | 1989 | 1,989 | |
| | FD | C | 3 | 2 | 380.0 | 380.0 | 380.0 | N/Q | - | 0 | 1957 | 1957 | 1,957 | |
| 600-750 | PR | C | 3 | 53 | 422.0 | 478.0 | 428.2 | 50 | 781 | 885 | 793 | 2173 | 2749 | 2,495 |
| | PR | C | 2 | 17 | 386.0 | 386.0 | 386.0 | N/Q | 715 | 715 | 715 | 2393 | 2393 | 2,393 |
| | PR | C | 3 | 17 | 374.0 | 406.0 | 400.4 | N/Q | 693 | 752 | 741 | 2581 | 2680 | 2,662 |
| | | | | 120 | 374.0 | 478.0 | | | 693 | 885 | 1957 | 2749 | | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | FD | D | 3 | 28 | 436.0 | 436.0 | 436.0 | 12 | - | 0 | 1417 | 1417 | 1,417 | |
| | PR | D | 3 | 65 | 368.0 | 378.0 | 372.8 | 10 | 694 | 700 | 697 | 1564 | 1833 | 1,694 |
| 540+ | PR | D | 3 | 2 | 378.0 | 378.0 | 378.0 | 11 | 713 | 713 | 713 | 2060 | 2060 | 2,060 |
| | | | | 95 | 368.0 | 436.0 | | | 694 | 713 | 1417 | 2060 | | |
| Manufacturing Steer | | | | | | | | | | | | | | |
| 540+ | PR | C | 2 | 6 | 352.0 | 376.0 | 356.0 | -21 | 652 | 696 | 659 | 2358 | 2632 | 2,404 |
| | | | | 6 | 352.0 | 376.0 | | | 652 | 696 | 2358 | 2632 | | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | PR | D | 2 | 15 | 240.0 | 330.0 | 306.0 | 18 | 522 | 717 | 665 | 888 | 1271 | 1,169 |

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 400-520 | PR | D | 2 | 76 | 302.0 | 348.0 | 326.5 | 9 | 657 | 757 | 710 | 1336 | 1622 | 1,498 |
| | PR | D | 3 | 56 | 350.0 | 369.0 | 361.5 | 13 | 700 | 769 | 734 | 1665 | 1882 | 1,769 |
| | PR | D | 4 | 17 | 370.0 | 370.0 | 370.0 | N/Q | 740 | 771 | 744 | 1813 | 1887 | 1,878 |
| | RS | D | 2 | 11 | 302.0 | 350.0 | 328.2 | -16 | - | - | 0 | 1268 | 1488 | 1,388 |
| 520+ | PR | D | 2 | 17 | 320.0 | 346.0 | 340.5 | N/Q | 696 | 752 | 740 | 1728 | 1817 | 1,796 |
| | PR | D | 3 | 126 | 342.0 | 369.0 | 360.7 | -9 | 704 | 769 | 728 | 1866 | 2668 | 2,027 |
| | PR | D | 4 | 39 | 370.0 | 377.0 | 372.3 | -7 | 740 | 754 | 745 | 1979 | 2461 | 2,266 |
| | | | | 357 | 240.0 | 377.0 | | | 522 | 771 | | 888 | 2668 | |
| Bulls 0-450 | RS | C | 2 | 49 | 468.0 | 552.0 | 494.1 | -80 | - | - | 0 | 1159 | 1451 | 1,420 |
| | | | | | | | | | | | | | | |
| 450-600 | PR | C | 2 | 2 | 355.0 | 355.0 | 355.0 | 1 | 645 | 645 | 645 | 1917 | 1917 | 1,917 |
| 600+ | PR | C | 2 | 23 | 330.0 | 374.0 | 348.8 | -6 | 600 | 680 | 634 | 2350 | 3322 | 2,773 |
| | PR | C | 3 | 7 | 352.0 | 374.0 | 358.3 | N/C | 640 | 680 | 651 | 2429 | 3366 | 2,832 |
| | | | | 81 | 330.0 | 552.0 | | | 600 | 680 | | 1159 | 3366 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

