

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

Yarding 5906
Change -190

report date 02/11/2021

comparison date 26/10/2021

Numbers fell slightly by 190 head to see a total yarding of 5906 at the Roma Store Sale. Steers continued to dominate the yarding and cattle were drawn from a wide supply area. The overall quality of the yarding varied but included some limited runs of quality single vendor lines. A smaller buying panel was operating, with a reduced Southern restocker presence, however all regular processors were present. The market mostly held firm from the previous week with price fluctuations reflective of quality variations. Light weight steers to restockers rose by 7c to 14c. Medium weight steers under 330kg to restockers rose by 23c. Heavy weight steers to feed improved by 11c. Light weight heifers under 200kg improved by 89c while light weight heifers under 280kg to restockers fell by 38c. medium weight heifers to feed fell by 7c to 39c. Heavy weight heifers to processors rose by 10c. Cows eased slightly with medium weight cows to processors back by 8c while heavy weight prime cows fell by 2c.

Light weight yearling steers under 200kg sold to 792.2c to average 724c/kg. Light weight yearling steers under 280kg to restockers made to 770.2c to average 678c/kg. Medium weight yearling steers under 330kg to restockers sold to 680.2c to average 602c/kg. Medium weight yearling steers under 400kg to feed made to a top of 608.2c to average 566c while heavy weight yearling steers over 400kg to feed reached a top of 536.2c to average 526c/kg. Light weight yearling heifers under 200kg to restockers reached a top of 720.2c to average 665c/kg. Light weight yearling heifers under 280kg to restockers made to 696.2c to average 592c/kg. Medium weight yearling heifers under 330kg to restockers sold to 610.2c to average 514c while medium weight yearling heifers under 400kg to feed reached a top of 574.2c to average 558c/kg. Heavy weight yearling heifers to processors sold to 440.2c to average 421c/kg.

The best of the limited grown steers made to 490.2c to average 430c while the heavy weight grown heifers sold to a top of 418.2c to average 416c/kg. Heavy weight 3 score cows reached a top of 387.2c to average 385c while heavy weight 4 score prime cows made to a top of 399.2c to average 394c/kg. Heavy weight bulls reached a top of 386.2c to average 380c/kg. Cows and calves made to a top of \$2440/unit.

MARKET REPORTER: Sherrill Stivano

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|------|-------------------|-------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | RS | D | 2 | 231 | 610.0 | 792.0 | 723.9 | 7 | - | 0 | 1022 | 1439 | 1,281 | |
| 200-280 | | | | | | | | | | | | | | |
| | FD | C | 2 | 134 | 588.0 | 694.0 | 632.9 | -23 | - | 0 | 1389 | 1859 | 1,582 | |
| | RS | C | 2 | 646 | 546.0 | 770.0 | 678.2 | 14 | - | 0 | 1324 | 1852 | 1,702 | |
| 280-330 | | | | | | | | | | | | | | |
| | FD | C | 2 | 105 | 588.0 | 662.0 | 601.5 | -15 | - | 0 | 1740 | 1960 | 1,885 | |
| | RS | C | 2 | 270 | 514.0 | 680.0 | 602.1 | 23 | - | 0 | 1566 | 1956 | 1,779 | |
| 330-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 326 | 512.0 | 608.0 | 565.6 | 15 | - | 0 | 1766 | 2196 | 2,052 | |
| | RS | C | 2 | 123 | 510.0 | 596.0 | 550.5 | -29 | - | 0 | 1734 | 1997 | 1,883 | |
| | RS | D | 2 | 3 | 412.0 | 412.0 | 412.0 | -60 | - | 0 | 1504 | 1504 | 1,504 | |
| 400+ | | | | | | | | | | | | | | |
| | FD | C | 2 | 188 | 506.0 | 536.0 | 526.2 | 11 | - | 0 | 2075 | 2886 | 2,373 | |
| | FD | C | 3 | 8 | 434.0 | 478.0 | 439.5 | -37 | - | 0 | 1910 | 2294 | 1,958 | |
| | PR | C | 3 | 170 | 418.2 | 480.0 | 444.0 | 11 | 774 | 889 | 822 | 2150 | 2826 | 2,625 |
| | | | | 2204 | 412.0 | 792.0 | | | 774 | 889 | | 1022 | 2886 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | PR | D | 2 | 15 | 480.0 | 480.0 | 480.0 | N/Q | 889 | 889 | 889 | 888 | 888 | 888 |
| | RS | D | 2 | 116 | 650.0 | 720.0 | 665.4 | 89 | - | 0 | 952 | 1307 | 1,176 | |

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|---------------------------------|-------------|----------------|------------|------|------------------|---------|-------|--------|--------------------------------|---------|------|-------------------|--------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 200-280 | | | | | | | | | | | | | | |
| | FD | C | 2 | 340 | 542.0 | - 584.0 | 580.8 | 5 | - | 0 | 1431 | - 1557 | 1,442 | |
| | PR | C | 2 | 98 | 452.0 | - 540.0 | 476.7 | -17 | 837 | - 1,000 | 883 | 1198 | - 1269 | 1,218 |
| | PR | D | 2 | 17 | 420.0 | - 422.0 | 421.4 | N/Q | 778 | - 781 | 780 | 924 | - 1055 | 1,017 |
| | RS | C | 2 | 218 | 466.0 | - 696.0 | 591.6 | -38 | - | 0 | 1132 | - 1723 | 1,486 | |
| 280-330 | | | | | | | | | | | | | | |
| | FD | C | 2 | 70 | 476.0 | - 576.0 | 546.7 | -39 | - | 0 | 1476 | - 1872 | 1,718 | |
| | FD | D | 2 | 29 | 404.0 | - 404.0 | 404.0 | N/Q | - | 0 | 1293 | - 1293 | 1,293 | |
| | PR | C | 2 | 22 | 438.0 | - 498.0 | 480.7 | 79 | 811 | - 922 | 890 | 1358 | - 1567 | 1,554 |
| | PR | D | 2 | 5 | 400.0 | - 404.0 | 403.2 | N/Q | 741 | - 748 | 747 | 1151 | - 1200 | 1,161 |
| | RS | C | 2 | 171 | 436.0 | - 610.0 | 514.4 | -79 | - | 0 | 1352 | - 1800 | 1,544 | |
| | RS | D | 2 | 8 | 430.0 | - 430.0 | 430.0 | N/Q | - | 0 | 1376 | - 1376 | 1,376 | |
| 330-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 47 | 530.0 | - 574.0 | 558.4 | -7 | - | 0 | 1802 | - 1923 | 1,876 | |
| | PR | C | 2 | 52 | 438.0 | - 524.0 | 485.5 | N/Q | 811 | - 970 | 899 | 1533 | - 1900 | 1,719 |
| | PR | D | 2 | 12 | 400.0 | - 424.0 | 412.0 | 20 | 741 | - 785 | 763 | 1505 | - 1540 | 1,523 |
| | RS | C | 2 | 108 | 442.0 | - 560.0 | 501.5 | -46 | - | 0 | 1481 | - 1968 | 1,829 | |
| 400+ | | | | | | | | | | | | | | |
| | FD | C | 2 | 6 | 440.0 | - 440.0 | 440.0 | N/Q | - | 0 | 1936 | - 1936 | 1,936 | |
| | PR | C | 3 | 21 | 417.0 | - 440.0 | 420.8 | 10 | 772 | - 815 | 779 | 2090 | - 2247 | 2,202 |
| | | | | 1355 | 400.0 | 720.0 | | | 741 | 1,000 | 888 | 2247 | | |
| Grown Steer 0-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 8 | 392.0 | - 392.0 | 392.0 | N/Q | - | 0 | 1294 | - 1294 | 1,294 | |
| | RS | C | 2 | 9 | 400.0 | - 490.0 | 430.0 | N/Q | - | 0 | 1160 | - 1740 | 1,353 | |
| 400-500 | | | | | | | | | | | | | | |
| | FD | C | 2 | 3 | 400.0 | - 400.0 | 400.0 | -17 | - | 0 | 1700 | - 1700 | 1,700 | |
| | PR | C | 2 | 2 | 400.0 | - 400.0 | 400.0 | N/Q | 741 | - 741 | 741 | 1780 | - 1780 | 1,780 |
| | | | | 22 | 392.0 | 490.0 | | | 741 | 741 | 1160 | 1780 | | |
| Grown Heifer 0-540 | | | | | | | | | | | | | | |
| | FD | D | 3 | 2 | 420.0 | - 428.0 | 424.0 | N/Q | - | 0 | 1848 | - 1883 | 1,866 | |
| | PR | D | 2 | 32 | 340.0 | - 402.0 | 373.1 | N/Q | 642 | - 758 | 704 | 918 | - 2087 | 1,650 |
| | PR | D | 3 | 7 | 406.0 | - 407.0 | 406.7 | 1 | 766 | - 768 | 767 | 1872 | - 2091 | 1,935 |
| | RS | D | 2 | 16 | 342.0 | - 402.0 | 387.0 | N/Q | - | 0 | 1126 | - 1248 | 1,156 | |
| 540+ | | | | | | | | | | | | | | |
| | PR | D | 3 | 16 | 416.0 | - 418.0 | 416.1 | 2 | 785 | - 789 | 785 | 2267 | - 2341 | 2,272 |
| | PR | D | 4 | 8 | 408.0 | - 408.0 | 408.0 | N/Q | 770 | - 770 | 770 | 2285 | - 2285 | 2,285 |
| | | | | 81 | 340.0 | 428.0 | | | 642 | 789 | 918 | 2341 | | |
| Manufacturing Steer 540+ | | | | | | | | | | | | | | |
| | PR | C | 2 | 2 | 379.0 | - 379.0 | 379.0 | -6 | 702 | - 702 | 702 | 2426 | - 2426 | 2,426 |
| | PR | C | 3 | 3 | 402.0 | - 402.0 | 402.0 | N/Q | 744 | - 744 | 744 | 2734 | - 2734 | 2,734 |
| | | | | 5 | 379.0 | 402.0 | | | 702 | 744 | 2426 | 2734 | | |

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|---------|-------|--------|--------------------------------|---------|-----|-------------------|--------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Cows | | | | | | | | | | | | | | |
| 0-400 | | | | | | | | | | | | | | |
| | PR | D | 2 | 45 | 260.0 | - 308.0 | 282.2 | -28 | 565 | - 670 | 614 | 988 | - 1170 | 1,072 |
| | PR | D | 3 | 40 | 350.0 | - 372.0 | 367.9 | N/Q | 729 | - 744 | 741 | 1246 | - 1373 | 1,293 |
| 400-520 | | | | | | | | | | | | | | |
| | PR | D | 2 | 37 | 320.0 | - 340.0 | 331.7 | -8 | 696 | - 739 | 721 | 1296 | - 1496 | 1,403 |
| | PR | D | 3 | 162 | 350.0 | - 389.0 | 370.2 | -8 | 712 | - 806 | 752 | 1492 | - 1944 | 1,719 |
| | PR | D | 4 | 18 | 390.0 | - 392.0 | 391.2 | N/Q | 780 | - 784 | 782 | 1921 | - 1989 | 1,947 |
| | RS | D | 2 | 61 | 320.0 | - 380.0 | 363.5 | -57 | - | - | 0 | 1328 | - 1950 | 1,684 |
| 520+ | | | | | | | | | | | | | | |
| | PR | D | 3 | 50 | 372.0 | - 387.0 | 384.7 | 8 | 764 | - 802 | 771 | 2027 | - 2399 | 2,166 |
| | PR | D | 4 | 74 | 390.0 | - 399.0 | 394.4 | -2 | 780 | - 798 | 789 | 2072 | - 2522 | 2,252 |
| | | | | 487 | 260.0 | - 399.0 | | | 565 | - 806 | | 988 | - 2522 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | | | | | | | | | | | | | | |
| | RS | C | 2 | 75 | 440.0 | - 548.0 | 521.7 | -22 | - | - | 0 | 1254 | - 1632 | 1,520 |
| | RS | C | 3 | 58 | 688.0 | - 688.0 | 688.0 | N/Q | - | - | 0 | 1238 | - 1238 | 1,238 |
| 450-600 | | | | | | | | | | | | | | |
| | PR | C | 2 | 5 | 358.0 | - 604.0 | 407.2 | N/Q | 651 | - 1,098 | 740 | 2041 | - 3564 | 2,345 |
| 600+ | | | | | | | | | | | | | | |
| | PR | C | 2 | 11 | 354.0 | - 368.0 | 362.4 | -1 | 644 | - 669 | 659 | 2196 | - 3054 | 2,734 |
| | PR | C | 3 | 5 | 370.0 | - 386.0 | 380.4 | 8 | 673 | - 702 | 692 | 3116 | - 3860 | 3,456 |
| | RS | C | 2 | 1 | 380.0 | - 380.0 | 380.0 | N/Q | - | - | 0 | 3116 | - 3116 | 3,116 |
| | | | | 155 | 354.0 | - 688.0 | | | 644 | - 1,098 | | 1238 | - 3860 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

